This document contains the first 155 pages of the 310-page Appendix B from the 2004 Holland America Oosterdam Data report. Appendix B contains data on Raw Flow Data from Accommodations, Influent and Effluent Graywater Systems, Influent and Effluent Sewage/GraywaterTreatment System, and the Final Combined Effluent collected onboard the Oosterdam September 14 through September 24, 2004. The report and all the appendices for this sampling event can be downloaded from
http://www.epa.gov/owow/oceans/cruise_ships/oosterdam.html

Holland America Oosterdam

2004 Analytical Results

Appendix B

Pages 1 through 155

March 2006

Appendix B

RAW FLOW DATA COLLECTED FROM 14 SEPTEMBER THROUGH 24 SEPTEMBER 2004

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1		09.14.2004	21.35	0.0006	CU M/MI	9.85	CU M
SP1		09.14.2004	21.4	0.00047	CU M/MI	9.86	CU M
SP1		09.14.2004	21.45	0.00045	CU M/MI	9.86	CU M
SP1		09.14.2004	21.5	0.00068	CU M/MI	9.86	CU M
SP1		09.14.2004	21.55	0.00052	CU M/MI	9.86	CU M
SP1		09.14.2004	22	0.00068	CU M/MI	9.87	CU M
SP1		09.14.2004	22.05	0.0006	CU M/MI	9.87	CU M
SP1		09.14.2004	22.1	0.00053	CU M/MI	9.87	CU M
SP1		09.14.2004	22.15	0.00043	CU M/MI	9.88	CU M
SP1		09.14.2004	22.2	0.00056	CU M/MI	9.88	CU M
SP1		09.14.2004	22.25	0.00051	CU M/MI	9.88	CU M
SP1		09.14.2004	22.3	0.00063	CU M/MI	9.89	CU M
SP1		09.14.2004	22.35	0.00043	CU M/MI	9.89	CU M
SP1		09.14.2004	22.4	0.0006	CU M/MI	9.89	CU M
SP1		09.14.2004	22.45	0.00078	CU M/MI	9.89	CU M
SP1		09.14.2004	22.5	0.00062	CU M/MI	9.9	CU M
SP1		09.14.2004	22.55	0.00056	CU M/MI	9.9	CU M
SP1		09.14.2004	23	0.00055	CU M/MI	9.9	CU M
SP1		09.14.2004	23.05	0.00067	CU M/MI	9.91	CU M
SP1		09.14.2004	23.1	0.00074	CU M/MI	9.91	CU M
SP1		09.14.2004	23.15	0.00068	CU M/MI	9.91	CU M
SP1		09.14.2004	23.2	0.00064	CU M/MI	9.92	CU M
SP1		09.14.2004	23.25	0.00058	CU M/MI	9.92	CU M
SP1		09.14.2004	23.3	0.00063	CU M/MI	9.92	CU M
SP1		09.14.2004	23.35	0.00057	CU M/MI	9.93	CU M
SP1		09.14.2004	23.4	0.00061	CU M/MI	9.93	CU M
SP1		09.14.2004	23.45	0.00059	CU M/MI	9.93	CU M
SP1		09.14.2004	23.5	0.0007	CU M/MI	9.93	CU M
SP1		09.14.2004	23.55	0.00076	CU M/MI	9.94	CU M
SP1		09.15.2004	0	0.00058	CU M/MI	9.94	CU M
SP1		09.15.2004	0.05	0.00067	CU M/MI	9.94	CU M
SP1		09.15.2004	0.1	0.00043	CU M/MI	9.95	CU M
SP1		09.15.2004	0.15	0.00062	CU M/MI	9.95	CU M
SP1		09.15.2004	0.2	0.00055	CU M/MI	9.95	CU M
SP1		09.15.2004	0.25	0.00063	CU M/MI	9.96	CU M
SP1		09.15.2004	0.3	0.00044	CU M/MI	9.96	CU M
SP1		09.15.2004	0.35	0.00062	CU M/MI	9.96	CU M
SP1		09.15.2004	0.4	0.00057	CU M/MI	9.97	CU M
SP1		09.15.2004	0.45	0.00062	CU M/MI	9.97	CU M
SP1		09.15.2004	0.5	0.00056	CU M/MI	9.97	CU M
SP1		09.15.2004	0.55	0.00054	CU M/MI	9.97	CU M
SP1		09.15.2004	1	0.00065	CU M/MI	9.98	CU M
SP1		09.15.2004	1.05	0.00067	CU M/MI	9.98	CU M
SP1		09.15.2004	1.1	0.00062	CU M/MI	9.98	CU M
SP1		09.15.2004	1.15	0.00066	CU M/MI	9.99	CU M
SP1		09.15.2004	1.2	0.00057	CU M/MI	9.99	CU M
SP1		09.15.2004	1.25	0.0006	CU M/MI	9.99	CU M
SP1		09.15.2004	1.3	0.00065	CU M/MI	9.99	CU M
SP1		09.15.2004	1.35	0.00055	CU M/MI	10	CU M
SP1		09.15.2004	1.4	0.00038	CU M/MI	10	CU M
SP1		09.15.2004	1.45	0.00052	CU M/MI	10	CU M
SP1		09.15.2004	1.5	0.00057	CU M/MI	10.01	CU M
SP1		09.15.2004	1.55	0.00055	CU M/MI	10.01	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1		09.15.2004	2	0.00047	CU M/MI	10.01	CU M
SP1		09.15.2004	2.05	0.0005	CU M/MI	10.01	CU M
SP1		09.15.2004	2.1	0.00054	CU M/MI	10.02	CU M
SP1		09.15.2004	2.15	0.00054	CU M/MI	10.02	CU M
SP1		09.15.2004	2.2	0.0006	CU M/MI	10.02	CU M
SP1		09.15.2004	2.25	0.00057	CU M/MI	10.02	CU M
SP1		09.15.2004	2.3	0.00044	CU M/MI	10.03	CU M
SP1		09.15.2004	2.35	0.0006	CU M/MI	10.03	CU M
SP1		09.15.2004	2.4	0.00052	CU M/MI	10.03	CU M
SP1		09.15.2004	2.45	0.0005	CU M/MI	10.04	CU M
SP1		09.15.2004	2.5	0.00049	CU M/MI	10.04	CU M
SP1		09.15.2004	2.55	0.00049	CU M/MI	10.04	CU M
SP1		09.15.2004	3	0.00042	CU M/MI	10.04	CU M
SP1		09.15.2004	3.05	0.00062	CU M/MI	10.05	CU M
SP1		09.15.2004	3.1	0.00052	CU M/MI	10.05	CU M
SP1		09.15.2004	3.15	0.00063	CU M/MI	10.05	CU M
SP1		09.15.2004	3.2	0.00047	CU M/MI	10.05	CU M
SP1		09.15.2004	3.25	0.0005	CU M/MI	10.06	CU M
SP1		09.15.2004	3.3	0.00059	CU M/MI	10.06	CU M
SP1		09.15.2004	3.35	0.00057	CU M/MI	10.06	CU M
SP1		09.15.2004	3.4	0.00064	CU M/MI	10.07	CU M
SP1		09.15.2004	3.45	0.00066	CU M/MI	10.07	CU M
SP1		09.15.2004	3.5	0.00062	CU M/MI	10.07	CU M
SP1		09.15.2004	3.55	0.00054	CU M/MI	10.08	CU M
SP1		09.15.2004	4	0.00056	CU M/MI	10.08	CU M
SP1		09.15.2004	4.05	0.00072	CU M/MI	10.08	CU M
SP1		09.15.2004	4.1	0.00063	CU M/MI	10.08	CU M
SP1		09.15.2004	4.15	0.00053	CU M/MI	10.09	CU M
SP1		09.15.2004	4.2	0.00052	CU M/MI	10.09	CU M
SP1		09.15.2004	4.25	0.00057	CU M/MI	10.09	CU M
SP1		09.15.2004	4.3	0.00059	CU M/MI	10.1	CU M
SP1		09.15.2004	4.35	0.00072	CU M/MI	10.1	CU M
SP1		09.15.2004	4.4	0.00064	CU M/MI	10.1	CU M
SP1		09.15.2004	4.45	0.00056	CU M/MI	10.11	CU M
SP1		09.15.2004	4.5	0.00053	CU M/MI	10.11	CU M
SP1		09.15.2004	4.55	0.00063	CU M/MI	10.11	CU M
SP1		09.15.2004	5	0.00071	CU M/MI	10.11	CU M
SP1		09.15.2004	5.05	0.00062	CU M/MI	10.12	CU M
SP1		09.15.2004	5.1	0.00063	CU M/MI	10.12	CU M
SP1		09.15.2004	5.15	0.00072	CU M/MI	10.12	CU M
SP1		09.15.2004	5.2	0.00072	CU M/MI	10.13	CU M
SP1		09.15.2004	5.25	0.00058	CU M/MI	10.13	CU M
SP1		09.15.2004	5.3	0.00078	CU M/MI	10.13	CU M
SP1		09.15.2004	5.35	0.0007	CU M/MI	10.14	CU M
SP1		09.15.2004	5.4	0.00068	CU M/MI	10.14	CU M
SP1		09.15.2004	5.45	0.00069	CU M/MI	10.14	CU M
SP1		09.15.2004	5.5	0.00064	CU M/MI	10.15	CU M
SP1		09.15.2004	5.55	0.00064	CU M/MI	10.15	CU M
SP1		09.15.2004	6	0.00056	CU M/MI	10.15	CU M
SP1		09.15.2004	6.05	0.00065	CU M/MI	10.16	CU M
SP1		09.15.2004	6.1	0.00068	CU M/MI	10.16	CU M
SP1		09.15.2004	6.15	0.00072	CU M/MI	10.16	CU M
SP1		09.15.2004	6.2	0.00078	CU M/MI	10.17	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1		09.15.2004	6.25	0.0008	CU M/MI	10.17	CU M
SP1		09.15.2004	6.3	0.00078	CU M/MI	10.18	CU M
SP1		09.15.2004	6.35	0.00046	CU M/MI	10.18	CU M
SP1		09.15.2004	6.4	0.00046	CU M/MI	10.18	CU M
SP1		09.15.2004	6.45	0.00048	CU M/MI	10.18	CU M
SP1		09.15.2004	6.5	0.00053	CU M/MI	10.19	CU M
SP1		09.15.2004	6.55	0.00045	CU M/MI	10.19	CU M
SP1		09.15.2004	7	0.0005	CU M/MI	10.19	CU M
SP1		09.15.2004	7.05	0.00053	CU M/MI	10.19	CU M
SP1		09.15.2004	7.1	0.00054	CU M/MI	10.19	CU M
SP1		09.15.2004	7.15	0.00054	CU M/MI	10.2	CU M
SP1		09.15.2004	7.2	0.00066	CU M/MI	10.2	CU M
SP1		09.15.2004	7.25	0.00052	CU M/MI	10.2	CU M
SP1		09.15.2004	7.3	1.2592	CU M/MI	10.53	CU M
SP1		09.15.2004	7.35	1.20201	CU M/MI	16.66	CU M
SP1		09.15.2004	7.4	0.00083	CU M/MI	18.06	CU M
SP1		09.15.2004	7.45	0.00041	CU M/MI	18.06	CU M
SP1		09.15.2004	7.5	0.00046	CU M/MI	18.06	CU M
SP1		09.15.2004	7.55	0.00069	CU M/MI	18.07	CU M
SP1		09.15.2004	8	0.00053	CU M/MI	18.07	CU M
SP1		09.15.2004	8.05	0.00066	CU M/MI	18.07	CU M
SP1		09.15.2004	8.1	0.00051	CU M/MI	18.08	CU M
SP1		09.15.2004	8.15	0.00055	CU M/MI	18.08	CU M
SP1		09.15.2004	8.2	0.00037	CU M/MI	18.08	CU M
SP1		09.15.2004	8.25	0.00059	CU M/MI	18.08	CU M
SP1		09.15.2004	8.3	0.00058	CU M/MI	18.09	CU M
SP1		09.15.2004	8.35	0.00056	CU M/MI	18.09	CU M
SP1		09.15.2004	8.4	0.00058	CU M/MI	18.09	CU M
SP1		09.15.2004	8.45	0.00054	CU M/MI	18.1	CU M
SP1		09.15.2004	8.5	0.00054	CU M/MI	18.1	CU M
SP1		09.15.2004	8.55	0.00059	CU M/MI	18.1	CU M
SP1		09.15.2004	9	0.00061	CU M/MI	18.1	CU M
SP1		09.15.2004	9.05	0.00054	CU M/MI	18.11	CU M
SP1		09.15.2004	9.1	0.00054	CU M/MI	18.11	CU M
SP1		09.15.2004	9.15	0.00057	CU M/MI	18.11	CU M
SP1		09.15.2004	9.2	0.00049	CU M/MI	18.12	CU M
SP1		09.15.2004	9.25	0.00062	CU M/MI	18.12	CU M
SP1		09.15.2004	9.3	0.0006	CU M/MI	18.12	CU M
SP1		09.15.2004	9.35	0.00068	CU M/MI	18.13	CU M
SP1		09.15.2004	9.4	0.0007	CU M/MI	18.13	CU M
SP1		09.15.2004	9.45	0.00069	CU M/MI	18.13	CU M
SP1		09.15.2004	9.5	0.00077	CU M/MI	18.14	CU M
SP1		09.15.2004	9.55	0.00066	CU M/MI	18.14	CU M
SP1		09.15.2004	10	0.00071	CU M/MI	18.14	CU M
SP1		09.15.2004	10.05	0.0007	CU M/MI	18.15	CU M
SP1		09.15.2004	10.1	0.00067	CU M/MI	18.15	CU M
SP1		09.15.2004	10.15	0.00052	CU M/MI	18.15	CU M
SP1		09.15.2004	10.2	0.00058	CU M/MI	18.16	CU M
SP1		09.15.2004	10.25	0.00057	CU M/MI	18.16	CU M
SP1		09.15.2004	10.3	0.00046	CU M/MI	18.16	CU M
SP1		09.15.2004	10.35	0.00057	CU M/MI	18.16	CU M
SP1		09.15.2004	10.4	0.00062	CU M/MI	18.17	CU M
SP1		09.15.2004	10.5	0	CU M/MI	18.17	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1		09.15.2004	10.55	0.0005	CU M/MI	18.17	CU M
SP1		09.15.2004	11	0.00053	CU M/MI	18.18	CU M
SP1		09.15.2004	11.05	0.00054	CU M/MI	18.18	CU M
SP1		09.15.2004	11.1	0.00041	CU M/MI	18.18	CU M
SP1		09.15.2004	11.15	0.00051	CU M/MI	18.18	CU M
SP1		09.15.2004	11.2	0.00041	CU M/MI	18.18	CU M
SP1		09.15.2004	11.25	0.00033	CU M/MI	18.19	CU M
SP1		09.15.2004	11.3	0.00025	CU M/MI	18.19	CU M
SP1		09.15.2004	11.35	0.00027	CU M/MI	18.19	CU M
SP1		09.15.2004	11.4	0.00046	CU M/MI	18.19	CU M
SP1		09.15.2004	11.45	0.00045	CU M/MI	18.19	CU M
SP1		09.15.2004	11.5	0.00027	CU M/MI	18.19	CU M
SP1		09.15.2004	11.55	0.00039	CU M/MI	18.2	CU M
SP1		09.15.2004	12	0.00051	CU M/MI	18.2	CU M
SP1		09.15.2004	12.05	0.00047	CU M/MI	18.2	CU M
SP1		09.15.2004	12.1	0.00044	CU M/MI	18.2	CU M
SP1		09.15.2004	12.15	0.00039	CU M/MI	18.2	CU M
SP1		09.15.2004	12.2	0.00045	CU M/MI	18.21	CU M
SP1		09.15.2004	12.25	0.00047	CU M/MI	18.21	CU M
SP1		09.15.2004	12.3	0.00041	CU M/MI	18.21	CU M
SP1		09.15.2004	12.35	0.00043	CU M/MI	18.21	CU M
SP1		09.15.2004	12.4	0.0003	CU M/MI	18.21	CU M
SP1		09.15.2004	12.45	0.00015	CU M/MI	18.22	CU M
SP1		09.15.2004	12.5	0.00029	CU M/MI	18.22	CU M
SP1		09.15.2004	12.55	0.00027	CU M/MI	18.22	CU M
SP1		09.15.2004	13	0.00042	CU M/MI	18.22	CU M
SP1		09.15.2004	13.05	0.0003	CU M/MI	18.22	CU M
SP1		09.15.2004	13.1	0.00037	CU M/MI	18.22	CU M
SP1		09.15.2004	13.15	0.0004	CU M/MI	18.22	CU M
SP1		09.15.2004	13.2	0.00027	CU M/MI	18.23	CU M
SP1		09.15.2004	13.25	0.00024	CU M/MI	18.23	CU M
SP1		09.15.2004	13.3	0.00043	CU M/MI	18.23	CU M
SP1		09.15.2004	13.35	0.00039	CU M/MI	18.23	CU M
SP1		09.15.2004	13.4	0.00015	CU M/MI	18.23	CU M
SP1		09.15.2004	13.45	0.00035	CU M/MI	18.23	CU M
SP1		09.15.2004	13.5	0.00036	CU M/MI	18.24	CU M
SP1		09.15.2004	13.55	0.00029	CU M/MI	18.24	CU M
SP1		09.15.2004	14	0.00027	CU M/MI	18.24	CU M
SP1		09.15.2004	14.05	0.00037	CU M/MI	18.24	CU M
SP1		09.15.2004	14.1	0.0002	CU M/MI	18.24	CU M
SP1		09.15.2004	14.15	0.00033	CU M/MI	18.24	CU M
SP1		09.15.2004	14.2	0.00041	CU M/MI	18.24	CU M
SP1		09.15.2004	14.25	0.00035	CU M/MI	18.25	CU M
SP1		09.15.2004	14.3	0.00012	CU M/MI	18.25	CU M
SP1		09.15.2004	14.35	0.00036	CU M/MI	18.25	CU M
SP1		09.15.2004	14.4	0.00045	CU M/MI	18.25	CU M
SP1		09.15.2004	14.45	0.0004	CU M/MI	18.25	CU M
SP1		09.15.2004	14.5	0.00047	CU M/MI	18.25	CU M
SP1		09.15.2004	14.55	0.00038	CU M/MI	18.26	CU M
SP1		09.15.2004	15	1.21546	CU M/MI	21.06	CU M
SP1		09.15.2004	15.05	0.00267	CU M/MI	26.39	CU M
SP1		09.15.2004	15.1	0.0001	CU M/MI	26.39	CU M
SP1		09.15.2004	15.15	0.00003	CU M/MI	26.39	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1		09.15.2004	15.2	0.00016	CU M/MI	26.39	CU M
SP1		09.15.2004	15.25	0.00011	CU M/MI	26.39	CU M
SP1		09.15.2004	15.3	0	CU M/MI	26.39	CU M
SP1		09.15.2004	15.35	0.00026	CU M/MI	26.39	CU M
SP1		09.15.2004	15.4	0.00017	CU M/MI	26.39	CU M
SP1		09.15.2004	15.45	0.00001	CU M/MI	26.39	CU M
SP1		09.15.2004	15.5	0.00014	CU M/MI	26.39	CU M
SP1		09.15.2004	15.55	0.0003	CU M/MI	26.39	CU M
SP1		09.15.2004	16	0.00022	CU M/MI	26.39	CU M
SP1		09.15.2004	16.05	0.00022	CU M/MI	26.4	CU M
SP1		09.15.2004	16.1	0.00024	CU M/MI	26.4	CU M
SP1		09.15.2004	16.15	0.0001	CU M/MI	26.4	CU M
SP1		09.15.2004	16.2	0.00006	CU M/MI	26.4	CU M
SP1		09.15.2004	16.25	0.00012	CU M/MI	26.4	CU M
SP1		09.15.2004	16.3	0.00022	CU M/MI	26.4	CU M
SP1		09.15.2004	16.35	0.00002	CU M/MI	26.4	CU M
SP1		09.15.2004	16.4	0.00003	CU M/MI	26.4	CU M
SP1		09.15.2004	16.45	0	CU M/MI	26.4	CU M
SP1		09.15.2004	16.5	0.00007	CU M/MI	26.4	CU M
SP1		09.15.2004	16.55	0	CU M/MI	26.4	CU M
SP1		09.15.2004	17	0	CU M/MI	26.4	CU M
SP1		09.15.2004	17.05	0.00009	CU M/MI	26.4	CU M
SP1		09.15.2004	17.1	0.00004	CU M/MI	26.4	CU M
SP1		09.15.2004	17.15	0	CU M/MI	26.4	CU M
SP1		09.15.2004	17.2	0.00006	CU M/MI	26.4	CU M
SP1		09.15.2004	17.25	0.00006	CU M/MI	26.4	CU M
SP1		09.15.2004	17.3	0.00016	CU M/MI	26.4	CU M
SP1		09.15.2004	17.35	0.00021	CU M/MI	26.4	CU M
SP1		09.15.2004	17.4	0	CU M/MI	26.4	CU M
SP1		09.15.2004	17.45	0.00014	CU M/MI	26.4	CU M
SP1		09.15.2004	17.5	0.00011	CU M/MI	26.4	CU M
SP1		09.15.2004	17.55	0.00018	CU M/MI	26.4	CU M
SP1		09.15.2004	18	0.00012	CU M/MI	26.41	CU M
SP1		09.15.2004	18.05	0.00007	CU M/MI	26.41	CU M
SP1		09.15.2004	18.1	0	CU M/MI	26.41	CU M
SP1		09.15.2004	18.15	0.00016	CU M/MI	26.41	CU M
SP1		09.15.2004	18.2	0.00006	CU M/MI	26.41	CU M
SP1		09.15.2004	18.25	0.00013	CU M/MI	26.41	CU M
SP1		09.15.2004	18.3	0.00007	CU M/MI	26.41	CU M
SP1		09.15.2004	18.35	0.00002	CU M/MI	26.41	CU M
SP1		09.15.2004	18.4	0	CU M/MI	26.41	CU M
SP1		09.15.2004	18.45	0	CU M/MI	26.41	CU M
SP1		09.15.2004	18.5	0.00014	CU M/MI	26.41	CU M
SP1		09.15.2004	18.55	0.00012	CU M/MI	26.41	CU M
SP1		09.15.2004	19	0.00021	CU M/MI	26.41	CU M
SP1		09.15.2004	19.05	0.00001	CU M/MI	26.41	CU M
SP1		09.15.2004	19.1	0.00012	CU M/MI	26.41	CU M
SP1		09.15.2004	19.15	0.00013	CU M/MI	26.41	CU M
SP1		09.15.2004	19.2	0.00003	CU M/MI	26.41	CU M
SP1		09.15.2004	19.25	0.00003	CU M/MI	26.41	CU M
SP1		09.15.2004	19.3	0.00018	CU M/MI	26.41	CU M
SP1		09.15.2004	19.35	0.00036	CU M/MI	26.42	CU M
SP1		09.15.2004	19.4	0.00014	CU M/MI	26.42	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1		09.15.2004	19.45	0.00016	CU M/MI	26.42	CU M
SP1		09.15.2004	19.5	0.00013	CU M/MI	26.42	CU M
SP1		09.15.2004	19.55	0.00012	CU M/MI	26.42	CU M
SP1		09.15.2004	20	0.00017	CU M/MI	26.42	CU M
SP1		09.15.2004	20.05	0.00018	CU M/MI	26.42	CU M
SP1		09.15.2004	20.1	0.00007	CU M/MI	26.42	CU M
SP1		09.15.2004	20.15	0.00016	CU M/MI	26.42	CU M
SP1		09.15.2004	20.2	1.29755	CU M/MI	28.38	CU M
SP1		09.15.2004	20.25	0.00839	CU M/MI	34.26	CU M
SP1		09.15.2004	20.3	0.00036	CU M/MI	34.26	CU M
SP1		09.15.2004	20.35	0.00038	CU M/MI	34.26	CU M
SP1		09.15.2004	20.4	0.00027	CU M/MI	34.27	CU M
SP1		09.15.2004	20.45	0.00034	CU M/MI	34.27	CU M
SP1		09.15.2004	20.5	0.00032	CU M/MI	34.27	CU M
SP1		09.15.2004	20.55	0.00044	CU M/MI	34.27	CU M
SP1		09.15.2004	21	0.00024	CU M/MI	34.27	CU M
SP1		09.15.2004	21.05	0.00038	CU M/MI	34.28	CU M
SP1		09.15.2004	21.1	0.00029	CU M/MI	34.28	CU M
SP1		09.15.2004	21.15	0.0002	CU M/MI	34.28	CU M
SP1		09.15.2004	21.2	0.00047	CU M/MI	34.28	CU M
SP1		09.15.2004	21.25	0.0005	CU M/MI	34.28	CU M
SP1		09.15.2004	21.3	0.00055	CU M/MI	34.28	CU M
SP1		09.15.2004	21.35	0.00043	CU M/MI	34.29	CU M
SP1		09.15.2004	21.4	0.00033	CU M/MI	34.29	CU M
SP1		09.15.2004	21.45	0.00041	CU M/MI	34.29	CU M
SP1		09.15.2004	21.5	0.00041	CU M/MI	34.29	CU M
SP1		09.15.2004	21.55	0.00038	CU M/MI	34.29	CU M
SP1		09.15.2004	22	0.00036	CU M/MI	34.29	CU M
SP1		09.15.2004	22.05	0.00016	CU M/MI	34.3	CU M
SP1		09.15.2004	22.1	0.00026	CU M/MI	34.3	CU M
SP1		09.15.2004	22.15	0.00032	CU M/MI	34.3	CU M
SP1		09.15.2004	22.2	0.00034	CU M/MI	34.3	CU M
SP1		09.15.2004	22.25	0.00037	CU M/MI	34.3	CU M
SP1		09.15.2004	22.3	0.00046	CU M/MI	34.3	CU M
SP1		09.15.2004	22.35	0.00026	CU M/MI	34.31	CU M
SP1		09.15.2004	22.4	0.00034	CU M/MI	34.31	CU M
SP1		09.15.2004	22.45	0.00038	CU M/MI	34.31	CU M
SP1		09.15.2004	22.5	0.00052	CU M/MI	34.31	CU M
SP1		09.15.2004	22.55	0.00026	CU M/MI	34.31	CU M
SP1		09.15.2004	23	0.00039	CU M/MI	34.31	CU M
SP1		09.15.2004	23.05	0.00027	CU M/MI	34.32	CU M
SP1		09.15.2004	23.1	0.00038	CU M/MI	34.32	CU M
SP1		09.15.2004	23.15	0.00039	CU M/MI	34.32	CU M
SP1		09.15.2004	23.2	0.0005	CU M/MI	34.32	CU M
SP1		09.15.2004	23.25	0.00025	CU M/MI	34.32	CU M
SP1		09.15.2004	23.3	0.00031	CU M/MI	34.33	CU M
SP1		09.15.2004	23.35	0.00037	CU M/MI	34.33	CU M
SP1		09.15.2004	23.4	0.0004	CU M/MI	34.33	CU M
SP1		09.15.2004	23.45	0.00036	CU M/MI	34.33	CU M
SP1		09.15.2004	23.5	0.00034	CU M/MI	34.33	CU M
SP1		09.15.2004	23.55	0.00041	CU M/MI	34.33	CU M
SP1		09.16.2004	0	0.00023	CU M/MI	34.34	CU M
SP1		09.16.2004	0.05	0.00037	CU M/MI	34.34	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1		09.16.2004	0.1	0.00044	CU M/MI	34.34	CU M
SP1		09.16.2004	0.15	0.00023	CU M/MI	34.34	CU M
SP1		09.16.2004	0.2	0.00039	CU M/MI	34.34	CU M
SP1		09.16.2004	0.25	0.00036	CU M/MI	34.34	CU M
SP1		09.16.2004	0.3	0.00016	CU M/MI	34.35	CU M
SP1		09.16.2004	0.35	0.00031	CU M/MI	34.35	CU M
SP1		09.16.2004	0.4	0.00043	CU M/MI	34.35	CU M
SP1		09.16.2004	0.45	0.00029	CU M/MI	34.35	CU M
SP1		09.16.2004	0.5	0.00044	CU M/MI	34.35	CU M
SP1		09.16.2004	0.55	0.00034	CU M/MI	34.35	CU M
SP1		09.16.2004	1	0.00033	CU M/MI	34.36	CU M
SP1		09.16.2004	1.05	0.0002	CU M/MI	34.36	CU M
SP1		09.16.2004	1.1	0.00004	CU M/MI	34.36	CU M
SP1		09.16.2004	1.15	0.00021	CU M/MI	34.36	CU M
SP1		09.16.2004	1.2	0.00004	CU M/MI	34.36	CU M
SP1		09.16.2004	1.25	0.00027	CU M/MI	34.36	CU M
SP1		09.16.2004	1.3	0.00029	CU M/MI	34.36	CU M
SP1		09.16.2004	1.35	0.00022	CU M/MI	34.37	CU M
SP1		09.16.2004	1.4	0.00021	CU M/MI	34.37	CU M
SP1		09.16.2004	1.45	0.00031	CU M/MI	34.37	CU M
SP1		09.16.2004	1.5	0.00031	CU M/MI	34.37	CU M
SP1		09.16.2004	1.55	0.00019	CU M/MI	34.37	CU M
SP1		09.16.2004	2	0.00022	CU M/MI	34.37	CU M
SP1		09.16.2004	2.05	0.00002	CU M/MI	34.37	CU M
SP1		09.16.2004	2.1	0.00024	CU M/MI	34.37	CU M
SP1		09.16.2004	2.15	0.00029	CU M/MI	34.37	CU M
SP1		09.16.2004	2.2	0.00016	CU M/MI	34.37	CU M
SP1		09.16.2004	2.25	0.00005	CU M/MI	34.38	CU M
SP1		09.16.2004	2.3	0.00019	CU M/MI	34.38	CU M
SP1		09.16.2004	2.35	0.00018	CU M/MI	34.38	CU M
SP1		09.16.2004	2.4	0.00024	CU M/MI	34.38	CU M
SP1		09.16.2004	2.45	0.0002	CU M/MI	34.38	CU M
SP1		09.16.2004	2.5	0.0002	CU M/MI	34.38	CU M
SP1		09.16.2004	2.55	0.00013	CU M/MI	34.38	CU M
SP1		09.16.2004	3	0.00013	CU M/MI	34.38	CU M
SP1		09.16.2004	3.05	0.0001	CU M/MI	34.38	CU M
SP1		09.16.2004	3.1	0.00008	CU M/MI	34.38	CU M
SP1		09.16.2004	3.15	0.0002	CU M/MI	34.38	CU M
SP1		09.16.2004	3.2	0.00021	CU M/MI	34.39	CU M
SP1		09.16.2004	3.25	0.00025	CU M/MI	34.39	CU M
SP1		09.16.2004	3.3	0.00011	CU M/MI	34.39	CU M
SP1		09.16.2004	3.35	0.00015	CU M/MI	34.39	CU M
SP1		09.16.2004	3.4	0.0001	CU M/MI	34.39	CU M
SP1		09.16.2004	3.45	0.0001	CU M/MI	34.39	CU M
SP1		09.16.2004	3.5	0.00022	CU M/MI	34.39	CU M
SP1		09.16.2004	3.55	0.00018	CU M/MI	34.39	CU M
SP1		09.16.2004	4	0.00017	CU M/MI	34.39	CU M
SP1		09.16.2004	4.05	0.00021	CU M/MI	34.39	CU M
SP1		09.16.2004	4.1	0.00021	CU M/MI	34.4	CU M
SP1		09.16.2004	4.15	0.00007	CU M/MI	34.4	CU M
SP1		09.16.2004	4.2	0.00011	CU M/MI	34.4	CU M
SP1		09.16.2004	4.25	0.0002	CU M/MI	34.4	CU M
SP1		09.16.2004	4.3	0.00017	CU M/MI	34.4	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1		09.16.2004	4.35	0.00027	CU M/MI	34.4	CU M
SP1		09.16.2004	4.4	0.00012	CU M/MI	34.4	CU M
SP1		09.16.2004	4.45	0.00016	CU M/MI	34.4	CU M
SP1		09.16.2004	4.5	0.00012	CU M/MI	34.4	CU M
SP1		09.16.2004	4.55	0.00015	CU M/MI	34.4	CU M
SP1		09.16.2004	5	0.00008	CU M/MI	34.4	CU M
SP1		09.16.2004	5.05	0.00019	CU M/MI	34.4	CU M
SP1		09.16.2004	5.1	0.00019	CU M/MI	34.4	CU M
SP1		09.16.2004	5.15	0.00019	CU M/MI	34.41	CU M
SP1		09.16.2004	5.2	0.00029	CU M/MI	34.41	CU M
SP1		09.16.2004	5.25	0.0003	CU M/MI	34.41	CU M
SP1		09.16.2004	5.3	0.00025	CU M/MI	34.41	CU M
SP1		09.16.2004	5.35	0.00026	CU M/MI	34.41	CU M
SP1		09.16.2004	5.4	0.00024	CU M/MI	34.41	CU M
SP1		09.16.2004	5.45	0.00021	CU M/MI	34.41	CU M
SP1		09.16.2004	5.5	0.00025	CU M/MI	34.41	CU M
SP1		09.16.2004	5.55	0.00031	CU M/MI	34.41	CU M
SP1		09.16.2004	6	0.00024	CU M/MI	34.42	CU M
SP1		09.16.2004	6.05	0.00016	CU M/MI	34.42	CU M
SP1		09.16.2004	6.1	0.00026	CU M/MI	34.42	CU M
SP1		09.16.2004	6.15	0.00009	CU M/MI	34.42	CU M
SP1		09.16.2004	6.2	0.00028	CU M/MI	34.42	CU M
SP1		09.16.2004	6.25	0.00023	CU M/MI	34.42	CU M
SP1		09.16.2004	6.3	0.00017	CU M/MI	34.42	CU M
SP1		09.16.2004	6.35	0.00021	CU M/MI	34.42	CU M
SP1		09.16.2004	6.4	0.00032	CU M/MI	34.42	CU M
SP1		09.16.2004	6.45	0.00019	CU M/MI	34.43	CU M
SP1		09.16.2004	6.5	0.00023	CU M/MI	34.43	CU M
SP1		09.16.2004	6.55	0.00026	CU M/MI	34.43	CU M
SP1		09.16.2004	7	0.00043	CU M/MI	34.43	CU M
SP1		09.16.2004	7.05	0.00032	CU M/MI	34.43	CU M
SP1		09.16.2004	7.1	0.00029	CU M/MI	34.43	CU M
SP1		09.16.2004	7.15	0.00029	CU M/MI	34.43	CU M
SP1		09.16.2004	7.2	1.19143	CU M/MI	34.52	CU M
SP1		09.16.2004	7.25	1.17353	CU M/MI	40.49	CU M
SP1		09.16.2004	7.3	0.00025	CU M/MI	42.34	CU M
SP1		09.16.2004	7.35	0.0005	CU M/MI	42.34	CU M
SP1		09.16.2004	7.4	0.00031	CU M/MI	42.35	CU M
SP1		09.16.2004	7.45	0.00039	CU M/MI	42.35	CU M
SP1		09.16.2004	7.5	0.00025	CU M/MI	42.35	CU M
SP1		09.16.2004	7.55	0.00036	CU M/MI	42.35	CU M
SP1		09.16.2004	8	0.00033	CU M/MI	42.35	CU M
SP1		09.16.2004	8.05	0.00045	CU M/MI	42.35	CU M
SP1		09.16.2004	8.1	0.00036	CU M/MI	42.36	CU M
SP1		09.16.2004	8.15	0.00025	CU M/MI	42.36	CU M
SP1		09.16.2004	8.2	0.00046	CU M/MI	42.36	CU M
SP1		09.16.2004	8.25	0.00052	CU M/MI	42.36	CU M
SP1		09.16.2004	8.3	0.00047	CU M/MI	42.36	CU M
SP1		09.16.2004	8.35	0.00041	CU M/MI	42.37	CU M
SP1		09.16.2004	8.4	0.0004	CU M/MI	42.37	CU M
SP1		09.16.2004	8.45	0.00038	CU M/MI	42.37	CU M
SP1		09.16.2004	8.5	0.00046	CU M/MI	42.37	CU M
SP1		09.16.2004	8.55	0.00044	CU M/MI	42.38	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1		09.16.2004	9	0.00041	CU M/MI	42.38	CU M
SP1		09.16.2004	9.05	0.0005	CU M/MI	42.38	CU M
SP1		09.16.2004	9.1	0.00055	CU M/MI	42.38	CU M
SP1		09.16.2004	9.15	0.00039	CU M/MI	42.38	CU M
SP1		09.16.2004	9.2	0.00029	CU M/MI	42.39	CU M
SP1		09.16.2004	9.25	0.00025	CU M/MI	42.39	CU M
SP1		09.16.2004	9.3	0.00036	CU M/MI	42.39	CU M
SP1		09.16.2004	9.35	0.00024	CU M/MI	42.39	CU M
SP1		09.16.2004	9.4	0.00016	CU M/MI	42.39	CU M
SP1		09.16.2004	9.45	0.00032	CU M/MI	42.39	CU M
SP1		09.16.2004	9.5	0.00028	CU M/MI	42.39	CU M
SP1		09.16.2004	9.55	0.00029	CU M/MI	42.4	CU M
SP1		09.16.2004	10	0.00005	CU M/MI	42.4	CU M
SP1		09.16.2004	10.05	0.00029	CU M/MI	42.4	CU M
SP1		09.16.2004	10.1	0.00028	CU M/MI	42.4	CU M
SP1		09.16.2004	10.15	0.00023	CU M/MI	42.4	CU M
SP1		09.16.2004	10.2	0.00034	CU M/MI	42.4	CU M
SP1		09.16.2004	10.25	0.0003	CU M/MI	42.4	CU M
SP1		09.16.2004	10.3	0.00021	CU M/MI	42.4	CU M
SP1		09.16.2004	10.35	0.00004	CU M/MI	42.41	CU M
SP1		09.16.2004	10.4	0.00024	CU M/MI	42.41	CU M
SP1		09.16.2004	10.45	0.00021	CU M/MI	42.41	CU M
SP1		09.16.2004	10.5	0	CU M/MI	42.41	CU M
SP1		09.16.2004	10.55	0.00011	CU M/MI	42.41	CU M
SP1		09.16.2004	11	0.00035	CU M/MI	42.41	CU M
SP1		09.16.2004	11.05	0.00018	CU M/MI	42.41	CU M
SP1		09.16.2004	11.1	0.00004	CU M/MI	42.41	CU M
SP1		09.16.2004	11.15	0.00022	CU M/MI	42.41	CU M
SP1		09.16.2004	11.2	0.0002	CU M/MI	42.41	CU M
SP1		09.16.2004	11.25	0.00029	CU M/MI	42.42	CU M
SP1		09.16.2004	11.3	0.00036	CU M/MI	42.42	CU M
SP1		09.16.2004	11.35	0.0003	CU M/MI	42.42	CU M
SP1		09.16.2004	11.4	0.00019	CU M/MI	42.42	CU M
SP1		09.16.2004	11.45	0.00027	CU M/MI	42.42	CU M
SP1		09.16.2004	11.5	0.00019	CU M/MI	42.42	CU M
SP1		09.16.2004	11.55	0.00002	CU M/MI	42.42	CU M
SP1		09.16.2004	12	0.00019	CU M/MI	42.43	CU M
SP1		09.16.2004	12.05	0.00027	CU M/MI	42.43	CU M
SP1		09.16.2004	12.1	0.00012	CU M/MI	42.43	CU M
SP1		09.16.2004	12.15	0.00016	CU M/MI	42.43	CU M
SP1		09.16.2004	12.2	0.00026	CU M/MI	42.43	CU M
SP1		09.16.2004	12.25	0.00008	CU M/MI	42.43	CU M
SP1		09.16.2004	12.3	0.00008	CU M/MI	42.43	CU M
SP1		09.16.2004	12.35	0.00014	CU M/MI	42.43	CU M
SP1		09.16.2004	12.4	0.00016	CU M/MI	42.43	CU M
SP1		09.16.2004	12.45	0.00012	CU M/MI	42.43	CU M
SP1		09.16.2004	12.5	0.0001	CU M/MI	42.43	CU M
SP1		09.16.2004	12.55	0.00009	CU M/MI	42.43	CU M
SP1		09.16.2004	13	0.00013	CU M/MI	42.43	CU M
SP1		09.16.2004	13.05	0.00006	CU M/MI	42.44	CU M
SP1		09.16.2004	13.1	0.00021	CU M/MI	42.44	CU M
SP1		09.16.2004	13.15	0.00016	CU M/MI	42.44	CU M
SP1		09.16.2004	13.2	0.00003	CU M/MI	42.44	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1		09.16.2004	13.25	0.00004	CU M/MI	42.44	CU M
SP1		09.16.2004	13.3	0.0002	CU M/MI	42.44	CU M
SP1		09.16.2004	13.35	0.00006	CU M/MI	42.44	CU M
SP1		09.16.2004	13.4	0.00003	CU M/MI	42.44	CU M
SP1		09.16.2004	13.45	0.00001	CU M/MI	42.44	CU M
SP1		09.16.2004	13.5	0	CU M/MI	42.44	CU M
SP1		09.16.2004	13.55	0.0003	CU M/MI	42.44	CU M
SP1		09.16.2004	14	0.00001	CU M/MI	42.44	CU M
SP1		09.16.2004	14.05	0	CU M/MI	42.44	CU M
SP1		09.16.2004	14.1	0.00021	CU M/MI	42.44	CU M
SP1		09.16.2004	14.15	0.00005	CU M/MI	42.44	CU M
SP1		09.16.2004	14.2	0.00013	CU M/MI	42.44	CU M
SP1		09.16.2004	14.25	0.00014	CU M/MI	42.44	CU M
SP1		09.16.2004	14.3	0.00004	CU M/MI	42.44	CU M
SP1		09.16.2004	14.35	0.00003	CU M/MI	42.44	CU M
SP1		09.16.2004	14.4	0.00011	CU M/MI	42.44	CU M
SP1		09.16.2004	14.45	0.00006	CU M/MI	42.44	CU M
SP1		09.16.2004	14.5	0.00008	CU M/MI	42.45	CU M
SP1		09.16.2004	14.55	0.00015	CU M/MI	42.45	CU M
SP1		09.16.2004	15	0	CU M/MI	42.45	CU M
SP1		09.16.2004	15.05	0	CU M/MI	42.45	CU M
SP1		09.16.2004	15.1	0.0001	CU M/MI	42.45	CU M
SP1		09.16.2004	15.15	0.00002	CU M/MI	42.45	CU M
SP1		09.16.2004	15.2	0.00009	CU M/MI	42.45	CU M
SP1		09.16.2004	15.25	0.00013	CU M/MI	42.45	CU M
SP1		09.16.2004	15.3	0.00008	CU M/MI	42.45	CU M
SP1		09.16.2004	15.35	0	CU M/MI	42.45	CU M
SP1		09.16.2004	15.4	0.00013	CU M/MI	42.45	CU M
SP1		09.16.2004	15.45	0.00007	CU M/MI	42.45	CU M
SP1		09.16.2004	15.5	0.00008	CU M/MI	42.45	CU M
SP1		09.16.2004	15.55	0.00004	CU M/MI	42.45	CU M
SP1		09.16.2004	16	0.0001	CU M/MI	42.45	CU M
SP1		09.16.2004	16.05	0.00014	CU M/MI	42.45	CU M
SP1		09.16.2004	16.1	0.00013	CU M/MI	42.45	CU M
SP1		09.16.2004	16.15	0.0002	CU M/MI	42.45	CU M
SP1		09.16.2004	16.2	0.00027	CU M/MI	42.45	CU M
SP1		09.16.2004	16.25	0.00019	CU M/MI	42.45	CU M
SP1		09.16.2004	16.3	0.00009	CU M/MI	42.45	CU M
SP1		09.16.2004	16.35	1.24789	CU M/MI	48.08	CU M
SP1		09.16.2004	16.4	0.00042	CU M/MI	50.52	CU M
SP1		09.16.2004	16.45	0.00016	CU M/MI	50.52	CU M
SP1		09.16.2004	16.5	0.00028	CU M/MI	50.52	CU M
SP1		09.16.2004	16.55	0.0001	CU M/MI	50.52	CU M
SP1		09.16.2004	17	0.00022	CU M/MI	50.52	CU M
SP1		09.16.2004	17.05	0	CU M/MI	50.52	CU M
SP1		09.16.2004	18	0	CU M/MI	50.52	CU M
SP1		09.16.2004	18.05	0.00002	CU M/MI	50.52	CU M
SP1		09.16.2004	18.1	0	CU M/MI	50.52	CU M
SP1		09.16.2004	18.15	0	CU M/MI	50.52	CU M
SP1		09.16.2004	18.2	0	CU M/MI	50.52	CU M
SP1		09.16.2004	18.25	0	CU M/MI	50.52	CU M
SP1		09.16.2004	18.3	0.00008	CU M/MI	50.52	CU M
SP1		09.16.2004	18.35	0.00007	CU M/MI	50.52	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1		09.16.2004	18.4	0	CU M/MI	50.52	CU M
SP1		09.16.2004	18.45	0	CU M/MI	50.52	CU M
SP1		09.16.2004	18.5	0	CU M/MI	50.52	CU M
SP1		09.16.2004	18.55	0	CU M/MI	50.52	CU M
SP1		09.16.2004	19	0	CU M/MI	50.52	CU M
SP1		09.16.2004	19.05	0	CU M/MI	50.52	CU M
SP1		09.16.2004	19.1	0	CU M/MI	50.52	CU M
SP1		09.16.2004	19.15	0.00013	CU M/MI	50.52	CU M
SP1		09.16.2004	19.2	0.00011	CU M/MI	50.52	CU M
SP1		09.16.2004	19.25	0.00006	CU M/MI	50.52	CU M
SP1		09.16.2004	19.3	0.00017	CU M/MI	50.52	CU M
SP1		09.16.2004	19.35	0.00008	CU M/MI	50.52	CU M
SP1		09.16.2004	19.4	0.00004	CU M/MI	50.52	CU M
SP1		09.16.2004	19.45	0	CU M/MI	50.52	CU M
SP1		09.16.2004	19.5	0.00021	CU M/MI	50.52	CU M
SP1		09.16.2004	19.55	0.00007	CU M/MI	50.52	CU M
SP1		09.16.2004	20	0.00014	CU M/MI	50.52	CU M
SP1		09.16.2004	20.05	0.00008	CU M/MI	50.52	CU M
SP1		09.16.2004	20.1	0	CU M/MI	50.52	CU M
SP1		09.16.2004	20.15	0.00004	CU M/MI	50.52	CU M
SP1		09.16.2004	20.2	0.00002	CU M/MI	50.52	CU M
SP1		09.16.2004	20.25	0.00003	CU M/MI	50.52	CU M
SP1		09.16.2004	20.3	0.00168	CU M/MI	50.52	CU M
SP1		09.16.2004	20.35	0	CU M/MI	50.52	CU M
SP1		09.16.2004	20.4	0	CU M/MI	50.52	CU M
SP1		09.16.2004	20.45	0	CU M/MI	50.52	CU M
SP1		09.16.2004	20.5	0.00014	CU M/MI	50.52	CU M
SP1		09.16.2004	20.55	0.00004	CU M/MI	50.52	CU M
SP1		09.16.2004	21	0.00007	CU M/MI	50.52	CU M
SP1		09.16.2004	21.05	0	CU M/MI	50.52	CU M
SP1		09.16.2004	21.1	0	CU M/MI	50.51	CU M
SP1		09.16.2004	21.15	0	CU M/MI	50.51	CU M
SP1		09.16.2004	21.2	0	CU M/MI	50.51	CU M
SP1		09.16.2004	21.25	0	CU M/MI	50.51	CU M
SP1		09.16.2004	21.3	0	CU M/MI	50.51	CU M
SP1		09.16.2004	21.35	0	CU M/MI	50.5	CU M
SP1		09.16.2004	21.4	0	CU M/MI	50.5	CU M
SP1		09.16.2004	21.45	0	CU M/MI	50.5	CU M
SP1		09.16.2004	21.5	0	CU M/MI	50.5	CU M
SP1		09.16.2004	21.55	0	CU M/MI	50.5	CU M
SP1		09.16.2004	22	0	CU M/MI	50.5	CU M
SP1		09.16.2004	22.05	0	CU M/MI	50.49	CU M
SP1		09.16.2004	22.1	0	CU M/MI	50.49	CU M
SP1		09.16.2004	22.15	0	CU M/MI	50.49	CU M
SP1		09.16.2004	22.2	0.0011	CU M/MI	50.49	CU M
SP1		09.16.2004	22.25	0	CU M/MI	50.49	CU M
SP1		09.16.2004	22.3	0	CU M/MI	50.49	CU M
SP1		09.16.2004	22.35	0.00134	CU M/MI	50.49	CU M
SP1		09.16.2004	22.4	0.00089	CU M/MI	50.48	CU M
SP1		09.16.2004	22.45	0.00016	CU M/MI	50.48	CU M
SP1		09.16.2004	22.5	1.21511	CU M/MI	51.39	CU M
SP1		09.16.2004	22.55	1.1923	CU M/MI	57.28	CU M
SP1		09.16.2004	23	0	CU M/MI	57.45	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1		09.16.2004	23.05	0.00004	CU M/MI	57.44	CU M
SP1		09.16.2004	23.1	0	CU M/MI	57.44	CU M
SP1		09.16.2004	23.15	0	CU M/MI	57.44	CU M
SP1		09.16.2004	23.2	0	CU M/MI	57.44	CU M
SP1		09.16.2004	23.25	0	CU M/MI	57.44	CU M
SP1		09.16.2004	23.3	0	CU M/MI	57.44	CU M
SP1		09.16.2004	23.35	0	CU M/MI	57.44	CU M
SP1		09.16.2004	23.4	0	CU M/MI	57.44	CU M
SP1		09.16.2004	23.45	0	CU M/MI	57.44	CU M
SP1		09.16.2004	23.5	0	CU M/MI	57.43	CU M
SP1		09.16.2004	23.55	0	CU M/MI	57.43	CU M
SP1		09.17.2004	0	0	CU M/MI	57.43	CU M
SP1		09.17.2004	0.05	0	CU M/MI	57.43	CU M
SP1		09.17.2004	0.1	0	CU M/MI	57.43	CU M
SP1		09.17.2004	0.15	0	CU M/MI	57.43	CU M
SP1		09.17.2004	0.2	0	CU M/MI	57.43	CU M
SP1		09.17.2004	0.25	0	CU M/MI	57.43	CU M
SP1		09.17.2004	0.3	0	CU M/MI	57.42	CU M
SP1		09.17.2004	0.35	0	CU M/MI	57.42	CU M
SP1		09.17.2004	0.4	0	CU M/MI	57.42	CU M
SP1		09.17.2004	0.45	0	CU M/MI	57.42	CU M
SP1		09.17.2004	0.5	0	CU M/MI	57.42	CU M
SP1		09.17.2004	0.55	0	CU M/MI	57.42	CU M
SP1		09.17.2004	1	0	CU M/MI	57.42	CU M
SP1		09.17.2004	1.05	0	CU M/MI	57.42	CU M
SP1		09.17.2004	1.1	0	CU M/MI	57.42	CU M
SP1		09.17.2004	1.15	0	CU M/MI	57.41	CU M
SP1		09.17.2004	1.2	0	CU M/MI	57.41	CU M
SP1		09.17.2004	1.25	0	CU M/MI	57.41	CU M
SP1		09.17.2004	1.3	0	CU M/MI	57.41	CU M
SP1		09.17.2004	1.35	0	CU M/MI	57.41	CU M
SP1		09.17.2004	1.4	0	CU M/MI	57.41	CU M
SP1		09.17.2004	1.45	0	CU M/MI	57.4	CU M
SP1		09.17.2004	1.5	0	CU M/MI	57.4	CU M
SP1		09.17.2004	1.55	0	CU M/MI	57.4	CU M
SP1		09.17.2004	2	0	CU M/MI	57.4	CU M
SP1		09.17.2004	2.05	0	CU M/MI	57.4	CU M
SP1		09.17.2004	2.1	0	CU M/MI	57.4	CU M
SP1		09.17.2004	2.15	0	CU M/MI	57.4	CU M
SP1		09.17.2004	2.2	0	CU M/MI	57.39	CU M
SP1		09.17.2004	2.25	0	CU M/MI	57.39	CU M
SP1		09.17.2004	2.3	0	CU M/MI	57.39	CU M
SP1		09.17.2004	2.35	0	CU M/MI	57.39	CU M
SP1		09.17.2004	2.4	0	CU M/MI	57.39	CU M
SP1		09.17.2004	2.45	0	CU M/MI	57.38	CU M
SP1		09.17.2004	2.5	0	CU M/MI	57.38	CU M
SP1		09.17.2004	2.55	0	CU M/MI	57.38	CU M
SP1		09.17.2004	3	0	CU M/MI	57.38	CU M
SP1		09.17.2004	3.05	0	CU M/MI	57.38	CU M
SP1		09.17.2004	3.1	0	CU M/MI	57.37	CU M
SP1		09.17.2004	3.15	0	CU M/MI	57.37	CU M
SP1		09.17.2004	3.2	0	CU M/MI	57.37	CU M
SP1		09.17.2004	3.25	0	CU M/MI	57.37	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1		09.17.2004	3.3	0	CU M/MI	57.37	CU M
SP1		09.17.2004	3.35	0	CU M/MI	57.36	CU M
SP1		09.17.2004	3.4	0	CU M/MI	57.36	CU M
SP1		09.17.2004	3.45	0	CU M/MI	57.36	CU M
SP1		09.17.2004	3.5	0	CU M/MI	57.36	CU M
SP1		09.17.2004	3.55	0	CU M/MI	57.36	CU M
SP1		09.17.2004	4	0	CU M/MI	57.35	CU M
SP1		09.17.2004	4.05	0	CU M/MI	57.35	CU M
SP1		09.17.2004	4.1	0	CU M/MI	57.35	CU M
SP1		09.17.2004	4.15	0	CU M/MI	57.35	CU M
SP1		09.17.2004	4.2	0	CU M/MI	57.34	CU M
SP1		09.17.2004	4.25	0	CU M/MI	57.34	CU M
SP1		09.17.2004	4.3	0	CU M/MI	57.34	CU M
SP1		09.17.2004	4.35	0	CU M/MI	57.34	CU M
SP1		09.17.2004	4.4	0	CU M/MI	57.33	CU M
SP1		09.17.2004	4.45	0	CU M/MI	57.33	CU M
SP1		09.17.2004	4.5	0	CU M/MI	57.33	CU M
SP1		09.17.2004	4.55	0	CU M/MI	57.33	CU M
SP1		09.17.2004	5	0	CU M/MI	57.33	CU M
SP1		09.17.2004	5.05	0	CU M/MI	57.32	CU M
SP1		09.17.2004	5.1	0	CU M/MI	57.32	CU M
SP1		09.17.2004	5.15	0	CU M/MI	57.32	CU M
SP1		09.17.2004	5.2	0	CU M/MI	57.32	CU M
SP1		09.17.2004	5.25	0	CU M/MI	57.31	CU M
SP1		09.17.2004	5.3	0	CU M/MI	57.31	CU M
SP1		09.17.2004	5.35	0	CU M/MI	57.31	CU M
SP1		09.17.2004	5.4	0	CU M/MI	57.31	CU M
SP1		09.17.2004	5.45	0	CU M/MI	57.3	CU M
SP1		09.17.2004	5.5	0	CU M/MI	57.3	CU M
SP1		09.17.2004	5.55	0	CU M/MI	57.3	CU M
SP1		09.17.2004	6	0	CU M/MI	57.3	CU M
SP1		09.17.2004	6.05	0	CU M/MI	57.29	CU M
SP1		09.17.2004	6.1	0	CU M/MI	57.29	CU M
SP1		09.17.2004	6.15	0	CU M/MI	57.29	CU M
SP1		09.17.2004	6.2	0	CU M/MI	57.29	CU M
SP1		09.17.2004	6.25	0	CU M/MI	57.28	CU M
SP1		09.17.2004	6.3	0	CU M/MI	57.28	CU M
SP1		09.17.2004	6.35	0	CU M/MI	57.28	CU M
SP1		09.17.2004	6.4	0	CU M/MI	57.28	CU M
SP1		09.17.2004	6.45	0	CU M/MI	57.28	CU M
SP1		09.17.2004	6.5	0	CU M/MI	57.27	CU M
SP1		09.17.2004	6.55	0	CU M/MI	57.27	CU M
SP1		09.17.2004	7	0	CU M/MI	57.27	CU M
SP1		09.17.2004	7.05	0	CU M/MI	57.27	CU M
SP1		09.17.2004	7.1	0	CU M/MI	57.26	CU M
SP1		09.17.2004	7.15	0	CU M/MI	57.26	CU M
SP1		09.17.2004	7.2	0	CU M/MI	57.26	CU M
SP1		09.17.2004	7.25	0	CU M/MI	57.26	CU M
SP1		09.17.2004	7.3	0	CU M/MI	57.26	CU M
SP1		09.17.2004	7.35	0	CU M/MI	57.25	CU M
SP1		09.17.2004	7.4	0	CU M/MI	57.25	CU M
SP1		09.17.2004	7.45	0	CU M/MI	57.25	CU M
SP1		09.17.2004	7.5	0	CU M/MI	57.25	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1		09.17.2004	7.55	0	CU M/MI	57.24	CU M
SP1		09.17.2004	8	0	CU M/MI	57.24	CU M
SP1		09.17.2004	8.05	0	CU M/MI	57.24	CU M
SP1		09.17.2004	8.1	0	CU M/MI	57.24	CU M
SP1		09.17.2004	8.15	0	CU M/MI	57.24	CU M
SP1		09.17.2004	8.2	0	CU M/MI	57.23	CU M
SP1		09.17.2004	8.25	0	CU M/MI	57.23	CU M
SP1		09.17.2004	8.3	0	CU M/MI	57.23	CU M
SP1		09.17.2004	8.35	0	CU M/MI	57.23	CU M
SP1		09.17.2004	8.4	0	CU M/MI	57.22	CU M
SP1		09.17.2004	11.5	0	CU M/MI	60.42	CU M
SP1		09.17.2004	11.55	0	CU M/MI	60.42	CU M
SP1		09.17.2004	12	0	CU M/MI	60.42	CU M
SP1		09.17.2004	12.05	0	CU M/MI	60.42	CU M
SP1		09.17.2004	12.1	0	CU M/MI	60.42	CU M
SP1		09.17.2004	12.15	0	CU M/MI	60.41	CU M
SP1		09.17.2004	12.2	0	CU M/MI	60.41	CU M
SP1		09.17.2004	12.25	0	CU M/MI	60.41	CU M
SP1		09.17.2004	12.3	0	CU M/MI	60.41	CU M
SP1		09.17.2004	12.35	0	CU M/MI	60.41	CU M
SP1		09.17.2004	12.4	0	CU M/MI	60.4	CU M
SP1		09.17.2004	12.45	0	CU M/MI	60.4	CU M
SP1		09.17.2004	12.5	0	CU M/MI	60.4	CU M
SP1		09.17.2004	12.55	0	CU M/MI	60.4	CU M
SP1		09.17.2004	13	0	CU M/MI	60.4	CU M
SP1		09.17.2004	13.05	0	CU M/MI	60.4	CU M
SP1		09.17.2004	13.1	0	CU M/MI	60.39	CU M
SP1		09.17.2004	13.15	0	CU M/MI	60.39	CU M
SP1		09.17.2004	13.2	0	CU M/MI	60.39	CU M
SP1		09.17.2004	13.25	0	CU M/MI	60.39	CU M
SP1		09.17.2004	13.3	0	CU M/MI	60.39	CU M
SP1		09.17.2004	13.35	0	CU M/MI	60.38	CU M
SP1		09.17.2004	13.4	0	CU M/MI	60.38	CU M
SP1		09.17.2004	13.45	0	CU M/MI	60.38	CU M
SP1		09.17.2004	13.5	0	CU M/MI	60.38	CU M
SP1		09.17.2004	13.55	0	CU M/MI	60.37	CU M
SP1		09.17.2004	14	0	CU M/MI	60.37	CU M
SP1		09.17.2004	14.05	0	CU M/MI	60.37	CU M
SP1		09.17.2004	14.1	0	CU M/MI	60.37	CU M
SP1		09.17.2004	14.15	0	CU M/MI	60.37	CU M
SP1		09.17.2004	14.2	0	CU M/MI	60.37	CU M
SP1		09.17.2004	14.25	0	CU M/MI	60.36	CU M
SP1		09.17.2004	14.3	0	CU M/MI	60.36	CU M
SP1		09.17.2004	14.35	0	CU M/MI	60.36	CU M
SP1		09.17.2004	14.4	0	CU M/MI	60.36	CU M
SP1		09.17.2004	14.45	0	CU M/MI	60.36	CU M
SP1		09.17.2004	14.5	0	CU M/MI	60.35	CU M
SP1		09.17.2004	14.55	0	CU M/MI	60.35	CU M
SP1		09.17.2004	15	0	CU M/MI	60.35	CU M
SP1		09.17.2004	15.05	0	CU M/MI	60.35	CU M
SP1		09.17.2004	15.1	0	CU M/MI	60.35	CU M
SP1		09.17.2004	15.15	0	CU M/MI	60.35	CU M
SP1		09.17.2004	15.2	0	CU M/MI	60.34	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1		09.17.2004	15.25	0	CU M/MI	60.34	CU M
SP1		09.17.2004	15.3	0	CU M/MI	60.34	CU M
SP1		09.17.2004	15.35	0	CU M/MI	60.34	CU M
SP1		09.17.2004	15.4	0	CU M/MI	60.34	CU M
SP1		09.17.2004	15.45	0	CU M/MI	60.33	CU M
SP1		09.17.2004	15.5	0	CU M/MI	60.33	CU M
SP1		09.17.2004	15.55	0	CU M/MI	60.33	CU M
SP1		09.17.2004	16	0	CU M/MI	60.33	CU M
SP1		09.17.2004	16.05	0	CU M/MI	60.33	CU M
SP1		09.17.2004	16.1	0	CU M/MI	60.33	CU M
SP1		09.17.2004	16.15	0	CU M/MI	60.32	CU M
SP1		09.17.2004	16.2	0	CU M/MI	60.32	CU M
SP1		09.17.2004	16.25	0	CU M/MI	60.32	CU M
SP1		09.17.2004	16.3	0	CU M/MI	60.32	CU M
SP1		09.17.2004	16.35	0	CU M/MI	60.32	CU M
SP1		09.17.2004	16.4	0	CU M/MI	60.32	CU M
SP1		09.17.2004	16.45	0	CU M/MI	60.32	CU M
SP1		09.17.2004	16.5	0	CU M/MI	60.31	CU M
SP1		09.17.2004	16.55	0	CU M/MI	60.31	CU M
SP1		09.17.2004	17	0	CU M/MI	60.31	CU M
SP1		09.17.2004	17.05	0	CU M/MI	60.31	CU M
SP1		09.17.2004	17.1	0	CU M/MI	60.31	CU M
SP1		09.17.2004	17.15	0	CU M/MI	60.31	CU M
SP1		09.17.2004	17.2	0	CU M/MI	60.31	CU M
SP1		09.17.2004	17.25	0	CU M/MI	60.3	CU M
SP1		09.17.2004	17.3	0	CU M/MI	60.3	CU M
SP1		09.17.2004	17.35	0	CU M/MI	60.3	CU M
SP1		09.17.2004	17.4	0	CU M/MI	60.3	CU M
SP1		09.17.2004	17.45	0	CU M/MI	60.3	CU M
SP1		09.17.2004	17.5	0	CU M/MI	60.3	CU M
SP1		09.17.2004	17.55	0	CU M/MI	60.3	CU M
SP1		09.17.2004	18	0	CU M/MI	60.29	CU M
SP1		09.17.2004	18.05	0	CU M/MI	60.29	CU M
SP1		09.17.2004	18.1	0	CU M/MI	60.29	CU M
SP1		09.17.2004	18.15	0	CU M/MI	60.29	CU M
SP1		09.17.2004	18.2	0	CU M/MI	60.29	CU M
SP1		09.17.2004	18.25	0	CU M/MI	60.29	CU M
SP1		09.17.2004	18.3	0	CU M/MI	60.29	CU M
SP1		09.17.2004	18.35	0	CU M/MI	60.29	CU M
SP1		09.17.2004	18.4	0	CU M/MI	60.29	CU M
SP1		09.17.2004	18.45	0.00022	CU M/MI	60.28	CU M
SP1		09.17.2004	18.5	0	CU M/MI	60.28	CU M
SP1		09.17.2004	18.55	0	CU M/MI	60.28	CU M
SP1		09.17.2004	19	0	CU M/MI	60.28	CU M
SP1		09.17.2004	19.05	0	CU M/MI	60.28	CU M
SP1		09.17.2004	19.1	0.00037	CU M/MI	60.28	CU M
SP1		09.17.2004	19.15	0	CU M/MI	60.28	CU M
SP1		09.17.2004	19.2	0	CU M/MI	60.28	CU M
SP1		09.17.2004	19.25	0	CU M/MI	60.27	CU M
SP1		09.17.2004	19.3	0	CU M/MI	60.27	CU M
SP1		09.17.2004	19.35	0	CU M/MI	60.27	CU M
SP1		09.17.2004	19.4	0	CU M/MI	60.27	CU M
SP1		09.17.2004	19.45	0	CU M/MI	60.27	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1		09.17.2004	19.5	0	CU M/MI	60.27	CU M
SP1		09.17.2004	19.55	0	CU M/MI	60.27	CU M
SP1		09.17.2004	20	0	CU M/MI	60.27	CU M
SP1		09.17.2004	20.05	0	CU M/MI	60.27	CU M
SP1		09.17.2004	20.1	0	CU M/MI	60.27	CU M
SP1		09.17.2004	20.15	0	CU M/MI	60.27	CU M
SP1		09.17.2004	20.2	0	CU M/MI	60.27	CU M
SP1		09.17.2004	20.25	0	CU M/MI	60.27	CU M
SP1		09.17.2004	20.3	0	CU M/MI	60.27	CU M
SP1		09.17.2004	20.35	0	CU M/MI	60.27	CU M
SP1		09.17.2004	20.4	0	CU M/MI	60.27	CU M
SP1		09.17.2004	20.45	0	CU M/MI	60.27	CU M
SP1		09.17.2004	20.5	0	CU M/MI	60.27	CU M
SP1		09.17.2004	20.55	0	CU M/MI	60.27	CU M
SP1		09.17.2004	21	0	CU M/MI	60.27	CU M
SP1		09.17.2004	21.05	0	CU M/MI	60.27	CU M
SP1		09.17.2004	21.1	0	CU M/MI	60.27	CU M
SP1		09.17.2004	21.15	0	CU M/MI	60.27	CU M
SP1		09.17.2004	21.2	0	CU M/MI	60.27	CU M
SP1		09.17.2004	21.25	0	CU M/MI	60.27	CU M
SP1		09.17.2004	21.3	0	CU M/MI	60.27	CU M
SP1		09.17.2004	21.35	0	CU M/MI	60.27	CU M
SP1		09.17.2004	21.4	0	CU M/MI	60.27	CU M
SP1		09.17.2004	21.45	0	CU M/MI	60.27	CU M
SP1		09.17.2004	21.5	0	CU M/MI	60.27	CU M
SP1		09.17.2004	21.55	0	CU M/MI	60.27	CU M
SP1		09.17.2004	22	0	CU M/MI	60.27	CU M
SP1		09.17.2004	22.05	0	CU M/MI	60.27	CU M
SP1		09.17.2004	22.1	0	CU M/MI	60.27	CU M
SP1		09.17.2004	22.15	0	CU M/MI	60.27	CU M
SP1		09.17.2004	22.2	0	CU M/MI	60.27	CU M
SP1		09.17.2004	22.25	0	CU M/MI	60.27	CU M
SP1		09.17.2004	22.3	0	CU M/MI	60.27	CU M
SP1		09.17.2004	22.35	0	CU M/MI	60.27	CU M
SP1		09.17.2004	22.4	0	CU M/MI	60.27	CU M
SP1		09.17.2004	22.45	0	CU M/MI	60.27	CU M
SP1		09.17.2004	22.5	0	CU M/MI	60.27	CU M
SP1		09.17.2004	22.55	0	CU M/MI	60.27	CU M
SP1		09.17.2004	23	0	CU M/MI	60.27	CU M
SP1		09.17.2004	23.05	0	CU M/MI	60.27	CU M
SP1		09.17.2004	23.1	0	CU M/MI	60.27	CU M
SP1		09.17.2004	23.15	0	CU M/MI	60.27	CU M
SP1		09.17.2004	23.2	0	CU M/MI	60.27	CU M
SP1		09.17.2004	23.25	0	CU M/MI	60.27	CU M
SP1		09.17.2004	23.3	0	CU M/MI	60.27	CU M
SP1		09.17.2004	23.35	0	CU M/MI	60.27	CU M
SP1		09.17.2004	23.4	0	CU M/MI	60.27	CU M
SP1		09.17.2004	23.45	0	CU M/MI	60.27	CU M
SP1		09.17.2004	23.5	0	CU M/MI	60.27	CU M
SP1		09.17.2004	23.55	0	CU M/MI	60.27	CU M
SP1		09.18.2004	0	0	CU M/MI	60.27	CU M
SP1		09.18.2004	0.05	0	CU M/MI	60.27	CU M
SP1		09.18.2004	0.1	0	CU M/MI	60.27	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1		09.18.2004	0.15	0	CU M/MI	60.27	CU M
SP1		09.18.2004	0.2	0	CU M/MI	60.27	CU M
SP1		09.18.2004	0.25	0	CU M/MI	60.27	CU M
SP1		09.18.2004	0.3	0	CU M/MI	60.27	CU M
SP1		09.18.2004	0.35	0	CU M/MI	60.27	CU M
SP1		09.18.2004	0.4	0	CU M/MI	60.27	CU M
SP1		09.18.2004	0.45	0	CU M/MI	60.27	CU M
SP1		09.18.2004	0.5	0	CU M/MI	60.27	CU M
SP1		09.18.2004	0.55	0	CU M/MI	60.27	CU M
SP1		09.18.2004	1	0	CU M/MI	60.27	CU M
SP1		09.18.2004	1.05	0	CU M/MI	60.27	CU M
SP1		09.18.2004	1.1	0	CU M/MI	60.27	CU M
SP1		09.18.2004	1.15	0	CU M/MI	60.27	CU M
SP1		09.18.2004	1.2	0	CU M/MI	60.27	CU M
SP1		09.18.2004	1.25	0	CU M/MI	60.27	CU M
SP1		09.18.2004	1.3	0	CU M/MI	60.27	CU M
SP1		09.18.2004	1.35	0	CU M/MI	60.27	CU M
SP1		09.18.2004	1.4	0	CU M/MI	60.27	CU M
SP1		09.18.2004	1.45	0	CU M/MI	60.27	CU M
SP1		09.18.2004	1.5	0	CU M/MI	60.27	CU M
SP1		09.18.2004	1.55	0	CU M/MI	60.27	CU M
SP1		09.18.2004	2	0	CU M/MI	60.27	CU M
SP1		09.18.2004	2.05	0	CU M/MI	60.27	CU M
SP1		09.18.2004	2.1	0	CU M/MI	60.27	CU M
SP1		09.18.2004	2.15	0	CU M/MI	60.27	CU M
SP1		09.18.2004	2.2	0	CU M/MI	60.27	CU M
SP1		09.18.2004	2.25	0	CU M/MI	60.27	CU M
SP1		09.18.2004	2.3	0	CU M/MI	60.27	CU M
SP1		09.18.2004	2.35	0	CU M/MI	60.27	CU M
SP1		09.18.2004	2.4	0	CU M/MI	60.27	CU M
SP1		09.18.2004	2.45	0	CU M/MI	60.27	CU M
SP1		09.18.2004	2.5	0	CU M/MI	60.27	CU M
SP1		09.18.2004	2.55	0	CU M/MI	60.27	CU M
SP1		09.18.2004	3	0	CU M/MI	60.27	CU M
SP1		09.18.2004	3.05	0	CU M/MI	60.27	CU M
SP1		09.18.2004	3.1	0	CU M/MI	60.27	CU M
SP1		09.18.2004	3.15	0	CU M/MI	60.27	CU M
SP1		09.18.2004	3.2	0	CU M/MI	60.27	CU M
SP1		09.18.2004	3.25	0	CU M/MI	60.27	CU M
SP1		09.18.2004	3.3	0	CU M/MI	60.27	CU M
SP1		09.18.2004	3.35	0	CU M/MI	60.27	CU M
SP1		09.18.2004	3.4	0	CU M/MI	60.27	CU M
SP1		09.18.2004	3.45	0	CU M/MI	60.27	CU M
SP1		09.18.2004	3.5	0	CU M/MI	60.27	CU M
SP1		09.18.2004	3.55	0	CU M/MI	60.27	CU M
SP1		09.18.2004	4	0	CU M/MI	60.27	CU M
SP1		09.18.2004	4.05	0	CU M/MI	60.27	CU M
SP1		09.18.2004	4.1	0	CU M/MI	60.27	CU M
SP1		09.18.2004	4.15	0	CU M/MI	60.27	CU M
SP1		09.18.2004	4.2	0	CU M/MI	60.27	CU M
SP1		09.18.2004	4.25	0	CU M/MI	60.27	CU M
SP1		09.18.2004	4.3	0	CU M/MI	60.27	CU M
SP1		09.18.2004	4.35	0	CU M/MI	60.27	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1		09.18.2004	4.4	0	CU M/MI	60.27	CU M
SP1		09.18.2004	4.45	0	CU M/MI	60.27	CU M
SP1		09.18.2004	4.5	0	CU M/MI	60.27	CU M
SP1		09.18.2004	4.55	0	CU M/MI	60.27	CU M
SP1		09.18.2004	5	0	CU M/MI	60.27	CU M
SP1		09.18.2004	5.05	0	CU M/MI	60.27	CU M
SP1		09.18.2004	5.1	1.22707	CU M/MI	62.58	CU M
SP1		09.18.2004	5.15	0.02768	CU M/MI	68.57	CU M
SP1		09.18.2004	5.2	0	CU M/MI	68.58	CU M
SP1		09.18.2004	5.25	0.00001	CU M/MI	68.58	CU M
SP1		09.18.2004	5.3	0	CU M/MI	68.58	CU M
SP1		09.18.2004	5.35	0	CU M/MI	68.58	CU M
SP1		09.18.2004	5.4	0	CU M/MI	68.58	CU M
SP1		09.18.2004	5.45	0	CU M/MI	68.58	CU M
SP1		09.18.2004	5.5	0	CU M/MI	68.58	CU M
SP1		09.18.2004	5.55	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	6	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	6.05	0.00006	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	6.1	0.00005	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	6.15	0.00004	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	6.2	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	6.25	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	6.3	0.00016	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	6.35	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	6.4	0.00007	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	6.45	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	6.5	0.00005	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	6.55	0.00008	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	7	0.00009	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	7.05	0.00002	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	7.1	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	7.15	0.00002	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	7.2	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	7.25	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	7.3	0.00004	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	7.35	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	7.4	0.00006	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	7.45	0.00013	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	7.5	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	7.55	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	8	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	8.05	0.00004	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	8.1	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	8.15	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	8.2	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	8.25	0.00005	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	8.3	0.00004	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	8.35	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	8.4	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	8.45	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	8.5	0.00003	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	8.55	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	9	0.00004	CU M/MI	68.58	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 1	09.18.2004	9.05	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	9.1	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	9.15	0.00011	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	9.2	0.00002	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	9.25	0.00004	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	9.3	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	9.35	0.00008	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	9.4	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	9.45	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	9.5	0.0001	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	9.55	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	10	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	10.05	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	10.1	0.00007	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	10.15	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	10.2	0.00002	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	10.25	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	10.3	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	10.35	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	10.4	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	10.45	0	CU M/MI	68.58	CU M
SP1	Day 1	09.18.2004	10.5	0	CU M/MI	68.57	CU M
SP1	Day 1	09.18.2004	10.55	0	CU M/MI	68.57	CU M
SP1	Day 1	09.18.2004	11	0	CU M/MI	68.57	CU M
SP1	Day 1	09.18.2004	11.05	0	CU M/MI	68.57	CU M
SP1	Day 1	09.18.2004	11.1	0	CU M/MI	68.57	CU M
SP1	Day 1	09.18.2004	11.15	0	CU M/MI	68.57	CU M
SP1	Day 1	09.18.2004	11.2	0.00007	CU M/MI	68.57	CU M
SP1	Day 1	09.18.2004	11.25	0.00005	CU M/MI	68.57	CU M
SP1	Day 1	09.18.2004	11.3	0.00003	CU M/MI	68.57	CU M
SP1	Day 1	09.18.2004	11.35	0	CU M/MI	68.57	CU M
SP1	Day 1	09.18.2004	11.4	0	CU M/MI	68.57	CU M
SP1	Day 1	09.18.2004	11.45	0.0002	CU M/MI	68.57	CU M
SP1	Day 1	09.18.2004	11.5	0.0001	CU M/MI	68.57	CU M
SP1	Day 1	09.18.2004	11.55	0	CU M/MI	68.57	CU M
SP1	Day 1	09.18.2004	12	0	CU M/MI	68.57	CU M
SP1	Day 1	09.18.2004	12.05	0.00001	CU M/MI	68.57	CU M
SP1	Day 1	09.18.2004	12.1	0	CU M/MI	68.57	CU M
SP1	Day 1	09.18.2004	12.15	0	CU M/MI	68.57	CU M
SP1	Day 1	09.18.2004	12.2	0	CU M/MI	68.57	CU M
SP1	Day 1	09.18.2004	12.25	0	CU M/MI	68.57	CU M
SP1	Day 1	09.18.2004	12.3	1.15716	CU M/MI	73.3	CU M
SP1	Day 1	09.18.2004	12.35	0.00007	CU M/MI	76.02	CU M
SP1	Day 1	09.18.2004	12.4	0	CU M/MI	76.02	CU M
SP1	Day 1	09.18.2004	12.45	0	CU M/MI	76.02	CU M
SP1	Day 1	09.18.2004	12.5	0.00002	CU M/MI	76.02	CU M
SP1	Day 1	09.18.2004	12.55	0	CU M/MI	76.02	CU M
SP1	Day 1	09.18.2004	13	0.00015	CU M/MI	76.02	CU M
SP1	Day 1	09.18.2004	13.05	0	CU M/MI	76.02	CU M
SP1	Day 1	09.18.2004	13.1	0	CU M/MI	76.02	CU M
SP1	Day 1	09.18.2004	13.15	0	CU M/MI	76.02	CU M
SP1	Day 1	09.18.2004	13.2	0	CU M/MI	76.02	CU M
SP1	Day 1	09.18.2004	13.25	0	CU M/MI	76.02	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 1	09.18.2004	13.3	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	13.35	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	13.4	0.00004	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	13.45	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	13.5	0.00025	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	13.55	0.00005	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	14	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	14.05	0.00014	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	14.1	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	14.15	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	14.2	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	14.25	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	14.3	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	14.35	0.00005	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	14.4	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	14.45	0.00006	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	14.5	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	14.55	0.00001	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	15	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	15.05	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	15.1	0.00007	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	15.15	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	15.2	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	15.25	0.00014	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	15.3	0.00016	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	15.35	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	15.4	0.00002	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	15.45	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	15.5	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	15.55	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	16	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	16.05	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	16.1	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	16.15	0.00003	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	16.2	0.00002	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	16.25	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	16.3	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	16.35	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	16.4	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	16.45	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	17.05	0.00013	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	17.1	0.00003	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	17.15	0.00004	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	17.2	0.00004	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	17.25	0.00014	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	17.3	0.00002	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	17.35	0.00013	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	17.4	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	17.45	0.00005	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	17.5	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	17.55	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	18	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	18.05	0.00009	CU M/MI	76.01	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 1	09.18.2004	18.1	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	18.15	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	18.2	0.00019	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	18.25	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	18.3	0.00002	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	18.35	0.00012	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	18.4	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	18.45	0.00009	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	18.5	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	18.55	0.00004	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	19	0.00004	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	19.05	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	19.1	0.00009	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	19.15	0.00002	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	19.2	0.0001	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	19.25	0.00009	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	19.3	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	19.35	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	19.4	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	19.45	0.00002	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	19.5	0.00008	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	19.55	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	20	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	20.05	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	20.1	0.00004	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	20.15	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	20.2	0.00004	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	20.25	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	20.3	0.00011	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	20.35	0.00011	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	20.4	0.00025	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	20.45	0.00014	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	20.5	0.00013	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	20.55	0.0002	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	21	0.00022	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	21.05	0.00009	CU M/MI	76.02	CU M
SP1	Day 1	09.18.2004	21.1	0.00012	CU M/MI	76.02	CU M
SP1	Day 1	09.18.2004	21.15	0.00011	CU M/MI	76.02	CU M
SP1	Day 1	09.18.2004	21.2	0.00023	CU M/MI	76.02	CU M
SP1	Day 1	09.18.2004	21.25	0.00003	CU M/MI	76.02	CU M
SP1	Day 1	09.18.2004	21.3	0	CU M/MI	76.02	CU M
SP1	Day 1	09.18.2004	21.35	0.00015	CU M/MI	76.02	CU M
SP1	Day 1	09.18.2004	21.4	0.00073	CU M/MI	76.02	CU M
SP1	Day 1	09.18.2004	21.45	0	CU M/MI	76.02	CU M
SP1	Day 1	09.18.2004	21.5	0.00127	CU M/MI	76.02	CU M
SP1	Day 1	09.18.2004	21.55	0.00006	CU M/MI	76.02	CU M
SP1	Day 1	09.18.2004	22	0	CU M/MI	76.02	CU M
SP1	Day 1	09.18.2004	22.05	0	CU M/MI	76.02	CU M
SP1	Day 1	09.18.2004	22.1	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	22.15	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	22.2	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	22.25	0	CU M/MI	76.01	CU M
SP1	Day 1	09.18.2004	22.3	0	CU M/MI	76.01	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 1	09.18.2004	22.35	0	CU M/MI	76	CU M
SP1	Day 1	09.18.2004	22.4	0	CU M/MI	76	CU M
SP1	Day 1	09.18.2004	22.45	0	CU M/MI	76	CU M
SP1	Day 1	09.18.2004	22.5	0	CU M/MI	76	CU M
SP1	Day 1	09.18.2004	22.55	0	CU M/MI	76	CU M
SP1	Day 1	09.18.2004	23	1.21349	CU M/MI	81.32	CU M
SP1	Day 1	09.18.2004	23.05	0.00011	CU M/MI	83.9	CU M
SP1	Day 1	09.18.2004	23.1	0	CU M/MI	83.9	CU M
SP1	Day 1	09.18.2004	23.15	0.00015	CU M/MI	83.9	CU M
SP1	Day 1	09.18.2004	23.2	0.00008	CU M/MI	83.9	CU M
SP1	Day 1	09.18.2004	23.25	0.00006	CU M/MI	83.9	CU M
SP1	Day 1	09.18.2004	23.3	0	CU M/MI	83.9	CU M
SP1	Day 1	09.18.2004	23.35	0.00004	CU M/MI	83.9	CU M
SP1	Day 1	09.18.2004	23.4	0	CU M/MI	83.9	CU M
SP1	Day 1	09.18.2004	23.45	0	CU M/MI	83.9	CU M
SP1	Day 1	09.18.2004	23.5	0	CU M/MI	83.9	CU M
SP1	Day 1	09.18.2004	23.55	0.0002	CU M/MI	83.9	CU M
SP1	Day 1	09.19.2004	0	0	CU M/MI	83.9	CU M
SP1	Day 1	09.19.2004	0.05	0	CU M/MI	83.9	CU M
SP1	Day 1	09.19.2004	0.1	0.00013	CU M/MI	83.9	CU M
SP1	Day 1	09.19.2004	0.15	0	CU M/MI	83.9	CU M
SP1	Day 1	09.19.2004	0.2	0	CU M/MI	83.9	CU M
SP1	Day 1	09.19.2004	0.25	0	CU M/MI	83.9	CU M
SP1	Day 1	09.19.2004	0.3	0	CU M/MI	83.9	CU M
SP1	Day 1	09.19.2004	0.35	0	CU M/MI	83.9	CU M
SP1	Day 1	09.19.2004	0.4	0	CU M/MI	83.9	CU M
SP1	Day 1	09.19.2004	0.45	0	CU M/MI	83.9	CU M
SP1	Day 1	09.19.2004	0.5	0	CU M/MI	83.9	CU M
SP1	Day 1	09.19.2004	0.55	0	CU M/MI	83.9	CU M
SP1	Day 1	09.19.2004	1	0	CU M/MI	83.9	CU M
SP1	Day 1	09.19.2004	1.05	0	CU M/MI	83.9	CU M
SP1	Day 1	09.19.2004	1.1	0	CU M/MI	83.9	CU M
SP1	Day 1	09.19.2004	1.15	0	CU M/MI	83.9	CU M
SP1	Day 1	09.19.2004	1.2	0	CU M/MI	83.9	CU M
SP1	Day 1	09.19.2004	1.25	0.00011	CU M/MI	83.9	CU M
SP1	Day 1	09.19.2004	1.3	0	CU M/MI	83.9	CU M
SP1	Day 1	09.19.2004	1.35	0	CU M/MI	83.9	CU M
SP1	Day 1	09.19.2004	1.4	0.00015	CU M/MI	83.9	CU M
SP1	Day 1	09.19.2004	1.45	0	CU M/MI	83.9	CU M
SP1	Day 1	09.19.2004	1.5	0	CU M/MI	83.9	CU M
SP1	Day 1	09.19.2004	1.55	0.00009	CU M/MI	83.9	CU M
SP1	Day 1	09.19.2004	2	0	CU M/MI	83.9	CU M
SP1	Day 1	09.19.2004	2.05	0	CU M/MI	83.9	CU M
SP1	Day 1	09.19.2004	2.1	0	CU M/MI	83.9	CU M
SP1	Day 1	09.19.2004	2.15	0	CU M/MI	83.89	CU M
SP1	Day 1	09.19.2004	2.2	0	CU M/MI	83.89	CU M
SP1	Day 1	09.19.2004	2.25	0	CU M/MI	83.89	CU M
SP1	Day 1	09.19.2004	2.3	0	CU M/MI	83.89	CU M
SP1	Day 1	09.19.2004	2.35	0	CU M/MI	83.89	CU M
SP1	Day 1	09.19.2004	2.4	0.00005	CU M/MI	83.89	CU M
SP1	Day 1	09.19.2004	2.45	0	CU M/MI	83.89	CU M
SP1	Day 1	09.19.2004	2.5	0.00001	CU M/MI	83.89	CU M
SP1	Day 1	09.19.2004	2.55	0	CU M/MI	83.89	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 1	09.19.2004	3	0	CU M/MI	83.89	CU M
SP1	Day 1	09.19.2004	3.05	0	CU M/MI	83.89	CU M
SP1	Day 1	09.19.2004	3.1	0	CU M/MI	83.89	CU M
SP1	Day 1	09.19.2004	3.15	0	CU M/MI	83.89	CU M
SP1	Day 1	09.19.2004	3.2	0	CU M/MI	83.89	CU M
SP1	Day 1	09.19.2004	3.25	0.00006	CU M/MI	83.89	CU M
SP1	Day 1	09.19.2004	3.3	0	CU M/MI	83.89	CU M
SP1	Day 1	09.19.2004	3.35	0	CU M/MI	83.89	CU M
SP1	Day 1	09.19.2004	3.4	0	CU M/MI	83.89	CU M
SP1	Day 1	09.19.2004	3.45	0	CU M/MI	83.89	CU M
SP1	Day 1	09.19.2004	3.5	0	CU M/MI	83.89	CU M
SP1	Day 1	09.19.2004	3.55	0	CU M/MI	83.89	CU M
SP1	Day 1	09.19.2004	4	0	CU M/MI	83.89	CU M
SP1	Day 1	09.19.2004	4.05	0	CU M/MI	83.89	CU M
SP1	Day 1	09.19.2004	4.1	0	CU M/MI	83.89	CU M
SP1	Day 1	09.19.2004	4.15	0	CU M/MI	83.89	CU M
SP1	Day 1	09.19.2004	4.2	0.0001	CU M/MI	83.89	CU M
SP1	Day 1	09.19.2004	4.25	0.00001	CU M/MI	83.89	CU M
SP1	Day 1	09.19.2004	4.35	0	CU M/MI	83.88	CU M
SP1	Day 1	09.19.2004	4.4	0	CU M/MI	83.88	CU M
SP1	Day 1	09.19.2004	4.45	0	CU M/MI	83.88	CU M
SP1	Day 1	09.19.2004	4.5	0	CU M/MI	83.88	CU M
SP1	Day 1	09.19.2004	4.55	0	CU M/MI	83.88	CU M
SP1	Day 1	09.19.2004	5	0	CU M/MI	83.88	CU M
SP1	Day 1	09.19.2004	5.05	0	CU M/MI	83.88	CU M
SP1	Day 1	09.19.2004	5.1	0	CU M/MI	83.88	CU M
SP1	Day 1	09.19.2004	5.15	0.00007	CU M/MI	83.88	CU M
SP1	Day 1	09.19.2004	5.2	0	CU M/MI	83.88	CU M
SP1	Day 1	09.19.2004	5.25	0	CU M/MI	83.88	CU M
SP1	Day 1	09.19.2004	5.3	0	CU M/MI	83.88	CU M
SP1	Day 1	09.19.2004	5.35	0	CU M/MI	83.88	CU M
SP1	Day 1	09.19.2004	5.4	0	CU M/MI	83.88	CU M
SP1	Day 1	09.19.2004	5.45	0	CU M/MI	83.88	CU M
SP1	Day 1	09.19.2004	5.5	0	CU M/MI	83.88	CU M
SP1	Day 1	09.19.2004	5.55	0	CU M/MI	83.88	CU M
SP1	Day 2	09.19.2004	6	0	CU M/MI	83.88	CU M
SP1	Day 2	09.19.2004	6.05	0	CU M/MI	83.88	CU M
SP1	Day 2	09.19.2004	6.1	0	CU M/MI	83.88	CU M
SP1	Day 2	09.19.2004	6.15	0	CU M/MI	83.88	CU M
SP1	Day 2	09.19.2004	6.2	0	CU M/MI	83.88	CU M
SP1	Day 2	09.19.2004	6.25	0.00003	CU M/MI	83.88	CU M
SP1	Day 2	09.19.2004	6.3	0	CU M/MI	83.88	CU M
SP1	Day 2	09.19.2004	6.35	0	CU M/MI	83.87	CU M
SP1	Day 2	09.19.2004	6.4	0	CU M/MI	83.87	CU M
SP1	Day 2	09.19.2004	6.45	0	CU M/MI	83.87	CU M
SP1	Day 2	09.19.2004	6.5	0.00001	CU M/MI	83.87	CU M
SP1	Day 2	09.19.2004	6.55	0	CU M/MI	83.87	CU M
SP1	Day 2	09.19.2004	7	0	CU M/MI	83.87	CU M
SP1	Day 2	09.19.2004	7.05	0	CU M/MI	83.87	CU M
SP1	Day 2	09.19.2004	7.1	0	CU M/MI	83.87	CU M
SP1	Day 2	09.19.2004	7.15	0	CU M/MI	83.87	CU M
SP1	Day 2	09.19.2004	7.2	0	CU M/MI	83.87	CU M
SP1	Day 2	09.19.2004	7.25	0	CU M/MI	83.87	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 2	09.19.2004	7.3	0	CU M/MI	83.87	CU M
SP1	Day 2	09.19.2004	7.35	0.00003	CU M/MI	83.87	CU M
SP1	Day 2	09.19.2004	7.4	0	CU M/MI	83.87	CU M
SP1	Day 2	09.19.2004	7.45	0	CU M/MI	83.87	CU M
SP1	Day 2	09.19.2004	7.5	0	CU M/MI	83.87	CU M
SP1	Day 2	09.19.2004	7.55	0	CU M/MI	83.87	CU M
SP1	Day 2	09.19.2004	8	0.00015	CU M/MI	83.87	CU M
SP1	Day 2	09.19.2004	8.05	0	CU M/MI	83.87	CU M
SP1	Day 2	09.19.2004	8.1	0	CU M/MI	83.87	CU M
SP1	Day 2	09.19.2004	8.15	0	CU M/MI	83.87	CU M
SP1	Day 2	09.19.2004	8.2	1.24301	CU M/MI	84.33	CU M
SP1	Day 2	09.19.2004	8.25	1.20289	CU M/MI	90.42	CU M
SP1	Day 2	09.19.2004	8.3	0	CU M/MI	91.55	CU M
SP1	Day 2	09.19.2004	8.35	0.00015	CU M/MI	91.55	CU M
SP1	Day 2	09.19.2004	8.4	0.0001	CU M/MI	91.55	CU M
SP1	Day 2	09.19.2004	8.45	0	CU M/MI	91.55	CU M
SP1	Day 2	09.19.2004	8.5	0.00003	CU M/MI	91.55	CU M
SP1	Day 2	09.19.2004	8.55	0	CU M/MI	91.55	CU M
SP1	Day 2	09.19.2004	9	0	CU M/MI	91.55	CU M
SP1	Day 2	09.19.2004	9.05	0	CU M/MI	91.55	CU M
SP1	Day 2	09.19.2004	9.1	0	CU M/MI	91.55	CU M
SP1	Day 2	09.19.2004	9.15	0	CU M/MI	91.55	CU M
SP1	Day 2	09.19.2004	9.2	0	CU M/MI	91.54	CU M
SP1	Day 2	09.19.2004	9.25	0	CU M/MI	91.54	CU M
SP1	Day 2	09.19.2004	9.3	0	CU M/MI	91.54	CU M
SP1	Day 2	09.19.2004	9.35	0	CU M/MI	91.54	CU M
SP1	Day 2	09.19.2004	9.4	0.00003	CU M/MI	91.54	CU M
SP1	Day 2	09.19.2004	9.45	0	CU M/MI	91.54	CU M
SP1	Day 2	09.19.2004	9.5	0	CU M/MI	91.54	CU M
SP1	Day 2	09.19.2004	9.55	0	CU M/MI	91.54	CU M
SP1	Day 2	09.19.2004	10	0	CU M/MI	91.54	CU M
SP1	Day 2	09.19.2004	10.05	0	CU M/MI	91.54	CU M
SP1	Day 2	09.19.2004	10.1	0.00005	CU M/MI	91.54	CU M
SP1	Day 2	09.19.2004	10.15	0	CU M/MI	91.54	CU M
SP1	Day 2	09.19.2004	10.2	0	CU M/MI	91.54	CU M
SP1	Day 2	09.19.2004	10.25	0	CU M/MI	91.54	CU M
SP1	Day 2	09.19.2004	10.3	0	CU M/MI	91.54	CU M
SP1	Day 2	09.19.2004	10.35	0	CU M/MI	91.54	CU M
SP1	Day 2	09.19.2004	10.4	0	CU M/MI	91.53	CU M
SP1	Day 2	09.19.2004	10.45	0	CU M/MI	91.53	CU M
SP1	Day 2	09.19.2004	10.5	0	CU M/MI	91.53	CU M
SP1	Day 2	09.19.2004	10.55	0	CU M/MI	91.53	CU M
SP1	Day 2	09.19.2004	11	0	CU M/MI	91.53	CU M
SP1	Day 2	09.19.2004	11.05	0	CU M/MI	91.53	CU M
SP1	Day 2	09.19.2004	11.1	0	CU M/MI	91.53	CU M
SP1	Day 2	09.19.2004	11.15	0	CU M/MI	91.53	CU M
SP1	Day 2	09.19.2004	11.2	0	CU M/MI	91.53	CU M
SP1	Day 2	09.19.2004	11.25	0	CU M/MI	91.53	CU M
SP1	Day 2	09.19.2004	11.3	0	CU M/MI	91.53	CU M
SP1	Day 2	09.19.2004	11.35	0	CU M/MI	91.53	CU M
SP1	Day 2	09.19.2004	11.4	0	CU M/MI	91.53	CU M
SP1	Day 2	09.19.2004	11.45	0	CU M/MI	91.53	CU M
SP1	Day 2	09.19.2004	11.5	0	CU M/MI	91.53	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 2	09.19.2004	11.55	0	CU M/MI	91.53	CU M
SP1	Day 2	09.19.2004	12	0	CU M/MI	91.52	CU M
SP1	Day 2	09.19.2004	12.05	0	CU M/MI	91.52	CU M
SP1	Day 2	09.19.2004	12.1	0	CU M/MI	91.52	CU M
SP1	Day 2	09.19.2004	12.15	0	CU M/MI	91.52	CU M
SP1	Day 2	09.19.2004	12.2	0	CU M/MI	91.52	CU M
SP1	Day 2	09.19.2004	12.25	0	CU M/MI	91.52	CU M
SP1	Day 2	09.19.2004	12.3	0	CU M/MI	91.52	CU M
SP1	Day 2	09.19.2004	12.35	0	CU M/MI	91.52	CU M
SP1	Day 2	09.19.2004	12.4	0	CU M/MI	91.52	CU M
SP1	Day 2	09.19.2004	12.45	0	CU M/MI	91.52	CU M
SP1	Day 2	09.19.2004	12.5	0	CU M/MI	91.52	CU M
SP1	Day 2	09.19.2004	12.55	0	CU M/MI	91.52	CU M
SP1	Day 2	09.19.2004	13	0	CU M/MI	91.52	CU M
SP1	Day 2	09.19.2004	13.05	0	CU M/MI	91.52	CU M
SP1	Day 2	09.19.2004	13.1	0	CU M/MI	91.52	CU M
SP1	Day 2	09.19.2004	13.15	0	CU M/MI	91.52	CU M
SP1	Day 2	09.19.2004	13.2	0	CU M/MI	91.52	CU M
SP1	Day 2	09.19.2004	13.25	0.00002	CU M/MI	91.52	CU M
SP1	Day 2	09.19.2004	13.3	0.00001	CU M/MI	91.51	CU M
SP1	Day 2	09.19.2004	13.35	0	CU M/MI	91.51	CU M
SP1	Day 2	09.19.2004	13.4	0	CU M/MI	91.51	CU M
SP1	Day 2	09.19.2004	13.45	0	CU M/MI	91.51	CU M
SP1	Day 2	09.19.2004	13.5	0	CU M/MI	91.51	CU M
SP1	Day 2	09.19.2004	13.55	0	CU M/MI	91.51	CU M
SP1	Day 2	09.19.2004	14	0	CU M/MI	91.51	CU M
SP1	Day 2	09.19.2004	14.05	0	CU M/MI	91.51	CU M
SP1	Day 2	09.19.2004	14.1	0	CU M/MI	91.51	CU M
SP1	Day 2	09.19.2004	14.15	0	CU M/MI	91.51	CU M
SP1	Day 2	09.19.2004	14.2	0	CU M/MI	91.51	CU M
SP1	Day 2	09.19.2004	14.25	0	CU M/MI	91.51	CU M
SP1	Day 2	09.19.2004	14.3	0	CU M/MI	91.51	CU M
SP1	Day 2	09.19.2004	14.35	0	CU M/MI	91.51	CU M
SP1	Day 2	09.19.2004	14.4	0	CU M/MI	91.51	CU M
SP1	Day 2	09.19.2004	14.45	0	CU M/MI	91.5	CU M
SP1	Day 2	09.19.2004	14.5	0	CU M/MI	91.5	CU M
SP1	Day 2	09.19.2004	14.55	0	CU M/MI	91.5	CU M
SP1	Day 2	09.19.2004	15	0	CU M/MI	91.5	CU M
SP1	Day 2	09.19.2004	15.05	0	CU M/MI	91.5	CU M
SP1	Day 2	09.19.2004	15.1	0	CU M/MI	91.5	CU M
SP1	Day 2	09.19.2004	15.15	0.00004	CU M/MI	91.5	CU M
SP1	Day 2	09.19.2004	15.2	0	CU M/MI	91.5	CU M
SP1	Day 2	09.19.2004	15.25	0.00004	CU M/MI	91.5	CU M
SP1	Day 2	09.19.2004	15.3	0	CU M/MI	91.5	CU M
SP1	Day 2	09.19.2004	15.35	0	CU M/MI	91.5	CU M
SP1	Day 2	09.19.2004	15.4	0	CU M/MI	91.5	CU M
SP1	Day 2	09.19.2004	15.45	1.14792	CU M/MI	97.39	CU M
SP1	Day 2	09.19.2004	15.5	0.00008	CU M/MI	99.07	CU M
SP1	Day 2	09.19.2004	16.05	0	CU M/MI	99.08	CU M
SP1	Day 2	09.19.2004	16.1	0.00005	CU M/MI	99.08	CU M
SP1	Day 2	09.19.2004	16.15	0	CU M/MI	99.08	CU M
SP1	Day 2	09.19.2004	16.2	0	CU M/MI	99.07	CU M
SP1	Day 2	09.19.2004	16.25	0	CU M/MI	99.07	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 2	09.19.2004	16.3	0	CU M/MI	99.07	CU M
SP1	Day 2	09.19.2004	16.35	0	CU M/MI	99.07	CU M
SP1	Day 2	09.19.2004	16.4	0	CU M/MI	99.07	CU M
SP1	Day 2	09.19.2004	16.45	0	CU M/MI	99.07	CU M
SP1	Day 2	09.19.2004	16.5	0	CU M/MI	99.07	CU M
SP1	Day 2	09.19.2004	16.55	0	CU M/MI	99.07	CU M
SP1	Day 2	09.19.2004	17	0	CU M/MI	99.07	CU M
SP1	Day 2	09.19.2004	17.05	0	CU M/MI	99.07	CU M
SP1	Day 2	09.19.2004	17.1	0	CU M/MI	99.07	CU M
SP1	Day 2	09.19.2004	17.15	0	CU M/MI	99.07	CU M
SP1	Day 2	09.19.2004	17.2	0.00007	CU M/MI	99.07	CU M
SP1	Day 2	09.19.2004	17.25	0	CU M/MI	99.07	CU M
SP1	Day 2	09.19.2004	17.3	0	CU M/MI	99.07	CU M
SP1	Day 2	09.19.2004	17.35	0	CU M/MI	99.07	CU M
SP1	Day 2	09.19.2004	17.4	0.00006	CU M/MI	99.07	CU M
SP1	Day 2	09.19.2004	17.45	0	CU M/MI	99.07	CU M
SP1	Day 2	09.19.2004	17.5	0	CU M/MI	99.07	CU M
SP1	Day 2	09.19.2004	17.55	0	CU M/MI	99.07	CU M
SP1	Day 2	09.19.2004	18	0	CU M/MI	99.07	CU M
SP1	Day 2	09.19.2004	18.05	0.00003	CU M/MI	99.07	CU M
SP1	Day 2	09.19.2004	18.1	0	CU M/MI	99.07	CU M
SP1	Day 2	09.19.2004	18.15	0	CU M/MI	99.07	CU M
SP1	Day 2	09.19.2004	18.2	0	CU M/MI	99.07	CU M
SP1	Day 2	09.19.2004	18.25	0.00005	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	18.3	0	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	18.35	0	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	18.4	0.00001	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	18.45	0	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	18.5	0	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	18.55	0	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	19	0.00007	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	19.05	0	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	19.1	0	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	19.15	0	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	19.2	0	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	19.25	0	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	19.3	0.00001	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	19.35	0	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	19.4	0.00011	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	19.45	0.00004	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	19.5	0.00002	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	19.55	0	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	20	0	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	20.05	0.00005	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	20.1	0	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	20.15	0	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	20.2	0	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	20.25	0	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	20.3	0	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	20.35	0	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	20.4	0	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	20.45	0	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	20.5	0	CU M/MI	99.06	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 2	09.19.2004	20.55	0	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	21	0.00003	CU M/MI	99.06	CU M
SP1	Day 2	09.19.2004	21.05	0.00008	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	21.1	0.00001	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	21.15	0	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	21.2	0	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	21.25	0.00004	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	21.3	0	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	21.35	0.00002	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	21.4	0	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	21.45	0	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	21.5	0	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	21.55	0	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	22	0	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	22.05	0	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	22.1	0	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	22.15	0	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	22.2	0.00006	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	22.25	0	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	22.3	0.00001	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	22.35	0	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	22.4	0	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	22.45	0.00004	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	22.5	0	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	22.55	0	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	23	0.00003	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	23.05	0.00009	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	23.1	0	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	23.15	0	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	23.2	0.00004	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	23.25	0.00009	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	23.3	0	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	23.35	0.00002	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	23.4	0.00001	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	23.45	0	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	23.5	0.00002	CU M/MI	99.05	CU M
SP1	Day 2	09.19.2004	23.55	0.00013	CU M/MI	99.05	CU M
SP1	Day 2	09.20.2004	0	0.00004	CU M/MI	99.05	CU M
SP1	Day 2	09.20.2004	0.05	0	CU M/MI	99.05	CU M
SP1	Day 2	09.20.2004	0.1	0.00004	CU M/MI	99.05	CU M
SP1	Day 2	09.20.2004	0.15	0	CU M/MI	99.05	CU M
SP1	Day 2	09.20.2004	0.2	0	CU M/MI	99.05	CU M
SP1	Day 2	09.20.2004	0.25	0	CU M/MI	99.05	CU M
SP1	Day 2	09.20.2004	0.3	0.0001	CU M/MI	99.05	CU M
SP1	Day 2	09.20.2004	0.35	0.00001	CU M/MI	99.05	CU M
SP1	Day 2	09.20.2004	0.4	0	CU M/MI	99.05	CU M
SP1	Day 2	09.20.2004	0.45	0	CU M/MI	99.05	CU M
SP1	Day 2	09.20.2004	0.5	0	CU M/MI	99.05	CU M
SP1	Day 2	09.20.2004	0.55	0	CU M/MI	99.05	CU M
SP1	Day 2	09.20.2004	1	0	CU M/MI	99.05	CU M
SP1	Day 2	09.20.2004	1.05	0	CU M/MI	99.05	CU M
SP1	Day 2	09.20.2004	1.1	0	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	1.15	0.00012	CU M/MI	103.51	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 2	09.20.2004	1.2	0.00023	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	1.25	0.0001	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	1.3	0.00009	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	1.35	0.00009	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	1.4	0	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	1.45	0.00016	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	1.5	0	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	1.55	0.00013	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	2	0	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	2.05	0	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	2.1	0	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	2.15	0.00009	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	2.2	0.00001	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	2.25	0.00018	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	2.3	0.00003	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	2.35	0.00016	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	2.4	0.00011	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	2.45	0.00005	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	2.5	0.00008	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	2.55	0.00004	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	3	0	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	3.05	0	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	3.1	0.00001	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	3.15	0.00016	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	3.2	0	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	3.35	0	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	3.4	0	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	3.45	0	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	3.5	0.00014	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	3.55	0.00024	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	4	0.00019	CU M/MI	103.52	CU M
SP1	Day 2	09.20.2004	4.05	0.00003	CU M/MI	103.53	CU M
SP1	Day 2	09.20.2004	4.1	0.0001	CU M/MI	103.53	CU M
SP1	Day 2	09.20.2004	4.15	0.00017	CU M/MI	103.53	CU M
SP1	Day 2	09.20.2004	4.2	0.00008	CU M/MI	103.53	CU M
SP1	Day 2	09.20.2004	4.25	0.00002	CU M/MI	103.53	CU M
SP1	Day 2	09.20.2004	4.3	0.00009	CU M/MI	103.53	CU M
SP1	Day 2	09.20.2004	4.35	0.00026	CU M/MI	103.53	CU M
SP1	Day 2	09.20.2004	4.4	0.00009	CU M/MI	103.53	CU M
SP1	Day 2	09.20.2004	4.45	0	CU M/MI	103.53	CU M
SP1	Day 2	09.20.2004	4.5	0.00004	CU M/MI	103.53	CU M
SP1	Day 2	09.20.2004	4.55	0.00012	CU M/MI	103.53	CU M
SP1	Day 2	09.20.2004	5	0.00005	CU M/MI	103.53	CU M
SP1	Day 2	09.20.2004	5.05	0.00021	CU M/MI	103.53	CU M
SP1	Day 2	09.20.2004	5.1	0.00018	CU M/MI	103.53	CU M
SP1	Day 2	09.20.2004	5.15	0.00023	CU M/MI	103.53	CU M
SP1	Day 2	09.20.2004	5.2	0.00019	CU M/MI	103.53	CU M
SP1	Day 2	09.20.2004	5.25	0.00018	CU M/MI	103.54	CU M
SP1	Day 2	09.20.2004	5.3	0.00007	CU M/MI	103.54	CU M
SP1	Day 2	09.20.2004	5.35	0.00022	CU M/MI	103.54	CU M
SP1	Day 2	09.20.2004	5.4	0.00017	CU M/MI	103.54	CU M
SP1	Day 2	09.20.2004	5.45	0.0002	CU M/MI	103.54	CU M
SP1	Day 2	09.20.2004	5.5	0.00026	CU M/MI	103.54	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 2	09.20.2004	5.55	0.00018	CU M/MI	103.54	CU M
SP1	Day 3	09.20.2004	6	0.0003	CU M/MI	103.54	CU M
SP1	Day 3	09.20.2004	6.05	0.00015	CU M/MI	103.54	CU M
SP1	Day 3	09.20.2004	6.1	0.00024	CU M/MI	103.54	CU M
SP1	Day 3	09.20.2004	6.15	0.00022	CU M/MI	103.55	CU M
SP1	Day 3	09.20.2004	6.2	0.00023	CU M/MI	103.55	CU M
SP1	Day 3	09.20.2004	6.25	0.00034	CU M/MI	103.55	CU M
SP1	Day 3	09.20.2004	6.3	0.00027	CU M/MI	103.55	CU M
SP1	Day 3	09.20.2004	6.35	0.00009	CU M/MI	103.55	CU M
SP1	Day 3	09.20.2004	6.4	0.00035	CU M/MI	103.55	CU M
SP1	Day 3	09.20.2004	6.45	0.00034	CU M/MI	103.55	CU M
SP1	Day 3	09.20.2004	6.5	0.00038	CU M/MI	103.55	CU M
SP1	Day 3	09.20.2004	6.55	0.00026	CU M/MI	103.56	CU M
SP1	Day 3	09.20.2004	7	0.00046	CU M/MI	103.56	CU M
SP1	Day 3	09.20.2004	7.05	0.00036	CU M/MI	103.56	CU M
SP1	Day 3	09.20.2004	7.1	0.00024	CU M/MI	103.56	CU M
SP1	Day 3	09.20.2004	7.15	0.00028	CU M/MI	103.56	CU M
SP1	Day 3	09.20.2004	7.2	0.00029	CU M/MI	103.56	CU M
SP1	Day 3	09.20.2004	7.25	0.00037	CU M/MI	103.57	CU M
SP1	Day 3	09.20.2004	7.3	0.0003	CU M/MI	103.57	CU M
SP1	Day 3	09.20.2004	7.35	0.00026	CU M/MI	103.57	CU M
SP1	Day 3	09.20.2004	7.4	0.00052	CU M/MI	103.57	CU M
SP1	Day 3	09.20.2004	7.45	0.00051	CU M/MI	103.57	CU M
SP1	Day 3	09.20.2004	7.5	0.00044	CU M/MI	103.57	CU M
SP1	Day 3	09.20.2004	7.55	0.00041	CU M/MI	103.58	CU M
SP1	Day 3	09.20.2004	8	0.00042	CU M/MI	103.58	CU M
SP1	Day 3	09.20.2004	8.05	0.00035	CU M/MI	103.58	CU M
SP1	Day 3	09.20.2004	8.1	0.00022	CU M/MI	103.58	CU M
SP1	Day 3	09.20.2004	8.15	0.0003	CU M/MI	103.58	CU M
SP1	Day 3	09.20.2004	8.2	0.00036	CU M/MI	103.59	CU M
SP1	Day 3	09.20.2004	8.25	0.00024	CU M/MI	103.59	CU M
SP1	Day 3	09.20.2004	8.3	0.00026	CU M/MI	103.59	CU M
SP1	Day 3	09.20.2004	8.35	0.00025	CU M/MI	103.59	CU M
SP1	Day 3	09.20.2004	8.4	0.00045	CU M/MI	103.59	CU M
SP1	Day 3	09.20.2004	8.45	0.00022	CU M/MI	103.59	CU M
SP1	Day 3	09.20.2004	8.5	0.00024	CU M/MI	103.59	CU M
SP1	Day 3	09.20.2004	8.55	0.00038	CU M/MI	103.59	CU M
SP1	Day 3	09.20.2004	9	0.00017	CU M/MI	103.6	CU M
SP1	Day 3	09.20.2004	9.05	0.00034	CU M/MI	103.6	CU M
SP1	Day 3	09.20.2004	9.1	0.00021	CU M/MI	103.6	CU M
SP1	Day 3	09.20.2004	9.15	0.00023	CU M/MI	103.6	CU M
SP1	Day 3	09.20.2004	9.2	0.00051	CU M/MI	103.6	CU M
SP1	Day 3	09.20.2004	9.25	0.0002	CU M/MI	103.6	CU M
SP1	Day 3	09.20.2004	9.3	0.00023	CU M/MI	103.61	CU M
SP1	Day 3	09.20.2004	9.35	0.00015	CU M/MI	103.61	CU M
SP1	Day 3	09.20.2004	9.4	0.00019	CU M/MI	103.61	CU M
SP1	Day 3	09.20.2004	9.45	0.00016	CU M/MI	103.61	CU M
SP1	Day 3	09.20.2004	9.5	0	CU M/MI	103.73	CU M
SP1	Day 3	09.20.2004	9.55	0	CU M/MI	105.81	CU M
SP1	Day 3	09.20.2004	10	0.00075	CU M/MI	106.45	CU M
SP1	Day 3	09.20.2004	10.05	0.0006	CU M/MI	106.45	CU M
SP1	Day 3	09.20.2004	10.1	0.00038	CU M/MI	106.46	CU M
SP1	Day 3	09.20.2004	10.15	0.00035	CU M/MI	106.46	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 3	09.20.2004	10.2	0.00045	CU M/MI	106.46	CU M
SP1	Day 3	09.20.2004	10.25	0.00063	CU M/MI	106.46	CU M
SP1	Day 3	09.20.2004	10.3	0.00024	CU M/MI	106.46	CU M
SP1	Day 3	09.20.2004	10.35	0.0004	CU M/MI	106.47	CU M
SP1	Day 3	09.20.2004	10.4	0	CU M/MI	106.91	CU M
SP1	Day 3	09.20.2004	10.45	0.00046	CU M/MI	106.92	CU M
SP1	Day 3	09.20.2004	10.5	0.0004	CU M/MI	106.92	CU M
SP1	Day 3	09.20.2004	10.55	0.00043	CU M/MI	106.92	CU M
SP1	Day 3	09.20.2004	11	0.0003	CU M/MI	106.92	CU M
SP1	Day 3	09.20.2004	11.05	0.00034	CU M/MI	106.92	CU M
SP1	Day 3	09.20.2004	11.1	0.00044	CU M/MI	106.93	CU M
SP1	Day 3	09.20.2004	11.15	0.00033	CU M/MI	106.93	CU M
SP1	Day 3	09.20.2004	11.2	0.0003	CU M/MI	106.93	CU M
SP1	Day 3	09.20.2004	11.25	0.0002	CU M/MI	106.93	CU M
SP1	Day 3	09.20.2004	11.3	0.00027	CU M/MI	106.93	CU M
SP1	Day 3	09.20.2004	11.35	0.00031	CU M/MI	106.93	CU M
SP1	Day 3	09.20.2004	11.4	0.00016	CU M/MI	106.93	CU M
SP1	Day 3	09.20.2004	11.45	0.00025	CU M/MI	106.93	CU M
SP1	Day 3	09.20.2004	11.5	0.00034	CU M/MI	106.94	CU M
SP1	Day 3	09.20.2004	11.55	0.0002	CU M/MI	106.94	CU M
SP1	Day 3	09.20.2004	12	0.00012	CU M/MI	106.94	CU M
SP1	Day 3	09.20.2004	12.05	0.00034	CU M/MI	106.94	CU M
SP1	Day 3	09.20.2004	12.1	0.00019	CU M/MI	106.94	CU M
SP1	Day 3	09.20.2004	12.15	0.00046	CU M/MI	106.94	CU M
SP1	Day 3	09.20.2004	12.2	0.00032	CU M/MI	106.94	CU M
SP1	Day 3	09.20.2004	12.25	0.00021	CU M/MI	106.95	CU M
SP1	Day 3	09.20.2004	12.3	0.00027	CU M/MI	106.95	CU M
SP1	Day 3	09.20.2004	12.35	0.0004	CU M/MI	106.95	CU M
SP1	Day 3	09.20.2004	12.4	0.00028	CU M/MI	106.95	CU M
SP1	Day 3	09.20.2004	12.45	0.0003	CU M/MI	106.95	CU M
SP1	Day 3	09.20.2004	12.5	0.00044	CU M/MI	106.95	CU M
SP1	Day 3	09.20.2004	12.55	0.00049	CU M/MI	106.96	CU M
SP1	Day 3	09.20.2004	13	0.00044	CU M/MI	106.96	CU M
SP1	Day 3	09.20.2004	13.05	0.0003	CU M/MI	106.96	CU M
SP1	Day 3	09.20.2004	13.1	0.00039	CU M/MI	106.96	CU M
SP1	Day 3	09.20.2004	13.15	0.00041	CU M/MI	106.96	CU M
SP1	Day 3	09.20.2004	13.2	0.00045	CU M/MI	106.97	CU M
SP1	Day 3	09.20.2004	13.25	0.00027	CU M/MI	106.97	CU M
SP1	Day 3	09.20.2004	13.3	0.00048	CU M/MI	106.97	CU M
SP1	Day 3	09.20.2004	13.35	0.00041	CU M/MI	106.97	CU M
SP1	Day 3	09.20.2004	13.4	0.00048	CU M/MI	106.97	CU M
SP1	Day 3	09.20.2004	13.45	0.00046	CU M/MI	106.98	CU M
SP1	Day 3	09.20.2004	13.5	0.00034	CU M/MI	106.98	CU M
SP1	Day 3	09.20.2004	13.55	0.00042	CU M/MI	106.98	CU M
SP1	Day 3	09.20.2004	14	0.00036	CU M/MI	106.98	CU M
SP1	Day 3	09.20.2004	14.05	0.00045	CU M/MI	106.98	CU M
SP1	Day 3	09.20.2004	14.1	0.00026	CU M/MI	106.98	CU M
SP1	Day 3	09.20.2004	14.15	0.00035	CU M/MI	106.99	CU M
SP1	Day 3	09.20.2004	14.2	0.00031	CU M/MI	106.99	CU M
SP1	Day 3	09.20.2004	14.25	0.00036	CU M/MI	106.99	CU M
SP1	Day 3	09.20.2004	14.3	0.0003	CU M/MI	106.99	CU M
SP1	Day 3	09.20.2004	14.35	0.00018	CU M/MI	106.99	CU M
SP1	Day 3	09.20.2004	14.4	0.00025	CU M/MI	106.99	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 3	09.20.2004	14.45	0.00046	CU M/MI	106.99	CU M
SP1	Day 3	09.20.2004	14.5	0.0004	CU M/MI	107	CU M
SP1	Day 3	09.20.2004	14.55	0.00042	CU M/MI	107	CU M
SP1	Day 3	09.20.2004	15	0.0003	CU M/MI	107	CU M
SP1	Day 3	09.20.2004	15.05	0.00035	CU M/MI	107	CU M
SP1	Day 3	09.20.2004	15.1	0.00015	CU M/MI	107	CU M
SP1	Day 3	09.20.2004	15.15	0.00021	CU M/MI	107	CU M
SP1	Day 3	09.20.2004	15.2	0.00029	CU M/MI	107.01	CU M
SP1	Day 3	09.20.2004	15.25	0.00025	CU M/MI	107.01	CU M
SP1	Day 3	09.20.2004	15.3	0.0003	CU M/MI	107.02	CU M
SP1	Day 3	09.20.2004	15.35	0.00032	CU M/MI	107.02	CU M
SP1	Day 3	09.20.2004	15.4	0.00073	CU M/MI	107.01	CU M
SP1	Day 3	09.20.2004	15.45	0.00047	CU M/MI	107.02	CU M
SP1	Day 3	09.20.2004	15.5	0.00052	CU M/MI	107.02	CU M
SP1	Day 3	09.20.2004	15.55	0.00056	CU M/MI	107.02	CU M
SP1	Day 3	09.20.2004	16	0.00046	CU M/MI	107.02	CU M
SP1	Day 3	09.20.2004	16.05	0.00064	CU M/MI	107.03	CU M
SP1	Day 3	09.20.2004	16.1	0.00047	CU M/MI	107.03	CU M
SP1	Day 3	09.20.2004	16.15	0.00069	CU M/MI	107.03	CU M
SP1	Day 3	09.20.2004	16.2	0.00037	CU M/MI	107.04	CU M
SP1	Day 3	09.20.2004	16.25	0.00056	CU M/MI	107.04	CU M
SP1	Day 3	09.20.2004	16.3	0.00029	CU M/MI	107.04	CU M
SP1	Day 3	09.20.2004	16.35	0.00051	CU M/MI	107.04	CU M
SP1	Day 3	09.20.2004	16.45	0.00028	CU M/MI	107.05	CU M
SP1	Day 3	09.20.2004	16.5	0.00044	CU M/MI	107.05	CU M
SP1	Day 3	09.20.2004	16.55	0.00036	CU M/MI	107.05	CU M
SP1	Day 3	09.20.2004	17	0.00047	CU M/MI	107.06	CU M
SP1	Day 3	09.20.2004	17.05	0.00046	CU M/MI	107.06	CU M
SP1	Day 3	09.20.2004	17.1	0.00051	CU M/MI	107.06	CU M
SP1	Day 3	09.20.2004	17.15	0.00049	CU M/MI	107.06	CU M
SP1	Day 3	09.20.2004	17.2	0.00061	CU M/MI	107.06	CU M
SP1	Day 3	09.20.2004	17.25	0.00035	CU M/MI	107.07	CU M
SP1	Day 3	09.20.2004	17.3	0.00039	CU M/MI	107.07	CU M
SP1	Day 3	09.20.2004	17.35	0.00036	CU M/MI	107.07	CU M
SP1	Day 3	09.20.2004	17.4	0.0005	CU M/MI	107.07	CU M
SP1	Day 3	09.20.2004	17.45	0.00029	CU M/MI	107.08	CU M
SP1	Day 3	09.20.2004	17.5	0.00053	CU M/MI	107.08	CU M
SP1	Day 3	09.20.2004	17.55	0.00051	CU M/MI	107.08	CU M
SP1	Day 3	09.20.2004	18	0.00037	CU M/MI	107.08	CU M
SP1	Day 3	09.20.2004	18.05	0.00056	CU M/MI	107.09	CU M
SP1	Day 3	09.20.2004	18.1	0.0005	CU M/MI	107.09	CU M
SP1	Day 3	09.20.2004	18.15	0.00051	CU M/MI	107.09	CU M
SP1	Day 3	09.20.2004	18.2	0.00053	CU M/MI	107.09	CU M
SP1	Day 3	09.20.2004	18.25	0.00056	CU M/MI	107.1	CU M
SP1	Day 3	09.20.2004	18.3	0.00053	CU M/MI	107.1	CU M
SP1	Day 3	09.20.2004	18.35	0.00062	CU M/MI	107.1	CU M
SP1	Day 3	09.20.2004	18.4	0.00066	CU M/MI	107.1	CU M
SP1	Day 3	09.20.2004	18.45	0.00116	CU M/MI	107.11	CU M
SP1	Day 3	09.20.2004	18.5	0	CU M/MI	107.11	CU M
SP1	Day 3	09.20.2004	18.55	0	CU M/MI	107.11	CU M
SP1	Day 3	09.20.2004	19	0	CU M/MI	107.11	CU M
SP1	Day 3	09.20.2004	19.05	0	CU M/MI	107.11	CU M
SP1	Day 3	09.20.2004	19.1	0	CU M/MI	107.11	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 3	09.20.2004	19.15	0	CU M/MI	107.11	CU M
SP1	Day 3	09.20.2004	19.2	0.00039	CU M/MI	107.12	CU M
SP1	Day 3	09.20.2004	19.25	0	CU M/MI	107.12	CU M
SP1	Day 3	09.20.2004	19.3	0	CU M/MI	107.12	CU M
SP1	Day 3	09.20.2004	19.35	0.00029	CU M/MI	107.12	CU M
SP1	Day 3	09.20.2004	19.4	0	CU M/MI	107.11	CU M
SP1	Day 3	09.20.2004	19.45	0	CU M/MI	107.11	CU M
SP1	Day 3	09.20.2004	19.5	0.00115	CU M/MI	107.12	CU M
SP1	Day 3	09.20.2004	19.55	0.00137	CU M/MI	107.12	CU M
SP1	Day 3	09.20.2004	20	0	CU M/MI	107.14	CU M
SP1	Day 3	09.20.2004	20.05	0.00071	CU M/MI	107.14	CU M
SP1	Day 3	09.20.2004	20.1	0.00063	CU M/MI	107.14	CU M
SP1	Day 3	09.20.2004	20.15	0.00033	CU M/MI	107.15	CU M
SP1	Day 3	09.20.2004	20.2	0.00102	CU M/MI	107.15	CU M
SP1	Day 3	09.20.2004	20.25	0	CU M/MI	107.15	CU M
SP1	Day 3	09.20.2004	20.3	0.00079	CU M/MI	107.16	CU M
SP1	Day 3	09.20.2004	20.35	0.00249	CU M/MI	107.16	CU M
SP1	Day 3	09.20.2004	20.4	0	CU M/MI	107.17	CU M
SP1	Day 3	09.20.2004	20.45	0.00034	CU M/MI	107.17	CU M
SP1	Day 3	09.20.2004	20.5	0.00199	CU M/MI	107.19	CU M
SP1	Day 3	09.20.2004	20.55	0.00043	CU M/MI	107.21	CU M
SP1	Day 3	09.20.2004	21	0.00012	CU M/MI	107.21	CU M
SP1	Day 3	09.20.2004	21.05	0.00163	CU M/MI	107.21	CU M
SP1	Day 3	09.20.2004	21.1	0.00573	CU M/MI	107.22	CU M
SP1	Day 3	09.20.2004	21.15	0.00043	CU M/MI	107.22	CU M
SP1	Day 3	09.20.2004	21.2	0	CU M/MI	107.22	CU M
SP1	Day 3	09.20.2004	21.25	0	CU M/MI	107.22	CU M
SP1	Day 3	09.20.2004	21.3	0	CU M/MI	107.22	CU M
SP1	Day 3	09.20.2004	21.35	0	CU M/MI	107.22	CU M
SP1	Day 3	09.20.2004	21.4	0	CU M/MI	107.22	CU M
SP1	Day 3	09.20.2004	21.45	0	CU M/MI	107.22	CU M
SP1	Day 3	09.20.2004	21.5	0	CU M/MI	107.22	CU M
SP1	Day 3	09.20.2004	21.55	0	CU M/MI	107.22	CU M
SP1	Day 3	09.20.2004	22	0	CU M/MI	107.22	CU M
SP1	Day 3	09.20.2004	22.05	0	CU M/MI	107.22	CU M
SP1	Day 3	09.20.2004	22.1	0	CU M/MI	107.22	CU M
SP1	Day 3	09.20.2004	22.15	0.00029	CU M/MI	107.22	CU M
SP1	Day 3	09.20.2004	22.2	0.00023	CU M/MI	107.22	CU M
SP1	Day 3	09.20.2004	22.25	0.00037	CU M/MI	107.22	CU M
SP1	Day 3	09.20.2004	22.3	0.00038	CU M/MI	107.22	CU M
SP1	Day 3	09.20.2004	22.35	0.00023	CU M/MI	107.22	CU M
SP1	Day 3	09.20.2004	22.4	0.00048	CU M/MI	107.22	CU M
SP1	Day 3	09.20.2004	22.45	0.00037	CU M/MI	107.23	CU M
SP1	Day 3	09.20.2004	22.5	0.00032	CU M/MI	107.23	CU M
SP1	Day 3	09.20.2004	22.55	0.0003	CU M/MI	107.23	CU M
SP1	Day 3	09.20.2004	23	0.00041	CU M/MI	107.23	CU M
SP1	Day 3	09.20.2004	23.05	0.0005	CU M/MI	107.23	CU M
SP1	Day 3	09.20.2004	23.1	0.00039	CU M/MI	107.24	CU M
SP1	Day 3	09.20.2004	23.15	0.00027	CU M/MI	107.24	CU M
SP1	Day 3	09.20.2004	23.2	0.00068	CU M/MI	107.24	CU M
SP1	Day 3	09.20.2004	23.25	0.00034	CU M/MI	107.24	CU M
SP1	Day 3	09.20.2004	23.3	0.00035	CU M/MI	107.24	CU M
SP1	Day 3	09.20.2004	23.35	0.00034	CU M/MI	107.25	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 3	09.20.2004	23.4	0.00053	CU M/MI	107.25	CU M
SP1	Day 3	09.20.2004	23.45	0.00038	CU M/MI	107.25	CU M
SP1	Day 3	09.20.2004	23.5	0.00038	CU M/MI	107.25	CU M
SP1	Day 3	09.20.2004	23.55	0.00031	CU M/MI	107.26	CU M
SP1	Day 3	09.21.2004	0	0.00039	CU M/MI	107.26	CU M
SP1	Day 3	09.21.2004	0.05	0.00058	CU M/MI	107.26	CU M
SP1	Day 3	09.21.2004	0.1	0.00033	CU M/MI	107.26	CU M
SP1	Day 3	09.21.2004	0.15	0.00055	CU M/MI	107.26	CU M
SP1	Day 3	09.21.2004	0.2	0.0004	CU M/MI	107.27	CU M
SP1	Day 3	09.21.2004	0.25	0.00055	CU M/MI	107.27	CU M
SP1	Day 3	09.21.2004	0.3	0.00053	CU M/MI	107.27	CU M
SP1	Day 3	09.21.2004	0.35	0.00049	CU M/MI	107.27	CU M
SP1	Day 3	09.21.2004	0.4	0.00067	CU M/MI	107.28	CU M
SP1	Day 3	09.21.2004	0.45	0.00051	CU M/MI	107.28	CU M
SP1	Day 3	09.21.2004	0.5	1.22125	CU M/MI	107.7	CU M
SP1	Day 3	09.21.2004	0.55	1.16868	CU M/MI	110.16	CU M
SP1	Day 3	09.21.2004	1	0.00076	CU M/MI	110.31	CU M
SP1	Day 3	09.21.2004	1.05	0.00032	CU M/MI	110.31	CU M
SP1	Day 3	09.21.2004	1.1	0.00063	CU M/MI	110.31	CU M
SP1	Day 3	09.21.2004	1.15	0.00071	CU M/MI	110.32	CU M
SP1	Day 3	09.21.2004	1.2	0.00063	CU M/MI	110.32	CU M
SP1	Day 3	09.21.2004	1.25	0.00092	CU M/MI	110.32	CU M
SP1	Day 3	09.21.2004	1.3	0.00037	CU M/MI	110.33	CU M
SP1	Day 3	09.21.2004	1.35	0.00072	CU M/MI	110.33	CU M
SP1	Day 3	09.21.2004	1.4	0.00005	CU M/MI	110.33	CU M
SP1	Day 3	09.21.2004	1.45	0.00016	CU M/MI	110.33	CU M
SP1	Day 3	09.21.2004	1.5	0.0009	CU M/MI	110.33	CU M
SP1	Day 3	09.21.2004	1.55	0.0003	CU M/MI	110.34	CU M
SP1	Day 3	09.21.2004	2	0.00038	CU M/MI	110.34	CU M
SP1	Day 3	09.21.2004	2.05	0.0004	CU M/MI	110.34	CU M
SP1	Day 3	09.21.2004	2.1	0.0003	CU M/MI	110.34	CU M
SP1	Day 3	09.21.2004	2.15	0.00048	CU M/MI	110.34	CU M
SP1	Day 3	09.21.2004	2.2	0.00033	CU M/MI	110.35	CU M
SP1	Day 3	09.21.2004	2.25	0.00035	CU M/MI	110.35	CU M
SP1	Day 3	09.21.2004	2.3	0.00042	CU M/MI	110.35	CU M
SP1	Day 3	09.21.2004	2.35	0.00038	CU M/MI	110.35	CU M
SP1	Day 3	09.21.2004	2.4	0.00045	CU M/MI	110.35	CU M
SP1	Day 3	09.21.2004	2.45	0.00028	CU M/MI	110.35	CU M
SP1	Day 3	09.21.2004	2.5	0.00045	CU M/MI	110.36	CU M
SP1	Day 3	09.21.2004	2.55	0.00042	CU M/MI	110.36	CU M
SP1	Day 3	09.21.2004	3	0.00044	CU M/MI	110.36	CU M
SP1	Day 3	09.21.2004	3.05	0.00054	CU M/MI	110.36	CU M
SP1	Day 3	09.21.2004	3.1	0.00055	CU M/MI	110.37	CU M
SP1	Day 3	09.21.2004	3.15	0.00045	CU M/MI	110.37	CU M
SP1	Day 3	09.21.2004	3.2	0.00049	CU M/MI	110.37	CU M
SP1	Day 3	09.21.2004	3.25	0.00046	CU M/MI	110.37	CU M
SP1	Day 3	09.21.2004	3.3	0.0004	CU M/MI	110.38	CU M
SP1	Day 3	09.21.2004	3.35	0.00046	CU M/MI	110.38	CU M
SP1	Day 3	09.21.2004	3.4	0.00046	CU M/MI	110.38	CU M
SP1	Day 3	09.21.2004	3.45	0.00049	CU M/MI	110.38	CU M
SP1	Day 3	09.21.2004	3.5	0.00049	CU M/MI	110.39	CU M
SP1	Day 3	09.21.2004	3.55	0.00044	CU M/MI	110.39	CU M
SP1	Day 3	09.21.2004	4	0.00052	CU M/MI	110.39	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 3	09.21.2004	4.05	0.00052	CU M/MI	110.39	CU M
SP1	Day 3	09.21.2004	4.1	0.00045	CU M/MI	110.4	CU M
SP1	Day 3	09.21.2004	4.15	0.00053	CU M/MI	110.4	CU M
SP1	Day 3	09.21.2004	4.2	0.00063	CU M/MI	110.4	CU M
SP1	Day 3	09.21.2004	4.35	0.00052	CU M/MI	110.41	CU M
SP1	Day 3	09.21.2004	4.4	0.00058	CU M/MI	110.41	CU M
SP1	Day 3	09.21.2004	4.45	0.00055	CU M/MI	110.41	CU M
SP1	Day 3	09.21.2004	4.5	0.00075	CU M/MI	110.42	CU M
SP1	Day 3	09.21.2004	4.55	0.00066	CU M/MI	110.42	CU M
SP1	Day 3	09.21.2004	5	0.00058	CU M/MI	110.42	CU M
SP1	Day 3	09.21.2004	5.05	0.00047	CU M/MI	110.43	CU M
SP1	Day 3	09.21.2004	5.1	0.00053	CU M/MI	110.43	CU M
SP1	Day 3	09.21.2004	5.15	0.0007	CU M/MI	110.43	CU M
SP1	Day 3	09.21.2004	5.2	0.00066	CU M/MI	110.43	CU M
SP1	Day 3	09.21.2004	5.25	0.00074	CU M/MI	110.44	CU M
SP1	Day 3	09.21.2004	5.3	0.00061	CU M/MI	110.44	CU M
SP1	Day 3	09.21.2004	5.35	0.00054	CU M/MI	110.44	CU M
SP1	Day 3	09.21.2004	5.4	0.00064	CU M/MI	110.45	CU M
SP1	Day 3	09.21.2004	5.45	0.00066	CU M/MI	110.45	CU M
SP1	Day 3	09.21.2004	5.5	0.00038	CU M/MI	110.45	CU M
SP1	Day 3	09.21.2004	5.55	0.00044	CU M/MI	110.45	CU M
SP1	Day 4	09.21.2004	6	0.00051	CU M/MI	110.46	CU M
SP1	Day 4	09.21.2004	6.05	0.00047	CU M/MI	110.46	CU M
SP1	Day 4	09.21.2004	6.1	0.00053	CU M/MI	110.46	CU M
SP1	Day 4	09.21.2004	6.15	0.00057	CU M/MI	110.47	CU M
SP1	Day 4	09.21.2004	6.2	0.00068	CU M/MI	110.47	CU M
SP1	Day 4	09.21.2004	6.25	0.00052	CU M/MI	110.47	CU M
SP1	Day 4	09.21.2004	6.3	0.00058	CU M/MI	110.47	CU M
SP1	Day 4	09.21.2004	6.35	0.0005	CU M/MI	110.48	CU M
SP1	Day 4	09.21.2004	6.4	0.00068	CU M/MI	110.48	CU M
SP1	Day 4	09.21.2004	6.45	0.00052	CU M/MI	110.48	CU M
SP1	Day 4	09.21.2004	6.5	0.00052	CU M/MI	110.49	CU M
SP1	Day 4	09.21.2004	6.55	0.0005	CU M/MI	110.49	CU M
SP1	Day 4	09.21.2004	7	0.00055	CU M/MI	110.49	CU M
SP1	Day 4	09.21.2004	7.05	0.00043	CU M/MI	110.49	CU M
SP1	Day 4	09.21.2004	7.1	0.00065	CU M/MI	110.5	CU M
SP1	Day 4	09.21.2004	7.15	0.00065	CU M/MI	110.5	CU M
SP1	Day 4	09.21.2004	7.2	0.00062	CU M/MI	110.5	CU M
SP1	Day 4	09.21.2004	7.25	0.00059	CU M/MI	110.51	CU M
SP1	Day 4	09.21.2004	7.3	0.00064	CU M/MI	110.51	CU M
SP1	Day 4	09.21.2004	7.35	0.0007	CU M/MI	110.51	CU M
SP1	Day 4	09.21.2004	7.4	0.00062	CU M/MI	110.51	CU M
SP1	Day 4	09.21.2004	7.45	0.00065	CU M/MI	110.52	CU M
SP1	Day 4	09.21.2004	7.5	0.00067	CU M/MI	110.52	CU M
SP1	Day 4	09.21.2004	7.55	0.00067	CU M/MI	110.52	CU M
SP1	Day 4	09.21.2004	8	0.00057	CU M/MI	110.53	CU M
SP1	Day 4	09.21.2004	8.05	0.00075	CU M/MI	110.53	CU M
SP1	Day 4	09.21.2004	8.1	0.00071	CU M/MI	110.53	CU M
SP1	Day 4	09.21.2004	8.15	0.0005	CU M/MI	110.54	CU M
SP1	Day 4	09.21.2004	8.2	0.00066	CU M/MI	110.54	CU M
SP1	Day 4	09.21.2004	8.25	0.00051	CU M/MI	110.54	CU M
SP1	Day 4	09.21.2004	8.3	0.00061	CU M/MI	110.55	CU M
SP1	Day 4	09.21.2004	8.35	0.00053	CU M/MI	110.55	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 4	09.21.2004	8.4	0.00067	CU M/MI	110.55	CU M
SP1	Day 4	09.21.2004	8.45	0.00057	CU M/MI	110.56	CU M
SP1	Day 4	09.21.2004	8.5	0.00063	CU M/MI	110.56	CU M
SP1	Day 4	09.21.2004	8.55	0.00069	CU M/MI	110.56	CU M
SP1	Day 4	09.21.2004	9	0.00039	CU M/MI	110.56	CU M
SP1	Day 4	09.21.2004	9.05	0.00054	CU M/MI	110.57	CU M
SP1	Day 4	09.21.2004	9.1	0.00046	CU M/MI	110.57	CU M
SP1	Day 4	09.21.2004	9.15	1.13306	CU M/MI	112.29	CU M
SP1	Day 4	09.21.2004	9.2	0	CU M/MI	114.41	CU M
SP1	Day 4	09.21.2004	9.25	0.00083	CU M/MI	114.41	CU M
SP1	Day 4	09.21.2004	9.3	0.00137	CU M/MI	114.42	CU M
SP1	Day 4	09.21.2004	9.35	0.00153	CU M/MI	114.42	CU M
SP1	Day 4	09.21.2004	9.4	0.00124	CU M/MI	114.43	CU M
SP1	Day 4	09.21.2004	9.45	0.00057	CU M/MI	114.43	CU M
SP1	Day 4	09.21.2004	9.5	0.00016	CU M/MI	114.44	CU M
SP1	Day 4	09.21.2004	9.55	0.00089	CU M/MI	114.44	CU M
SP1	Day 4	09.21.2004	10	0	CU M/MI	114.44	CU M
SP1	Day 4	09.21.2004	10.05	0.00092	CU M/MI	114.45	CU M
SP1	Day 4	09.21.2004	10.1	0.00033	CU M/MI	114.45	CU M
SP1	Day 4	09.21.2004	10.15	0.00062	CU M/MI	114.45	CU M
SP1	Day 4	09.21.2004	10.2	0.00158	CU M/MI	114.45	CU M
SP1	Day 4	09.21.2004	10.25	0.00115	CU M/MI	114.46	CU M
SP1	Day 4	09.21.2004	10.3	0.0009	CU M/MI	114.46	CU M
SP1	Day 4	09.21.2004	10.35	0.00042	CU M/MI	114.46	CU M
SP1	Day 4	09.21.2004	10.4	0.00057	CU M/MI	114.47	CU M
SP1	Day 4	09.21.2004	10.45	0.00061	CU M/MI	114.47	CU M
SP1	Day 4	09.21.2004	10.5	0.00069	CU M/MI	114.47	CU M
SP1	Day 4	09.21.2004	10.55	0.00045	CU M/MI	114.47	CU M
SP1	Day 4	09.21.2004	11	0.00071	CU M/MI	114.48	CU M
SP1	Day 4	09.21.2004	11.05	0.00074	CU M/MI	114.48	CU M
SP1	Day 4	09.21.2004	11.1	0.00084	CU M/MI	114.48	CU M
SP1	Day 4	09.21.2004	11.15	0	CU M/MI	114.49	CU M
SP1	Day 4	09.21.2004	11.2	0.00125	CU M/MI	114.49	CU M
SP1	Day 4	09.21.2004	11.25	0.00067	CU M/MI	114.49	CU M
SP1	Day 4	09.21.2004	11.3	0.00063	CU M/MI	114.5	CU M
SP1	Day 4	09.21.2004	11.35	0.00084	CU M/MI	114.5	CU M
SP1	Day 4	09.21.2004	11.4	0.00047	CU M/MI	114.5	CU M
SP1	Day 4	09.21.2004	11.45	0.00077	CU M/MI	114.51	CU M
SP1	Day 4	09.21.2004	11.5	0.00051	CU M/MI	114.51	CU M
SP1	Day 4	09.21.2004	11.55	0.00082	CU M/MI	114.51	CU M
SP1	Day 4	09.21.2004	12	0.00059	CU M/MI	114.52	CU M
SP1	Day 4	09.21.2004	12.05	0.00089	CU M/MI	114.52	CU M
SP1	Day 4	09.21.2004	12.1	0.0007	CU M/MI	114.53	CU M
SP1	Day 4	09.21.2004	12.15	0.00078	CU M/MI	114.53	CU M
SP1	Day 4	09.21.2004	12.2	0.00067	CU M/MI	114.53	CU M
SP1	Day 4	09.21.2004	12.25	0.00094	CU M/MI	114.54	CU M
SP1	Day 4	09.21.2004	12.3	0.00043	CU M/MI	114.54	CU M
SP1	Day 4	09.21.2004	12.35	0.00084	CU M/MI	114.54	CU M
SP1	Day 4	09.21.2004	12.4	0.00049	CU M/MI	114.55	CU M
SP1	Day 4	09.21.2004	12.45	0.00076	CU M/MI	114.55	CU M
SP1	Day 4	09.21.2004	12.5	0.0007	CU M/MI	114.56	CU M
SP1	Day 4	09.21.2004	12.55	0.00072	CU M/MI	114.56	CU M
SP1	Day 4	09.21.2004	13	0.00094	CU M/MI	114.56	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 4	09.21.2004	13.05	0.00086	CU M/MI	114.57	CU M
SP1	Day 4	09.21.2004	13.1	0.0009	CU M/MI	114.57	CU M
SP1	Day 4	09.21.2004	13.15	0.00055	CU M/MI	114.57	CU M
SP1	Day 4	09.21.2004	13.2	0.00054	CU M/MI	114.58	CU M
SP1	Day 4	09.21.2004	13.25	0.00092	CU M/MI	114.58	CU M
SP1	Day 4	09.21.2004	13.3	0.00084	CU M/MI	114.59	CU M
SP1	Day 4	09.21.2004	13.35	0.00086	CU M/MI	114.59	CU M
SP1	Day 4	09.21.2004	13.4	0.00078	CU M/MI	114.59	CU M
SP1	Day 4	09.21.2004	13.45	0.00053	CU M/MI	114.6	CU M
SP1	Day 4	09.21.2004	13.5	0.00063	CU M/MI	114.6	CU M
SP1	Day 4	09.21.2004	13.55	0.00085	CU M/MI	114.6	CU M
SP1	Day 4	09.21.2004	14	0.00047	CU M/MI	114.61	CU M
SP1	Day 4	09.21.2004	14.05	0.00084	CU M/MI	114.61	CU M
SP1	Day 4	09.21.2004	14.1	0.00056	CU M/MI	114.61	CU M
SP1	Day 4	09.21.2004	14.15	0.00079	CU M/MI	114.62	CU M
SP1	Day 4	09.21.2004	14.2	0.00058	CU M/MI	114.62	CU M
SP1	Day 4	09.21.2004	14.25	0.00058	CU M/MI	114.62	CU M
SP1	Day 4	09.21.2004	14.3	0.00054	CU M/MI	114.62	CU M
SP1	Day 4	09.21.2004	14.35	0.00025	CU M/MI	114.63	CU M
SP1	Day 4	09.21.2004	14.4	0.00053	CU M/MI	114.63	CU M
SP1	Day 4	09.21.2004	14.45	0.00046	CU M/MI	114.63	CU M
SP1	Day 4	09.21.2004	14.5	0.00082	CU M/MI	114.63	CU M
SP1	Day 4	09.21.2004	14.55	0.00092	CU M/MI	114.63	CU M
SP1	Day 4	09.21.2004	15	0.00053	CU M/MI	114.64	CU M
SP1	Day 4	09.21.2004	15.05	0.00025	CU M/MI	114.64	CU M
SP1	Day 4	09.21.2004	15.1	0.00051	CU M/MI	114.64	CU M
SP1	Day 4	09.21.2004	15.15	0.00026	CU M/MI	114.64	CU M
SP1	Day 4	09.21.2004	15.2	0.0012	CU M/MI	114.64	CU M
SP1	Day 4	09.21.2004	15.25	0.00078	CU M/MI	114.65	CU M
SP1	Day 4	09.21.2004	15.3	0.00045	CU M/MI	114.65	CU M
SP1	Day 4	09.21.2004	15.35	0.00179	CU M/MI	114.66	CU M
SP1	Day 4	09.21.2004	15.4	0.00043	CU M/MI	114.66	CU M
SP1	Day 4	09.21.2004	15.45	0.0016	CU M/MI	114.66	CU M
SP1	Day 4	09.21.2004	15.5	0.00107	CU M/MI	114.67	CU M
SP1	Day 4	09.21.2004	15.55	0.00219	CU M/MI	114.67	CU M
SP1	Day 4	09.21.2004	16	0.00154	CU M/MI	114.68	CU M
SP1	Day 4	09.21.2004	16.05	0.00074	CU M/MI	114.68	CU M
SP1	Day 4	09.22.2004	3.4	0	CU M/MI	120.36	CU M
SP1	Day 4	09.22.2004	3.45	0	CU M/MI	120.36	CU M
SP1	Day 4	09.22.2004	3.5	0	CU M/MI	120.35	CU M
SP1	Day 4	09.22.2004	3.55	0	CU M/MI	120.35	CU M
SP1	Day 4	09.22.2004	4	0	CU M/MI	120.35	CU M
SP1	Day 4	09.22.2004	4.05	0	CU M/MI	120.34	CU M
SP1	Day 4	09.22.2004	4.1	0	CU M/MI	120.34	CU M
SP1	Day 4	09.22.2004	4.15	0	CU M/MI	120.34	CU M
SP1	Day 4	09.22.2004	4.2	0	CU M/MI	120.34	CU M
SP1	Day 4	09.22.2004	4.25	0	CU M/MI	120.33	CU M
SP1	Day 4	09.22.2004	4.3	0	CU M/MI	120.33	CU M
SP1	Day 4	09.22.2004	4.35	0	CU M/MI	120.33	CU M
SP1	Day 4	09.22.2004	4.4	0	CU M/MI	120.33	CU M
SP1	Day 4	09.22.2004	4.45	0	CU M/MI	120.33	CU M
SP1	Day 4	09.22.2004	4.5	0	CU M/MI	120.32	CU M
SP1	Day 4	09.22.2004	4.55	0	CU M/MI	120.32	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 4	09.22.2004	5	0	CU M/MI	120.32	CU M
SP1	Day 4	09.22.2004	5.05	0	CU M/MI	120.32	CU M
SP1	Day 4	09.22.2004	5.1	0	CU M/MI	120.32	CU M
SP1	Day 4	09.22.2004	5.15	0	CU M/MI	120.31	CU M
SP1	Day 4	09.22.2004	5.2	0	CU M/MI	120.31	CU M
SP1	Day 4	09.22.2004	5.25	0	CU M/MI	120.31	CU M
SP1	Day 4	09.22.2004	5.3	0	CU M/MI	120.31	CU M
SP1	Day 4	09.22.2004	5.35	0	CU M/MI	120.31	CU M
SP1	Day 4	09.22.2004	5.4	0	CU M/MI	120.3	CU M
SP1	Day 4	09.22.2004	5.45	0	CU M/MI	120.3	CU M
SP1	Day 4	09.22.2004	5.5	0	CU M/MI	120.3	CU M
SP1	Day 4	09.22.2004	5.55	0	CU M/MI	120.3	CU M
SP1	Day 5	09.22.2004	6	0	CU M/MI	120.3	CU M
SP1	Day 5	09.22.2004	6.05	0	CU M/MI	120.3	CU M
SP1	Day 5	09.22.2004	6.1	0	CU M/MI	120.29	CU M
SP1	Day 5	09.22.2004	6.15	0	CU M/MI	120.29	CU M
SP1	Day 5	09.22.2004	6.2	0	CU M/MI	120.29	CU M
SP1	Day 5	09.22.2004	6.25	1.19779	CU M/MI	123.41	CU M
SP1	Day 5	09.22.2004	6.3	0	CU M/MI	126.42	CU M
SP1	Day 5	09.22.2004	6.35	0	CU M/MI	126.41	CU M
SP1	Day 5	09.22.2004	6.4	0	CU M/MI	126.41	CU M
SP1	Day 5	09.22.2004	6.45	0	CU M/MI	126.41	CU M
SP1	Day 5	09.22.2004	6.5	0	CU M/MI	126.41	CU M
SP1	Day 5	09.22.2004	6.55	0	CU M/MI	126.41	CU M
SP1	Day 5	09.22.2004	7	0	CU M/MI	126.4	CU M
SP1	Day 5	09.22.2004	7.05	0	CU M/MI	126.4	CU M
SP1	Day 5	09.22.2004	7.1	0	CU M/MI	126.4	CU M
SP1	Day 5	09.22.2004	7.15	0	CU M/MI	126.39	CU M
SP1	Day 5	09.22.2004	7.2	0	CU M/MI	126.39	CU M
SP1	Day 5	09.22.2004	7.25	0	CU M/MI	126.39	CU M
SP1	Day 5	09.22.2004	7.3	0	CU M/MI	126.38	CU M
SP1	Day 5	09.22.2004	7.35	0	CU M/MI	126.38	CU M
SP1	Day 5	09.22.2004	7.4	0	CU M/MI	126.38	CU M
SP1	Day 5	09.22.2004	7.45	0	CU M/MI	126.38	CU M
SP1	Day 5	09.22.2004	7.5	0	CU M/MI	126.37	CU M
SP1	Day 5	09.22.2004	7.55	0	CU M/MI	126.37	CU M
SP1	Day 5	09.22.2004	8	0	CU M/MI	126.37	CU M
SP1	Day 5	09.22.2004	8.05	0	CU M/MI	126.37	CU M
SP1	Day 5	09.22.2004	8.1	0	CU M/MI	126.36	CU M
SP1	Day 5	09.22.2004	8.15	0	CU M/MI	126.36	CU M
SP1	Day 5	09.22.2004	8.2	0	CU M/MI	126.36	CU M
SP1	Day 5	09.22.2004	8.25	0	CU M/MI	126.36	CU M
SP1	Day 5	09.22.2004	8.3	0	CU M/MI	126.36	CU M
SP1	Day 5	09.22.2004	8.35	0	CU M/MI	126.35	CU M
SP1	Day 5	09.22.2004	8.4	0	CU M/MI	126.35	CU M
SP1	Day 5	09.22.2004	8.45	0	CU M/MI	126.35	CU M
SP1	Day 5	09.22.2004	8.5	0	CU M/MI	126.34	CU M
SP1	Day 5	09.22.2004	8.55	0	CU M/MI	126.34	CU M
SP1	Day 5	09.22.2004	9	0	CU M/MI	126.34	CU M
SP1	Day 5	09.22.2004	9.05	0	CU M/MI	126.33	CU M
SP1	Day 5	09.22.2004	9.1	0	CU M/MI	126.33	CU M
SP1	Day 5	09.22.2004	9.15	0	CU M/MI	126.33	CU M
SP1	Day 5	09.22.2004	9.2	0	CU M/MI	126.32	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 5	09.22.2004	9.25	0	CU M/MI	126.32	CU M
SP1	Day 5	09.22.2004	9.3	0	CU M/MI	126.32	CU M
SP1	Day 5	09.22.2004	9.35	0	CU M/MI	126.31	CU M
SP1	Day 5	09.22.2004	9.4	0	CU M/MI	126.31	CU M
SP1	Day 5	09.22.2004	9.45	0	CU M/MI	126.31	CU M
SP1	Day 5	09.22.2004	9.5	0	CU M/MI	126.31	CU M
SP1	Day 5	09.22.2004	9.55	0	CU M/MI	126.3	CU M
SP1	Day 5	09.22.2004	10	0	CU M/MI	126.3	CU M
SP1	Day 5	09.22.2004	10.05	0	CU M/MI	126.3	CU M
SP1	Day 5	09.22.2004	10.1	0	CU M/MI	126.3	CU M
SP1	Day 5	09.22.2004	10.15	0	CU M/MI	126.3	CU M
SP1	Day 5	09.22.2004	10.2	0	CU M/MI	126.3	CU M
SP1	Day 5	09.22.2004	10.25	0	CU M/MI	126.29	CU M
SP1	Day 5	09.22.2004	10.3	0	CU M/MI	126.29	CU M
SP1	Day 5	09.22.2004	10.35	0	CU M/MI	126.29	CU M
SP1	Day 5	09.22.2004	10.4	0	CU M/MI	126.29	CU M
SP1	Day 5	09.22.2004	10.45	0	CU M/MI	126.28	CU M
SP1	Day 5	09.22.2004	10.5	0	CU M/MI	126.28	CU M
SP1	Day 5	09.22.2004	10.55	0	CU M/MI	126.28	CU M
SP1	Day 5	09.22.2004	11	0	CU M/MI	126.28	CU M
SP1	Day 5	09.22.2004	11.05	0	CU M/MI	126.28	CU M
SP1	Day 5	09.22.2004	11.1	0	CU M/MI	126.28	CU M
SP1	Day 5	09.22.2004	11.15	0	CU M/MI	126.28	CU M
SP1	Day 5	09.22.2004	11.2	0	CU M/MI	126.27	CU M
SP1	Day 5	09.22.2004	11.25	0	CU M/MI	126.27	CU M
SP1	Day 5	09.22.2004	11.3	0	CU M/MI	126.26	CU M
SP1	Day 5	09.22.2004	11.35	0	CU M/MI	126.26	CU M
SP1	Day 5	09.22.2004	11.4	0	CU M/MI	126.26	CU M
SP1	Day 5	09.22.2004	11.45	0	CU M/MI	126.26	CU M
SP1	Day 5	09.22.2004	11.5	0	CU M/MI	126.26	CU M
SP1	Day 5	09.22.2004	11.55	0	CU M/MI	126.25	CU M
SP1	Day 5	09.22.2004	12	0	CU M/MI	126.25	CU M
SP1	Day 5	09.22.2004	12.05	0	CU M/MI	126.25	CU M
SP1	Day 5	09.22.2004	12.1	0	CU M/MI	126.25	CU M
SP1	Day 5	09.22.2004	12.15	0	CU M/MI	126.24	CU M
SP1	Day 5	09.22.2004	12.2	0	CU M/MI	126.24	CU M
SP1	Day 5	09.22.2004	12.25	0	CU M/MI	126.24	CU M
SP1	Day 5	09.22.2004	12.3	0	CU M/MI	126.24	CU M
SP1	Day 5	09.22.2004	12.35	0	CU M/MI	126.23	CU M
SP1	Day 5	09.22.2004	12.4	0	CU M/MI	126.23	CU M
SP1	Day 5	09.22.2004	12.45	0	CU M/MI	126.23	CU M
SP1	Day 5	09.22.2004	12.5	0	CU M/MI	126.23	CU M
SP1	Day 5	09.22.2004	12.55	0	CU M/MI	126.23	CU M
SP1	Day 5	09.22.2004	13	0	CU M/MI	126.22	CU M
SP1	Day 5	09.22.2004	13.05	0	CU M/MI	126.22	CU M
SP1	Day 5	09.22.2004	13.1	0	CU M/MI	126.22	CU M
SP1	Day 5	09.22.2004	13.15	0	CU M/MI	126.22	CU M
SP1	Day 5	09.22.2004	13.2	0	CU M/MI	126.21	CU M
SP1	Day 5	09.22.2004	13.25	0	CU M/MI	126.21	CU M
SP1	Day 5	09.22.2004	13.3	0	CU M/MI	126.21	CU M
SP1	Day 5	09.22.2004	13.35	1.1505	CU M/MI	131.34	CU M
SP1	Day 5	09.22.2004	13.4	0	CU M/MI	133.87	CU M
SP1	Day 5	09.22.2004	13.45	0	CU M/MI	133.86	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 5	09.22.2004	13.5	0	CU M/MI	133.86	CU M
SP1	Day 5	09.22.2004	13.55	0	CU M/MI	133.85	CU M
SP1	Day 5	09.22.2004	14	0	CU M/MI	133.84	CU M
SP1	Day 5	09.22.2004	14.05	0	CU M/MI	133.84	CU M
SP1	Day 5	09.22.2004	14.1	0	CU M/MI	133.83	CU M
SP1	Day 5	09.22.2004	14.15	0	CU M/MI	133.83	CU M
SP1	Day 5	09.22.2004	14.2	0	CU M/MI	133.83	CU M
SP1	Day 5	09.22.2004	14.25	0	CU M/MI	133.82	CU M
SP1	Day 5	09.22.2004	14.3	0	CU M/MI	133.82	CU M
SP1	Day 5	09.22.2004	14.35	0	CU M/MI	133.81	CU M
SP1	Day 5	09.22.2004	14.4	0	CU M/MI	133.81	CU M
SP1	Day 5	09.22.2004	14.45	0	CU M/MI	133.81	CU M
SP1	Day 5	09.22.2004	14.5	0	CU M/MI	133.8	CU M
SP1	Day 5	09.22.2004	14.55	0	CU M/MI	133.8	CU M
SP1	Day 5	09.22.2004	15	0	CU M/MI	133.8	CU M
SP1	Day 5	09.22.2004	15.05	0	CU M/MI	133.79	CU M
SP1	Day 5	09.22.2004	15.2	0	CU M/MI	133.78	CU M
SP1	Day 5	09.22.2004	15.25	0	CU M/MI	133.78	CU M
SP1	Day 5	09.22.2004	15.3	0	CU M/MI	133.77	CU M
SP1	Day 5	09.22.2004	15.35	0	CU M/MI	133.77	CU M
SP1	Day 5	09.22.2004	15.4	0	CU M/MI	133.77	CU M
SP1	Day 5	09.22.2004	15.45	0	CU M/MI	133.77	CU M
SP1	Day 5	09.22.2004	15.5	0	CU M/MI	133.77	CU M
SP1	Day 5	09.22.2004	15.55	0	CU M/MI	133.76	CU M
SP1	Day 5	09.22.2004	16	0	CU M/MI	133.76	CU M
SP1	Day 5	09.22.2004	16.05	0	CU M/MI	133.76	CU M
SP1	Day 5	09.22.2004	16.1	0	CU M/MI	133.76	CU M
SP1	Day 5	09.22.2004	16.15	0	CU M/MI	133.76	CU M
SP1	Day 5	09.22.2004	16.2	0	CU M/MI	133.75	CU M
SP1	Day 5	09.22.2004	16.25	0	CU M/MI	133.75	CU M
SP1	Day 5	09.22.2004	16.3	0	CU M/MI	133.75	CU M
SP1	Day 5	09.22.2004	16.35	0	CU M/MI	133.74	CU M
SP1	Day 5	09.22.2004	16.4	0	CU M/MI	133.74	CU M
SP1	Day 5	09.22.2004	16.45	0	CU M/MI	133.74	CU M
SP1	Day 5	09.22.2004	16.5	0	CU M/MI	133.74	CU M
SP1	Day 5	09.22.2004	16.55	0	CU M/MI	133.74	CU M
SP1	Day 5	09.22.2004	17	0	CU M/MI	133.73	CU M
SP1	Day 5	09.22.2004	17.05	0	CU M/MI	133.73	CU M
SP1	Day 5	09.22.2004	17.1	0	CU M/MI	133.73	CU M
SP1	Day 5	09.22.2004	17.15	0	CU M/MI	133.73	CU M
SP1	Day 5	09.22.2004	17.2	0	CU M/MI	133.72	CU M
SP1	Day 5	09.22.2004	17.25	0	CU M/MI	133.71	CU M
SP1	Day 5	09.22.2004	17.3	0	CU M/MI	133.7	CU M
SP1	Day 5	09.22.2004	17.35	0	CU M/MI	133.69	CU M
SP1	Day 5	09.22.2004	17.4	0	CU M/MI	133.68	CU M
SP1	Day 5	09.22.2004	17.45	0	CU M/MI	133.68	CU M
SP1	Day 5	09.22.2004	17.5	0	CU M/MI	133.67	CU M
SP1	Day 5	09.22.2004	17.55	0	CU M/MI	133.67	CU M
SP1	Day 5	09.22.2004	18	0	CU M/MI	133.66	CU M
SP1	Day 5	09.22.2004	18.05	0	CU M/MI	133.65	CU M
SP1	Day 5	09.22.2004	18.1	0	CU M/MI	133.65	CU M
SP1	Day 5	09.22.2004	18.15	0	CU M/MI	133.65	CU M
SP1	Day 5	09.22.2004	18.2	0	CU M/MI	133.64	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 5	09.22.2004	18.25	0	CU M/MI	133.64	CU M
SP1	Day 5	09.22.2004	18.3	0	CU M/MI	133.63	CU M
SP1	Day 5	09.22.2004	18.35	0	CU M/MI	133.63	CU M
SP1	Day 5	09.22.2004	18.4	0	CU M/MI	133.63	CU M
SP1	Day 5	09.22.2004	18.45	0	CU M/MI	133.62	CU M
SP1	Day 5	09.22.2004	18.5	0	CU M/MI	133.62	CU M
SP1	Day 5	09.22.2004	18.55	0	CU M/MI	133.61	CU M
SP1	Day 5	09.22.2004	19	0	CU M/MI	133.61	CU M
SP1	Day 5	09.22.2004	19.05	0	CU M/MI	133.61	CU M
SP1	Day 5	09.22.2004	19.1	0	CU M/MI	133.61	CU M
SP1	Day 5	09.22.2004	19.15	0	CU M/MI	133.6	CU M
SP1	Day 5	09.22.2004	19.2	0	CU M/MI	133.6	CU M
SP1	Day 5	09.22.2004	19.25	0	CU M/MI	133.59	CU M
SP1	Day 5	09.22.2004	19.3	0	CU M/MI	133.59	CU M
SP1	Day 5	09.22.2004	19.35	0	CU M/MI	133.59	CU M
SP1	Day 5	09.22.2004	19.4	0	CU M/MI	133.58	CU M
SP1	Day 5	09.22.2004	19.45	0	CU M/MI	133.58	CU M
SP1	Day 5	09.22.2004	19.5	0	CU M/MI	133.57	CU M
SP1	Day 5	09.22.2004	19.55	0	CU M/MI	133.57	CU M
SP1	Day 5	09.22.2004	20	0	CU M/MI	133.57	CU M
SP1	Day 5	09.22.2004	20.05	0	CU M/MI	133.56	CU M
SP1	Day 5	09.22.2004	20.1	0	CU M/MI	133.56	CU M
SP1	Day 5	09.22.2004	20.15	0	CU M/MI	133.55	CU M
SP1	Day 5	09.22.2004	20.2	0	CU M/MI	133.55	CU M
SP1	Day 5	09.22.2004	20.25	0	CU M/MI	133.54	CU M
SP1	Day 5	09.22.2004	20.3	0	CU M/MI	133.53	CU M
SP1	Day 5	09.22.2004	20.35	0	CU M/MI	133.53	CU M
SP1	Day 5	09.22.2004	20.4	0	CU M/MI	133.52	CU M
SP1	Day 5	09.22.2004	20.45	1.17705	CU M/MI	134.4	CU M
SP1	Day 5	09.22.2004	20.5	0	CU M/MI	136.88	CU M
SP1	Day 5	09.22.2004	20.55	0	CU M/MI	136.88	CU M
SP1	Day 5	09.22.2004	21	0	CU M/MI	136.87	CU M
SP1	Day 5	09.22.2004	21.05	0	CU M/MI	136.87	CU M
SP1	Day 5	09.22.2004	21.1	0	CU M/MI	136.86	CU M
SP1	Day 5	09.22.2004	21.15	0	CU M/MI	136.86	CU M
SP1	Day 5	09.22.2004	21.2	0	CU M/MI	136.86	CU M
SP1	Day 5	09.22.2004	21.25	0	CU M/MI	136.85	CU M
SP1	Day 5	09.22.2004	21.3	0	CU M/MI	136.85	CU M
SP1	Day 5	09.22.2004	21.35	0	CU M/MI	136.84	CU M
SP1	Day 5	09.22.2004	21.4	0	CU M/MI	136.84	CU M
SP1	Day 5	09.22.2004	21.45	0	CU M/MI	136.83	CU M
SP1	Day 5	09.22.2004	21.5	0	CU M/MI	136.83	CU M
SP1	Day 5	09.22.2004	21.55	0	CU M/MI	136.82	CU M
SP1	Day 5	09.22.2004	22	0	CU M/MI	136.82	CU M
SP1	Day 5	09.22.2004	22.05	0	CU M/MI	136.81	CU M
SP1	Day 5	09.22.2004	22.1	0	CU M/MI	136.81	CU M
SP1	Day 5	09.22.2004	22.15	0	CU M/MI	136.8	CU M
SP1	Day 5	09.22.2004	22.2	0	CU M/MI	136.8	CU M
SP1	Day 5	09.22.2004	22.25	0	CU M/MI	136.79	CU M
SP1	Day 5	09.22.2004	22.3	0	CU M/MI	136.79	CU M
SP1	Day 5	09.22.2004	22.35	0	CU M/MI	136.78	CU M
SP1	Day 5	09.22.2004	22.4	0	CU M/MI	136.77	CU M
SP1	Day 5	09.22.2004	22.45	0	CU M/MI	136.77	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 5	09.22.2004	22.5	0	CU M/MI	136.77	CU M
SP1	Day 5	09.22.2004	22.55	0	CU M/MI	136.76	CU M
SP1	Day 5	09.22.2004	23	0	CU M/MI	136.76	CU M
SP1	Day 5	09.22.2004	23.05	0	CU M/MI	136.75	CU M
SP1	Day 5	09.22.2004	23.1	0	CU M/MI	136.75	CU M
SP1	Day 5	09.22.2004	23.15	0	CU M/MI	136.74	CU M
SP1	Day 5	09.22.2004	23.2	0	CU M/MI	136.73	CU M
SP1	Day 5	09.22.2004	23.25	0	CU M/MI	136.73	CU M
SP1	Day 5	09.22.2004	23.3	0	CU M/MI	136.72	CU M
SP1	Day 5	09.22.2004	23.35	0	CU M/MI	136.72	CU M
SP1	Day 5	09.22.2004	23.4	0	CU M/MI	136.71	CU M
SP1	Day 5	09.22.2004	23.45	0	CU M/MI	136.69	CU M
SP1	Day 5	09.22.2004	23.5	0	CU M/MI	136.68	CU M
SP1	Day 5	09.22.2004	23.55	0	CU M/MI	136.66	CU M
SP1	Day 5	09.23.2004	0	0	CU M/MI	136.65	CU M
SP1	Day 5	09.23.2004	0.05	0	CU M/MI	136.63	CU M
SP1	Day 5	09.23.2004	0.1	0	CU M/MI	136.61	CU M
SP1	Day 5	09.23.2004	0.15	0	CU M/MI	136.59	CU M
SP1	Day 5	09.23.2004	0.2	0	CU M/MI	136.57	CU M
SP1	Day 5	09.23.2004	0.25	0	CU M/MI	136.56	CU M
SP1	Day 5	09.23.2004	0.3	0	CU M/MI	136.55	CU M
SP1	Day 5	09.23.2004	0.35	0	CU M/MI	136.55	CU M
SP1	Day 5	09.23.2004	0.4	0	CU M/MI	136.55	CU M
SP1	Day 5	09.23.2004	0.45	0	CU M/MI	136.54	CU M
SP1	Day 5	09.23.2004	0.5	0	CU M/MI	136.54	CU M
SP1	Day 5	09.23.2004	0.55	0	CU M/MI	136.54	CU M
SP1	Day 5	09.23.2004	1	0	CU M/MI	136.53	CU M
SP1	Day 5	09.23.2004	1.05	0	CU M/MI	136.53	CU M
SP1	Day 5	09.23.2004	1.1	0	CU M/MI	136.52	CU M
SP1	Day 5	09.23.2004	1.15	0	CU M/MI	136.52	CU M
SP1	Day 5	09.23.2004	1.2	0	CU M/MI	136.52	CU M
SP1	Day 5	09.23.2004	1.25	0	CU M/MI	136.51	CU M
SP1	Day 5	09.23.2004	1.3	0	CU M/MI	136.51	CU M
SP1	Day 5	09.23.2004	1.35	0	CU M/MI	136.5	CU M
SP1	Day 5	09.23.2004	1.4	0	CU M/MI	136.5	CU M
SP1	Day 5	09.23.2004	1.45	0	CU M/MI	136.5	CU M
SP1	Day 5	09.23.2004	1.5	0	CU M/MI	136.49	CU M
SP1	Day 5	09.23.2004	1.55	0	CU M/MI	136.48	CU M
SP1	Day 5	09.23.2004	2	0	CU M/MI	136.47	CU M
SP1	Day 5	09.23.2004	2.05	0	CU M/MI	136.47	CU M
SP1	Day 5	09.23.2004	2.1	0	CU M/MI	136.46	CU M
SP1	Day 5	09.23.2004	2.15	0	CU M/MI	136.46	CU M
SP1	Day 5	09.23.2004	2.2	0	CU M/MI	136.45	CU M
SP1	Day 5	09.23.2004	2.25	0	CU M/MI	136.45	CU M
SP1	Day 5	09.23.2004	2.3	0	CU M/MI	136.44	CU M
SP1	Day 5	09.23.2004	2.35	0	CU M/MI	136.43	CU M
SP1	Day 5	09.23.2004	2.4	0	CU M/MI	136.43	CU M
SP1	Day 5	09.23.2004	2.45	0	CU M/MI	136.43	CU M
SP1	Day 5	09.23.2004	2.5	0	CU M/MI	136.43	CU M
SP1	Day 5	09.23.2004	2.55	0	CU M/MI	136.43	CU M
SP1	Day 5	09.23.2004	3.1	0	CU M/MI	136.42	CU M
SP1	Day 5	09.23.2004	3.15	0	CU M/MI	136.41	CU M
SP1	Day 5	09.23.2004	3.2	0	CU M/MI	136.41	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 5	09.23.2004	3.25	0	CU M/MI	136.41	CU M
SP1	Day 5	09.23.2004	3.3	0	CU M/MI	136.4	CU M
SP1	Day 5	09.23.2004	3.35	0	CU M/MI	136.4	CU M
SP1	Day 5	09.23.2004	3.4	0	CU M/MI	136.4	CU M
SP1	Day 5	09.23.2004	3.45	0	CU M/MI	136.39	CU M
SP1	Day 5	09.23.2004	3.5	0	CU M/MI	136.39	CU M
SP1	Day 5	09.23.2004	3.55	0	CU M/MI	136.38	CU M
SP1	Day 5	09.23.2004	4	0	CU M/MI	136.38	CU M
SP1	Day 5	09.23.2004	4.05	0	CU M/MI	136.38	CU M
SP1	Day 5	09.23.2004	4.1	0	CU M/MI	136.37	CU M
SP1	Day 5	09.23.2004	4.15	0	CU M/MI	136.37	CU M
SP1	Day 5	09.23.2004	4.2	0	CU M/MI	136.37	CU M
SP1	Day 5	09.23.2004	4.25	0	CU M/MI	136.36	CU M
SP1	Day 5	09.23.2004	4.3	0	CU M/MI	136.36	CU M
SP1	Day 5	09.23.2004	4.35	0	CU M/MI	136.36	CU M
SP1	Day 5	09.23.2004	4.4	0	CU M/MI	136.35	CU M
SP1	Day 5	09.23.2004	4.45	0	CU M/MI	136.35	CU M
SP1	Day 5	09.23.2004	4.5	0	CU M/MI	136.35	CU M
SP1	Day 5	09.23.2004	4.55	0	CU M/MI	136.34	CU M
SP1	Day 5	09.23.2004	5	0	CU M/MI	136.34	CU M
SP1	Day 5	09.23.2004	5.05	0	CU M/MI	136.34	CU M
SP1	Day 5	09.23.2004	5.1	0	CU M/MI	136.33	CU M
SP1	Day 5	09.23.2004	5.15	0	CU M/MI	136.33	CU M
SP1	Day 5	09.23.2004	5.2	0	CU M/MI	136.33	CU M
SP1	Day 5	09.23.2004	5.25	0	CU M/MI	136.32	CU M
SP1	Day 5	09.23.2004	5.3	0	CU M/MI	136.32	CU M
SP1	Day 5	09.23.2004	5.35	0	CU M/MI	136.32	CU M
SP1	Day 5	09.23.2004	5.4	0	CU M/MI	136.31	CU M
SP1	Day 5	09.23.2004	5.45	0	CU M/MI	136.31	CU M
SP1	Day 5	09.23.2004	5.5	0	CU M/MI	136.31	CU M
SP1	Day 5	09.23.2004	5.55	0	CU M/MI	136.3	CU M
SP1	Day 6	09.23.2004	6	0	CU M/MI	136.3	CU M
SP1	Day 6	09.23.2004	6.05	0	CU M/MI	136.3	CU M
SP1	Day 6	09.23.2004	6.1	0	CU M/MI	136.29	CU M
SP1	Day 6	09.23.2004	6.15	0	CU M/MI	136.29	CU M
SP1	Day 6	09.23.2004	6.2	0	CU M/MI	136.28	CU M
SP1	Day 6	09.23.2004	6.25	0	CU M/MI	136.28	CU M
SP1	Day 6	09.23.2004	6.3	0	CU M/MI	136.27	CU M
SP1	Day 6	09.23.2004	6.35	0	CU M/MI	136.27	CU M
SP1	Day 6	09.23.2004	6.4	0	CU M/MI	136.27	CU M
SP1	Day 6	09.23.2004	6.45	0	CU M/MI	136.26	CU M
SP1	Day 6	09.23.2004	6.5	0	CU M/MI	136.26	CU M
SP1	Day 6	09.23.2004	6.55	0	CU M/MI	136.25	CU M
SP1	Day 6	09.23.2004	7	1.23242	CU M/MI	137.21	CU M
SP1	Day 6	09.23.2004	7.05	1.15614	CU M/MI	143.22	CU M
SP1	Day 6	09.23.2004	7.1	0	CU M/MI	144.15	CU M
SP1	Day 6	09.23.2004	7.15	0	CU M/MI	144.15	CU M
SP1	Day 6	09.23.2004	7.2	0	CU M/MI	144.15	CU M
SP1	Day 6	09.23.2004	7.25	0	CU M/MI	144.14	CU M
SP1	Day 6	09.23.2004	7.3	0	CU M/MI	144.14	CU M
SP1	Day 6	09.23.2004	7.35	0	CU M/MI	144.13	CU M
SP1	Day 6	09.23.2004	7.4	0	CU M/MI	144.13	CU M
SP1	Day 6	09.23.2004	7.45	0	CU M/MI	144.13	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 6	09.23.2004	7.5	0	CU M/MI	144.13	CU M
SP1	Day 6	09.23.2004	7.55	0	CU M/MI	144.12	CU M
SP1	Day 6	09.23.2004	8	0	CU M/MI	144.12	CU M
SP1	Day 6	09.23.2004	8.05	0	CU M/MI	144.11	CU M
SP1	Day 6	09.23.2004	8.1	0	CU M/MI	144.11	CU M
SP1	Day 6	09.23.2004	8.15	0	CU M/MI	144.11	CU M
SP1	Day 6	09.23.2004	8.2	0	CU M/MI	144.1	CU M
SP1	Day 6	09.23.2004	8.25	0	CU M/MI	144.1	CU M
SP1	Day 6	09.23.2004	8.3	0	CU M/MI	144.1	CU M
SP1	Day 6	09.23.2004	8.35	0	CU M/MI	144.09	CU M
SP1	Day 6	09.23.2004	8.4	0	CU M/MI	144.09	CU M
SP1	Day 6	09.23.2004	8.45	0	CU M/MI	144.08	CU M
SP1	Day 6	09.23.2004	8.5	0	CU M/MI	144.08	CU M
SP1	Day 6	09.23.2004	8.55	0	CU M/MI	144.07	CU M
SP1	Day 6	09.23.2004	9	0	CU M/MI	144.07	CU M
SP1	Day 6	09.23.2004	9.05	0	CU M/MI	144.07	CU M
SP1	Day 6	09.23.2004	9.1	0	CU M/MI	144.06	CU M
SP1	Day 6	09.23.2004	9.15	0	CU M/MI	144.06	CU M
SP1	Day 6	09.23.2004	9.2	0	CU M/MI	144.06	CU M
SP1	Day 6	09.23.2004	9.25	0	CU M/MI	144.05	CU M
SP1	Day 6	09.23.2004	9.3	0	CU M/MI	144.05	CU M
SP1	Day 6	09.23.2004	9.35	0	CU M/MI	144.05	CU M
SP1	Day 6	09.23.2004	9.4	0	CU M/MI	144.04	CU M
SP1	Day 6	09.23.2004	9.45	0	CU M/MI	144.04	CU M
SP1	Day 6	09.23.2004	9.5	0	CU M/MI	144.04	CU M
SP1	Day 6	09.23.2004	9.55	0	CU M/MI	144.04	CU M
SP1	Day 6	09.23.2004	10	0	CU M/MI	144.03	CU M
SP1	Day 6	09.23.2004	10.05	0	CU M/MI	144.03	CU M
SP1	Day 6	09.23.2004	10.1	0	CU M/MI	144.02	CU M
SP1	Day 6	09.23.2004	10.15	0	CU M/MI	144.02	CU M
SP1	Day 6	09.23.2004	10.2	0	CU M/MI	144.02	CU M
SP1	Day 6	09.23.2004	10.25	0	CU M/MI	144.01	CU M
SP1	Day 6	09.23.2004	10.3	0	CU M/MI	144.01	CU M
SP1	Day 6	09.23.2004	10.35	0	CU M/MI	144.01	CU M
SP1	Day 6	09.23.2004	10.4	0	CU M/MI	144.01	CU M
SP1	Day 6	09.23.2004	10.45	0	CU M/MI	144	CU M
SP1	Day 6	09.23.2004	10.5	0	CU M/MI	144	CU M
SP1	Day 6	09.23.2004	10.55	0	CU M/MI	144	CU M
SP1	Day 6	09.23.2004	11	0	CU M/MI	143.99	CU M
SP1	Day 6	09.23.2004	11.05	0	CU M/MI	143.99	CU M
SP1	Day 6	09.23.2004	11.1	0	CU M/MI	143.98	CU M
SP1	Day 6	09.23.2004	11.15	0	CU M/MI	143.98	CU M
SP1	Day 6	09.23.2004	11.2	0	CU M/MI	143.98	CU M
SP1	Day 6	09.23.2004	11.25	0	CU M/MI	143.97	CU M
SP1	Day 6	09.23.2004	11.3	0	CU M/MI	143.96	CU M
SP1	Day 6	09.23.2004	11.35	0	CU M/MI	143.95	CU M
SP1	Day 6	09.23.2004	11.4	0	CU M/MI	143.94	CU M
SP1	Day 6	09.23.2004	11.45	0	CU M/MI	143.92	CU M
SP1	Day 6	09.23.2004	11.5	0	CU M/MI	143.91	CU M
SP1	Day 6	09.23.2004	11.55	0	CU M/MI	143.9	CU M
SP1	Day 6	09.23.2004	12	0	CU M/MI	143.89	CU M
SP1	Day 6	09.23.2004	12.05	0	CU M/MI	143.87	CU M
SP1	Day 6	09.23.2004	12.1	0	CU M/MI	143.86	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 6	09.23.2004	12.15	0	CU M/MI	143.85	CU M
SP1	Day 6	09.23.2004	12.2	0	CU M/MI	143.83	CU M
SP1	Day 6	09.23.2004	12.25	0	CU M/MI	143.82	CU M
SP1	Day 6	09.23.2004	12.3	0	CU M/MI	143.81	CU M
SP1	Day 6	09.23.2004	12.35	0	CU M/MI	143.79	CU M
SP1	Day 6	09.23.2004	12.45	0	CU M/MI	143.76	CU M
SP1	Day 6	09.23.2004	12.5	0	CU M/MI	143.75	CU M
SP1	Day 6	09.23.2004	12.55	0	CU M/MI	143.74	CU M
SP1	Day 6	09.23.2004	13	0	CU M/MI	143.72	CU M
SP1	Day 6	09.23.2004	13.05	0	CU M/MI	143.71	CU M
SP1	Day 6	09.23.2004	13.1	0	CU M/MI	143.69	CU M
SP1	Day 6	09.23.2004	13.15	0	CU M/MI	143.68	CU M
SP1	Day 6	09.23.2004	13.2	0	CU M/MI	143.66	CU M
SP1	Day 6	09.23.2004	13.25	0	CU M/MI	143.65	CU M
SP1	Day 6	09.23.2004	13.3	0	CU M/MI	143.63	CU M
SP1	Day 6	09.23.2004	13.35	0	CU M/MI	143.62	CU M
SP1	Day 6	09.23.2004	13.4	0	CU M/MI	143.61	CU M
SP1	Day 6	09.23.2004	13.45	0	CU M/MI	143.6	CU M
SP1	Day 6	09.23.2004	13.5	0	CU M/MI	143.59	CU M
SP1	Day 6	09.23.2004	13.55	0	CU M/MI	143.58	CU M
SP1	Day 6	09.23.2004	14	0	CU M/MI	143.57	CU M
SP1	Day 6	09.23.2004	14.05	0	CU M/MI	143.57	CU M
SP1	Day 6	09.23.2004	14.1	0	CU M/MI	143.56	CU M
SP1	Day 6	09.23.2004	14.15	0	CU M/MI	143.55	CU M
SP1	Day 6	09.23.2004	14.2	0	CU M/MI	143.54	CU M
SP1	Day 6	09.23.2004	14.25	0	CU M/MI	143.53	CU M
SP1	Day 6	09.23.2004	14.3	0	CU M/MI	143.52	CU M
SP1	Day 6	09.23.2004	14.35	0	CU M/MI	143.51	CU M
SP1	Day 6	09.23.2004	14.4	0	CU M/MI	143.49	CU M
SP1	Day 6	09.23.2004	14.45	0	CU M/MI	143.48	CU M
SP1	Day 6	09.23.2004	14.5	0	CU M/MI	143.47	CU M
SP1	Day 6	09.23.2004	14.55	0	CU M/MI	143.47	CU M
SP1	Day 6	09.23.2004	15	0	CU M/MI	143.46	CU M
SP1	Day 6	09.23.2004	15.05	0	CU M/MI	143.46	CU M
SP1	Day 6	09.23.2004	15.1	0	CU M/MI	143.45	CU M
SP1	Day 6	09.23.2004	15.15	0	CU M/MI	143.45	CU M
SP1	Day 6	09.23.2004	15.2	0	CU M/MI	143.44	CU M
SP1	Day 6	09.23.2004	15.25	0	CU M/MI	143.44	CU M
SP1	Day 6	09.23.2004	15.3	0	CU M/MI	143.43	CU M
SP1	Day 6	09.23.2004	15.35	0	CU M/MI	143.42	CU M
SP1	Day 6	09.23.2004	15.4	0	CU M/MI	143.42	CU M
SP1	Day 6	09.23.2004	15.45	0	CU M/MI	143.41	CU M
SP1	Day 6	09.23.2004	15.5	0	CU M/MI	143.41	CU M
SP1	Day 6	09.23.2004	15.55	0	CU M/MI	143.4	CU M
SP1	Day 6	09.23.2004	16	0	CU M/MI	143.42	CU M
SP1	Day 6	09.23.2004	16.05	0.05135	CU M/MI	143.42	CU M
SP1	Day 6	09.23.2004	16.1	0	CU M/MI	143.42	CU M
SP1	Day 6	09.23.2004	16.15	0	CU M/MI	143.42	CU M
SP1	Day 6	09.23.2004	16.2	0	CU M/MI	143.41	CU M
SP1	Day 6	09.23.2004	16.25	0	CU M/MI	143.41	CU M
SP1	Day 6	09.23.2004	16.3	0	CU M/MI	143.41	CU M
SP1	Day 6	09.23.2004	16.35	0	CU M/MI	143.41	CU M
SP1	Day 6	09.23.2004	16.4	0	CU M/MI	143.41	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 6	09.23.2004	16.45	0	CU M/MI	143.41	CU M
SP1	Day 6	09.23.2004	16.5	0	CU M/MI	143.41	CU M
SP1	Day 6	09.23.2004	16.55	0	CU M/MI	143.41	CU M
SP1	Day 6	09.23.2004	17	0	CU M/MI	143.41	CU M
SP1	Day 6	09.23.2004	17.05	0	CU M/MI	143.41	CU M
SP1	Day 6	09.23.2004	17.1	0	CU M/MI	143.41	CU M
SP1	Day 6	09.23.2004	17.15	0	CU M/MI	143.41	CU M
SP1	Day 6	09.23.2004	17.2	0	CU M/MI	143.41	CU M
SP1	Day 6	09.23.2004	17.25	0	CU M/MI	143.34	CU M
SP1	Day 6	09.23.2004	17.3	0	CU M/MI	143.34	CU M
SP1	Day 6	09.23.2004	17.35	0	CU M/MI	143.34	CU M
SP1	Day 6	09.23.2004	17.4	0	CU M/MI	143.34	CU M
SP1	Day 6	09.23.2004	17.45	0	CU M/MI	143.34	CU M
SP1	Day 6	09.23.2004	17.5	0	CU M/MI	143.34	CU M
SP1	Day 6	09.23.2004	17.55	0	CU M/MI	143.34	CU M
SP1	Day 6	09.23.2004	18	0	CU M/MI	143.34	CU M
SP1	Day 6	09.23.2004	18.05	0	CU M/MI	143.34	CU M
SP1	Day 6	09.23.2004	18.1	0	CU M/MI	143.34	CU M
SP1	Day 6	09.23.2004	18.15	0	CU M/MI	143.34	CU M
SP1	Day 6	09.23.2004	18.2	0	CU M/MI	143.34	CU M
SP1	Day 6	09.23.2004	18.25	0	CU M/MI	143.34	CU M
SP1	Day 6	09.23.2004	18.3	0	CU M/MI	143.34	CU M
SP1	Day 6	09.23.2004	18.35	0	CU M/MI	143.34	CU M
SP1	Day 6	09.23.2004	18.4	0	CU M/MI	143.34	CU M
SP1	Day 6	09.23.2004	18.45	0	CU M/MI	143.3	CU M
SP1	Day 6	09.23.2004	18.5	0	CU M/MI	143.29	CU M
SP1	Day 6	09.23.2004	18.55	0	CU M/MI	143.29	CU M
SP1	Day 6	09.23.2004	19	0	CU M/MI	143.29	CU M
SP1	Day 6	09.23.2004	19.05	0	CU M/MI	143.29	CU M
SP1	Day 6	09.23.2004	19.1	0	CU M/MI	143.29	CU M
SP1	Day 6	09.23.2004	19.15	0	CU M/MI	143.31	CU M
SP1	Day 6	09.23.2004	19.2	0.01252	CU M/MI	143.3	CU M
SP1	Day 6	09.23.2004	19.25	0	CU M/MI	143.3	CU M
SP1	Day 6	09.23.2004	19.3	0	CU M/MI	143.3	CU M
SP1	Day 6	09.23.2004	19.35	0	CU M/MI	143.3	CU M
SP1	Day 6	09.23.2004	19.4	0	CU M/MI	143.3	CU M
SP1	Day 6	09.23.2004	19.45	0	CU M/MI	143.3	CU M
SP1	Day 6	09.23.2004	19.5	0	CU M/MI	143.3	CU M
SP1	Day 6	09.23.2004	19.55	0	CU M/MI	143.29	CU M
SP1	Day 6	09.23.2004	20	0	CU M/MI	143.29	CU M
SP1	Day 6	09.23.2004	20.05	0	CU M/MI	143.29	CU M
SP1	Day 6	09.23.2004	20.1	0	CU M/MI	143.29	CU M
SP1	Day 6	09.23.2004	20.15	0	CU M/MI	143.28	CU M
SP1	Day 6	09.23.2004	20.2	0	CU M/MI	143.28	CU M
SP1	Day 6	09.23.2004	20.25	0	CU M/MI	143.28	CU M
SP1	Day 6	09.23.2004	20.3	0	CU M/MI	143.28	CU M
SP1	Day 6	09.23.2004	20.35	0	CU M/MI	143.28	CU M
SP1	Day 6	09.23.2004	20.4	0	CU M/MI	143.25	CU M
SP1	Day 6	09.23.2004	20.45	0	CU M/MI	143.25	CU M
SP1	Day 6	09.23.2004	20.5	0	CU M/MI	143.3	CU M
SP1	Day 6	09.23.2004	20.55	0	CU M/MI	143.36	CU M
SP1	Day 6	09.23.2004	21	0.00496	CU M/MI	143.37	CU M
SP1	Day 6	09.23.2004	21.05	0	CU M/MI	143.3	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 6	09.23.2004	21.1	0	CU M/MI	143.29	CU M
SP1	Day 6	09.23.2004	21.15	1.22132	CU M/MI	146.59	CU M
SP1	Day 6	09.23.2004	21.2	0	CU M/MI	147.88	CU M
SP1	Day 6	09.23.2004	21.25	0	CU M/MI	147.87	CU M
SP1	Day 6	09.23.2004	21.3	0	CU M/MI	147.87	CU M
SP1	Day 6	09.23.2004	21.35	0	CU M/MI	147.87	CU M
SP1	Day 6	09.23.2004	21.4	0	CU M/MI	147.86	CU M
SP1	Day 6	09.23.2004	21.45	0	CU M/MI	147.86	CU M
SP1	Day 6	09.23.2004	21.5	0	CU M/MI	147.86	CU M
SP1	Day 6	09.23.2004	21.55	0	CU M/MI	147.85	CU M
SP1	Day 6	09.23.2004	22	0	CU M/MI	147.85	CU M
SP1	Day 6	09.23.2004	22.05	0	CU M/MI	147.85	CU M
SP1	Day 6	09.23.2004	22.1	0	CU M/MI	147.84	CU M
SP1	Day 6	09.23.2004	22.15	0	CU M/MI	147.83	CU M
SP1	Day 6	09.23.2004	22.2	0	CU M/MI	147.83	CU M
SP1	Day 6	09.23.2004	22.25	0	CU M/MI	147.83	CU M
SP1	Day 6	09.23.2004	22.3	0	CU M/MI	147.82	CU M
SP1	Day 6	09.23.2004	22.35	0	CU M/MI	147.82	CU M
SP1	Day 6	09.23.2004	22.4	0	CU M/MI	147.81	CU M
SP1	Day 6	09.23.2004	22.45	0	CU M/MI	147.81	CU M
SP1	Day 6	09.23.2004	22.5	0	CU M/MI	147.8	CU M
SP1	Day 6	09.23.2004	22.55	0	CU M/MI	147.8	CU M
SP1	Day 6	09.23.2004	23	0	CU M/MI	147.79	CU M
SP1	Day 6	09.23.2004	23.05	0	CU M/MI	147.79	CU M
SP1	Day 6	09.23.2004	23.1	0	CU M/MI	147.78	CU M
SP1	Day 6	09.23.2004	23.15	0	CU M/MI	147.78	CU M
SP1	Day 6	09.23.2004	23.2	0	CU M/MI	147.77	CU M
SP1	Day 6	09.23.2004	23.25	0	CU M/MI	147.77	CU M
SP1	Day 6	09.23.2004	23.3	0	CU M/MI	147.77	CU M
SP1	Day 6	09.23.2004	23.35	0	CU M/MI	147.76	CU M
SP1	Day 6	09.23.2004	23.4	0	CU M/MI	147.76	CU M
SP1	Day 6	09.23.2004	23.45	0	CU M/MI	147.75	CU M
SP1	Day 6	09.23.2004	23.5	0	CU M/MI	147.74	CU M
SP1	Day 6	09.23.2004	23.55	0	CU M/MI	147.74	CU M
SP1	Day 6	09.24.2004	0	0	CU M/MI	147.73	CU M
SP1	Day 6	09.24.2004	0.05	0	CU M/MI	147.73	CU M
SP1	Day 6	09.24.2004	0.1	0	CU M/MI	147.72	CU M
SP1	Day 6	09.24.2004	0.15	0	CU M/MI	147.71	CU M
SP1	Day 6	09.24.2004	0.2	0	CU M/MI	147.71	CU M
SP1	Day 6	09.24.2004	0.25	0	CU M/MI	147.7	CU M
SP1	Day 6	09.24.2004	0.3	0	CU M/MI	147.7	CU M
SP1	Day 6	09.24.2004	0.35	0	CU M/MI	147.69	CU M
SP1	Day 6	09.24.2004	0.4	0	CU M/MI	147.69	CU M
SP1	Day 6	09.24.2004	0.45	0	CU M/MI	147.69	CU M
SP1	Day 6	09.24.2004	0.5	0	CU M/MI	147.68	CU M
SP1	Day 6	09.24.2004	0.55	0	CU M/MI	147.68	CU M
SP1	Day 6	09.24.2004	1	0	CU M/MI	147.67	CU M
SP1	Day 6	09.24.2004	1.05	0	CU M/MI	147.67	CU M
SP1	Day 6	09.24.2004	1.1	0	CU M/MI	147.67	CU M
SP1	Day 6	09.24.2004	1.15	0	CU M/MI	147.66	CU M
SP1	Day 6	09.24.2004	1.2	0	CU M/MI	147.66	CU M
SP1	Day 6	09.24.2004	1.25	0	CU M/MI	147.65	CU M
SP1	Day 6	09.24.2004	1.3	0	CU M/MI	147.64	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 6	09.24.2004	1.35	0	CU M/MI	147.63	CU M
SP1	Day 6	09.24.2004	1.4	0	CU M/MI	147.63	CU M
SP1	Day 6	09.24.2004	1.45	0	CU M/MI	147.62	CU M
SP1	Day 6	09.24.2004	1.5	0	CU M/MI	147.62	CU M
SP1	Day 6	09.24.2004	1.55	0	CU M/MI	147.61	CU M
SP1	Day 6	09.24.2004	2	0	CU M/MI	147.6	CU M
SP1	Day 6	09.24.2004	2.05	0	CU M/MI	147.58	CU M
SP1	Day 6	09.24.2004	2.1	0	CU M/MI	147.57	CU M
SP1	Day 6	09.24.2004	2.15	0	CU M/MI	147.55	CU M
SP1	Day 6	09.24.2004	2.2	0	CU M/MI	147.54	CU M
SP1	Day 6	09.24.2004	2.25	0	CU M/MI	147.53	CU M
SP1	Day 6	09.24.2004	2.3	0	CU M/MI	147.51	CU M
SP1	Day 6	09.24.2004	2.35	0	CU M/MI	147.5	CU M
SP1	Day 6	09.24.2004	2.4	0	CU M/MI	147.49	CU M
SP1	Day 6	09.24.2004	2.45	0	CU M/MI	147.48	CU M
SP1	Day 6	09.24.2004	2.5	0	CU M/MI	147.48	CU M
SP1	Day 6	09.24.2004	2.55	0	CU M/MI	147.47	CU M
SP1	Day 6	09.24.2004	3	0	CU M/MI	147.46	CU M
SP1	Day 6	09.24.2004	3.05	0	CU M/MI	147.45	CU M
SP1	Day 6	09.24.2004	3.1	0	CU M/MI	147.44	CU M
SP1	Day 6	09.24.2004	3.15	0	CU M/MI	147.43	CU M
SP1	Day 6	09.24.2004	3.2	0	CU M/MI	147.42	CU M
SP1	Day 6	09.24.2004	3.25	0	CU M/MI	147.41	CU M
SP1	Day 6	09.24.2004	3.3	0	CU M/MI	147.4	CU M
SP1	Day 6	09.24.2004	3.35	0	CU M/MI	147.4	CU M
SP1	Day 6	09.24.2004	3.4	0	CU M/MI	147.4	CU M
SP1	Day 6	09.24.2004	3.45	0	CU M/MI	147.39	CU M
SP1	Day 6	09.24.2004	3.5	0	CU M/MI	147.38	CU M
SP1	Day 6	09.24.2004	3.55	0	CU M/MI	147.38	CU M
SP1	Day 6	09.24.2004	4	0	CU M/MI	147.38	CU M
SP1	Day 6	09.24.2004	4.05	0	CU M/MI	147.37	CU M
SP1	Day 6	09.24.2004	4.1	0	CU M/MI	147.37	CU M
SP1	Day 6	09.24.2004	4.15	0	CU M/MI	147.37	CU M
SP1	Day 6	09.24.2004	4.2	0	CU M/MI	147.36	CU M
SP1	Day 6	09.24.2004	4.25	0	CU M/MI	147.36	CU M
SP1	Day 6	09.24.2004	4.3	0	CU M/MI	147.36	CU M
SP1	Day 6	09.24.2004	4.35	0	CU M/MI	147.35	CU M
SP1	Day 6	09.24.2004	4.4	0	CU M/MI	147.34	CU M
SP1	Day 6	09.24.2004	4.45	0	CU M/MI	147.34	CU M
SP1	Day 6	09.24.2004	4.5	0	CU M/MI	147.33	CU M
SP1	Day 6	09.24.2004	4.55	0	CU M/MI	147.32	CU M
SP1	Day 6	09.24.2004	5	0	CU M/MI	147.32	CU M
SP1	Day 6	09.24.2004	5.05	0	CU M/MI	147.32	CU M
SP1	Day 6	09.24.2004	5.1	0	CU M/MI	147.31	CU M
SP1	Day 6	09.24.2004	5.15	0	CU M/MI	147.3	CU M
SP1	Day 6	09.24.2004	5.2	0	CU M/MI	147.29	CU M
SP1	Day 6	09.24.2004	5.25	0	CU M/MI	147.29	CU M
SP1	Day 6	09.24.2004	5.3	0	CU M/MI	147.28	CU M
SP1	Day 6	09.24.2004	5.35	0	CU M/MI	147.28	CU M
SP1	Day 6	09.24.2004	5.4	0	CU M/MI	147.27	CU M
SP1	Day 6	09.24.2004	5.45	0	CU M/MI	147.27	CU M
SP1	Day 6	09.24.2004	5.5	0	CU M/MI	147.26	CU M
SP1	Day 6	09.24.2004	5.55	0	CU M/MI	147.25	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 7	09.24.2004	6	0	CU M/MI	147.25	CU M
SP1	Day 7	09.24.2004	6.05	0	CU M/MI	147.24	CU M
SP1	Day 7	09.24.2004	6.1	0	CU M/MI	147.23	CU M
SP1	Day 7	09.24.2004	6.15	0	CU M/MI	147.23	CU M
SP1	Day 7	09.24.2004	6.2	0	CU M/MI	147.22	CU M
SP1	Day 7	09.24.2004	6.25	0	CU M/MI	147.21	CU M
SP1	Day 7	09.24.2004	6.3	0	CU M/MI	147.21	CU M
SP1	Day 7	09.24.2004	6.35	0	CU M/MI	147.2	CU M
SP1	Day 7	09.24.2004	6.4	0	CU M/MI	147.2	CU M
SP1	Day 7	09.24.2004	6.45	0	CU M/MI	147.19	CU M
SP1	Day 7	09.24.2004	6.5	0	CU M/MI	147.18	CU M
SP1	Day 7	09.24.2004	6.55	0	CU M/MI	147.17	CU M
SP1	Day 7	09.24.2004	7	0	CU M/MI	147.15	CU M
SP1	Day 7	09.24.2004	7.05	0	CU M/MI	147.14	CU M
SP1	Day 7	09.24.2004	7.1	0	CU M/MI	147.12	CU M
SP1	Day 7	09.24.2004	7.15	0	CU M/MI	147.11	CU M
SP1	Day 7	09.24.2004	7.2	0	CU M/MI	147.09	CU M
SP1	Day 7	09.24.2004	7.25	1.22368	CU M/MI	148.39	CU M
SP1	Day 7	09.24.2004	7.3	1.17607	CU M/MI	154.36	CU M
SP1	Day 7	09.24.2004	7.35	0	CU M/MI	154.69	CU M
SP1	Day 7	09.24.2004	7.4	0	CU M/MI	154.67	CU M
SP1	Day 7	09.24.2004	7.45	0	CU M/MI	154.66	CU M
SP1	Day 7	09.24.2004	7.5	0	CU M/MI	154.64	CU M
SP1	Day 7	09.24.2004	7.55	0	CU M/MI	154.63	CU M
SP1	Day 7	09.24.2004	8	0	CU M/MI	154.62	CU M
SP1	Day 7	09.24.2004	8.05	0	CU M/MI	154.61	CU M
SP1	Day 7	09.24.2004	8.1	0	CU M/MI	154.59	CU M
SP1	Day 7	09.24.2004	8.15	0	CU M/MI	154.58	CU M
SP1	Day 7	09.24.2004	8.2	0	CU M/MI	154.57	CU M
SP1	Day 7	09.24.2004	8.25	0	CU M/MI	154.56	CU M
SP1	Day 7	09.24.2004	8.3	0	CU M/MI	154.54	CU M
SP1	Day 7	09.24.2004	8.35	0	CU M/MI	154.53	CU M
SP1	Day 7	09.24.2004	8.4	0	CU M/MI	154.52	CU M
SP1	Day 7	09.24.2004	8.45	0	CU M/MI	154.5	CU M
SP1	Day 7	09.24.2004	8.5	0	CU M/MI	154.49	CU M
SP1	Day 7	09.24.2004	8.55	0	CU M/MI	154.48	CU M
SP1	Day 7	09.24.2004	9	0	CU M/MI	154.46	CU M
SP1	Day 7	09.24.2004	9.05	0	CU M/MI	154.45	CU M
SP1	Day 7	09.24.2004	9.1	0	CU M/MI	154.43	CU M
SP1	Day 7	09.24.2004	9.15	0	CU M/MI	154.42	CU M
SP1	Day 7	09.24.2004	9.2	0	CU M/MI	154.41	CU M
SP1	Day 7	09.24.2004	9.25	0	CU M/MI	154.39	CU M
SP1	Day 7	09.24.2004	9.3	0	CU M/MI	154.38	CU M
SP1	Day 7	09.24.2004	9.35	0	CU M/MI	154.37	CU M
SP1	Day 7	09.24.2004	9.4	0	CU M/MI	154.36	CU M
SP1	Day 7	09.24.2004	9.45	0	CU M/MI	154.35	CU M
SP1	Day 7	09.24.2004	9.5	0	CU M/MI	154.34	CU M
SP1	Day 7	09.24.2004	9.55	0	CU M/MI	154.33	CU M
SP1	Day 7	09.24.2004	10	0	CU M/MI	154.32	CU M
SP1	Day 7	09.24.2004	10.05	0	CU M/MI	154.31	CU M
SP1	Day 7	09.24.2004	10.1	0	CU M/MI	154.3	CU M
SP1	Day 7	09.24.2004	10.15	0	CU M/MI	154.29	CU M
SP1	Day 7	09.24.2004	10.2	0	CU M/MI	154.28	CU M

Appendix B
Raw Flow Data from Accommodations (SP-1)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP1	Day 7	09.24.2004	10.25	0	CU M/MI	154.27	CU M
SP1	Day 7	09.24.2004	10.3	0	CU M/MI	154.26	CU M
SP1	Day 7	09.24.2004	10.35	0	CU M/MI	154.25	CU M
SP1	Day 7	09.24.2004	10.4	0	CU M/MI	154.24	CU M
SP1	Day 7	09.24.2004	10.45	0	CU M/MI	154.23	CU M
SP1	Day 7	09.24.2004	10.5	0	CU M/MI	154.22	CU M
SP1	Day 7	09.24.2004	11.25	0	CU M/MI	154.21	CU M
SP1	Day 7	09.24.2004	11.3	0	CU M/MI	154.21	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6		09.14.2004	15.15	0.34441	CU M/MI	297.31	CU M
SP6		09.14.2004	15.2	0.34523	CU M/MI	299.03	CU M
SP6		09.14.2004	15.25	0.34299	CU M/MI	300.75	CU M
SP6		09.14.2004	15.3	0.35146	CU M/MI	302.48	CU M
SP6		09.14.2004	15.35	0.00489	CU M/MI	304.05	CU M
SP6		09.14.2004	15.4	0.34281	CU M/MI	305.42	CU M
SP6		09.14.2004	15.45	0.34219	CU M/MI	307.14	CU M
SP6		09.14.2004	15.5	0.34455	CU M/MI	308.86	CU M
SP6		09.14.2004	15.55	0.34638	CU M/MI	310.59	CU M
SP6		09.14.2004	16	0.34268	CU M/MI	312.31	CU M
SP6		09.14.2004	16.05	0.34294	CU M/MI	314.03	CU M
SP6		09.14.2004	16.1	0.34541	CU M/MI	315.76	CU M
SP6		09.14.2004	16.15	0.34705	CU M/MI	317.49	CU M
SP6		09.14.2004	16.2	0.01594	CU M/MI	319.13	CU M
SP6		09.14.2004	16.25	0.34557	CU M/MI	320.39	CU M
SP6		09.14.2004	16.3	0.34319	CU M/MI	322.11	CU M
SP6		09.14.2004	16.35	0.34474	CU M/MI	323.84	CU M
SP6		09.14.2004	16.4	0.34472	CU M/MI	325.56	CU M
SP6		09.14.2004	16.45	0.34495	CU M/MI	327.29	CU M
SP6		09.14.2004	16.5	0.34265	CU M/MI	329.01	CU M
SP6		09.14.2004	16.55	0.34462	CU M/MI	330.72	CU M
SP6		09.14.2004	17	0.34488	CU M/MI	332.44	CU M
SP6		09.14.2004	17.05	0.34547	CU M/MI	334.17	CU M
SP6		09.14.2004	17.1	0.34555	CU M/MI	335.9	CU M
SP6		09.14.2004	17.15	0.3438	CU M/MI	337.62	CU M
SP6		09.14.2004	17.2	0.3443	CU M/MI	339.35	CU M
SP6		09.14.2004	17.25	0.34511	CU M/MI	340.54	CU M
SP6		09.14.2004	17.3	0.34766	CU M/MI	342.27	CU M
SP6		09.14.2004	17.35	0.34713	CU M/MI	344	CU M
SP6		09.14.2004	17.4	0.346	CU M/MI	345.72	CU M
SP6		09.14.2004	17.45	0.34142	CU M/MI	347.45	CU M
SP6		09.14.2004	17.5	0.34393	CU M/MI	349.17	CU M
SP6		09.14.2004	17.55	0.34148	CU M/MI	349.81	CU M
SP6		09.14.2004	18	0.34374	CU M/MI	351.53	CU M
SP6		09.14.2004	18.05	0.34336	CU M/MI	353.25	CU M
SP6		09.14.2004	18.1	0.3435	CU M/MI	354.97	CU M
SP6		09.14.2004	18.15	0.34268	CU M/MI	356.69	CU M
SP6		09.14.2004	18.2	0.34262	CU M/MI	358.41	CU M
SP6		09.14.2004	18.25	0.3442	CU M/MI	360.13	CU M
SP6		09.14.2004	18.3	0.34536	CU M/MI	361.85	CU M
SP6		09.14.2004	18.35	0.34385	CU M/MI	363.57	CU M
SP6		09.14.2004	18.4	0.34354	CU M/MI	365.29	CU M
SP6		09.14.2004	18.45	0.34143	CU M/MI	367.01	CU M
SP6		09.14.2004	18.5	0.34228	CU M/MI	368.72	CU M
SP6		09.14.2004	18.55	0.34295	CU M/MI	370.43	CU M
SP6		09.14.2004	19	0.34135	CU M/MI	372.14	CU M
SP6		09.14.2004	19.05	0.34189	CU M/MI	373.85	CU M
SP6		09.14.2004	19.1	0.00012	CU M/MI	374.64	CU M
SP6		09.14.2004	19.15	0.33814	CU M/MI	376.27	CU M
SP6		09.14.2004	19.2	0.33583	CU M/MI	377.95	CU M
SP6		09.14.2004	19.25	0.33182	CU M/MI	379.62	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6		09.14.2004	19.3	0.33005	CU M/MI	381.27	CU M
SP6		09.14.2004	19.35	0.32973	CU M/MI	382.92	CU M
SP6		09.14.2004	19.4	0.32533	CU M/MI	384.56	CU M
SP6		09.14.2004	19.45	0.00019	CU M/MI	385.19	CU M
SP6		09.14.2004	19.5	0	CU M/MI	385.19	CU M
SP6		09.14.2004	19.55	0	CU M/MI	385.19	CU M
SP6		09.14.2004	20	0	CU M/MI	385.19	CU M
SP6		09.14.2004	20.05	0	CU M/MI	385.19	CU M
SP6		09.14.2004	20.1	0	CU M/MI	385.19	CU M
SP6		09.14.2004	20.15	0	CU M/MI	385.19	CU M
SP6		09.14.2004	20.2	0.44634	CU M/MI	386.99	CU M
SP6		09.14.2004	20.25	0.4488	CU M/MI	388.53	CU M
SP6		09.14.2004	20.3	0.00015	CU M/MI	388.55	CU M
SP6		09.14.2004	20.35	0.00001	CU M/MI	388.56	CU M
SP6		09.14.2004	20.4	0.00009	CU M/MI	388.56	CU M
SP6		09.14.2004	20.45	0	CU M/MI	388.56	CU M
SP6		09.14.2004	20.5	0.00033	CU M/MI	388.56	CU M
SP6		09.14.2004	20.55	0	CU M/MI	388.55	CU M
SP6		09.14.2004	21	0	CU M/MI	388.55	CU M
SP6		09.14.2004	21.05	0	CU M/MI	388.55	CU M
SP6		09.14.2004	21.1	0	CU M/MI	388.55	CU M
SP6		09.14.2004	21.15	0	CU M/MI	388.55	CU M
SP6		09.14.2004	21.2	0	CU M/MI	388.55	CU M
SP6		09.14.2004	21.25	0	CU M/MI	388.54	CU M
SP6		09.14.2004	21.3	0	CU M/MI	388.54	CU M
SP6		09.14.2004	21.35	0	CU M/MI	388.54	CU M
SP6		09.14.2004	21.4	0	CU M/MI	388.54	CU M
SP6		09.14.2004	21.45	0	CU M/MI	388.54	CU M
SP6		09.14.2004	21.5	0.00013	CU M/MI	388.54	CU M
SP6		09.14.2004	21.55	0	CU M/MI	388.54	CU M
SP6		09.14.2004	22	0	CU M/MI	388.54	CU M
SP6		09.14.2004	22.05	0.0001	CU M/MI	388.54	CU M
SP6		09.14.2004	22.1	0	CU M/MI	388.54	CU M
SP6		09.14.2004	22.15	0.00014	CU M/MI	388.54	CU M
SP6		09.14.2004	22.2	0.00018	CU M/MI	388.54	CU M
SP6		09.14.2004	22.25	0.00023	CU M/MI	388.54	CU M
SP6		09.14.2004	22.3	0.45544	CU M/MI	390.57	CU M
SP6		09.14.2004	22.35	0.45473	CU M/MI	392.11	CU M
SP6		09.14.2004	22.4	0.45157	CU M/MI	393.65	CU M
SP6		09.14.2004	22.45	0.00073	CU M/MI	395.36	CU M
SP6		09.14.2004	22.5	0.06091	CU M/MI	397.44	CU M
SP6		09.14.2004	22.55	0.45164	CU M/MI	398.97	CU M
SP6		09.14.2004	23	0.45188	CU M/MI	400.46	CU M
SP6		09.14.2004	23.05	0.02139	CU M/MI	401.84	CU M
SP6		09.14.2004	23.1	0.00009	CU M/MI	401.85	CU M
SP6		09.14.2004	23.15	0	CU M/MI	401.85	CU M
SP6		09.14.2004	23.2	0.00018	CU M/MI	401.85	CU M
SP6		09.14.2004	23.25	0.00014	CU M/MI	401.85	CU M
SP6		09.14.2004	23.3	0.00004	CU M/MI	401.85	CU M
SP6		09.14.2004	23.35	0	CU M/MI	401.85	CU M
SP6		09.14.2004	23.4	0	CU M/MI	401.85	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6		09.14.2004	23.45	0	CU M/MI	401.85	CU M
SP6		09.14.2004	23.5	0	CU M/MI	401.85	CU M
SP6		09.14.2004	23.55	0	CU M/MI	401.85	CU M
SP6		09.15.2004	0	0	CU M/MI	401.85	CU M
SP6		09.15.2004	0.05	0	CU M/MI	401.84	CU M
SP6		09.15.2004	0.1	0	CU M/MI	401.84	CU M
SP6		09.15.2004	0.15	0	CU M/MI	401.84	CU M
SP6		09.15.2004	0.2	0	CU M/MI	401.84	CU M
SP6		09.15.2004	0.25	0	CU M/MI	401.84	CU M
SP6		09.15.2004	0.3	0	CU M/MI	401.84	CU M
SP6		09.15.2004	0.35	0	CU M/MI	401.84	CU M
SP6		09.15.2004	0.4	0.00018	CU M/MI	401.84	CU M
SP6		09.15.2004	0.45	0.00015	CU M/MI	401.84	CU M
SP6		09.15.2004	0.5	0.00003	CU M/MI	401.84	CU M
SP6		09.15.2004	0.55	0.00019	CU M/MI	401.84	CU M
SP6		09.15.2004	1	0.00021	CU M/MI	401.84	CU M
SP6		09.15.2004	1.05	0.00013	CU M/MI	401.84	CU M
SP6		09.15.2004	1.1	0.00021	CU M/MI	401.84	CU M
SP6		09.15.2004	1.15	0.00022	CU M/MI	401.84	CU M
SP6		09.15.2004	1.2	0.00001	CU M/MI	401.84	CU M
SP6		09.15.2004	1.25	0	CU M/MI	401.84	CU M
SP6		09.15.2004	1.3	0.00003	CU M/MI	401.84	CU M
SP6		09.15.2004	1.35	0.00003	CU M/MI	401.84	CU M
SP6		09.15.2004	1.4	0	CU M/MI	401.84	CU M
SP6		09.15.2004	1.45	0.00008	CU M/MI	401.84	CU M
SP6		09.15.2004	1.5	0	CU M/MI	401.84	CU M
SP6		09.15.2004	1.55	0	CU M/MI	401.84	CU M
SP6		09.15.2004	2	0	CU M/MI	401.84	CU M
SP6		09.15.2004	2.05	0	CU M/MI	401.84	CU M
SP6		09.15.2004	2.1	0	CU M/MI	401.84	CU M
SP6		09.15.2004	2.15	0	CU M/MI	401.83	CU M
SP6		09.15.2004	2.2	0	CU M/MI	401.83	CU M
SP6		09.15.2004	2.25	0	CU M/MI	401.83	CU M
SP6		09.15.2004	2.3	0	CU M/MI	401.83	CU M
SP6		09.15.2004	2.35	0	CU M/MI	401.83	CU M
SP6		09.15.2004	2.4	0	CU M/MI	401.83	CU M
SP6		09.15.2004	2.45	0	CU M/MI	401.82	CU M
SP6		09.15.2004	2.5	0	CU M/MI	401.82	CU M
SP6		09.15.2004	2.55	0	CU M/MI	401.82	CU M
SP6		09.15.2004	3	0	CU M/MI	401.82	CU M
SP6		09.15.2004	3.05	0	CU M/MI	401.81	CU M
SP6		09.15.2004	3.1	0	CU M/MI	401.81	CU M
SP6		09.15.2004	3.15	0	CU M/MI	401.81	CU M
SP6		09.15.2004	3.2	0	CU M/MI	401.81	CU M
SP6		09.15.2004	3.25	0	CU M/MI	401.81	CU M
SP6		09.15.2004	3.3	0	CU M/MI	401.8	CU M
SP6		09.15.2004	3.35	0	CU M/MI	401.8	CU M
SP6		09.15.2004	3.4	0	CU M/MI	401.8	CU M
SP6		09.15.2004	3.45	0	CU M/MI	401.8	CU M
SP6		09.15.2004	3.5	0	CU M/MI	401.8	CU M
SP6		09.15.2004	3.55	0	CU M/MI	401.79	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6		09.15.2004	4	0	CU M/MI	401.79	CU M
SP6		09.15.2004	4.05	0	CU M/MI	401.79	CU M
SP6		09.15.2004	4.1	0	CU M/MI	401.79	CU M
SP6		09.15.2004	4.15	0	CU M/MI	401.79	CU M
SP6		09.15.2004	4.2	0	CU M/MI	401.78	CU M
SP6		09.15.2004	4.25	0	CU M/MI	401.78	CU M
SP6		09.15.2004	4.3	0	CU M/MI	401.78	CU M
SP6		09.15.2004	4.35	0	CU M/MI	401.78	CU M
SP6		09.15.2004	4.4	0	CU M/MI	401.78	CU M
SP6		09.15.2004	4.45	0	CU M/MI	401.78	CU M
SP6		09.15.2004	4.5	0	CU M/MI	401.78	CU M
SP6		09.15.2004	4.55	0	CU M/MI	401.77	CU M
SP6		09.15.2004	5	0	CU M/MI	401.77	CU M
SP6		09.15.2004	5.05	0	CU M/MI	401.77	CU M
SP6		09.15.2004	5.1	0	CU M/MI	401.77	CU M
SP6		09.15.2004	5.15	0	CU M/MI	401.77	CU M
SP6		09.15.2004	5.2	0	CU M/MI	401.77	CU M
SP6		09.15.2004	5.25	0	CU M/MI	401.77	CU M
SP6		09.15.2004	5.3	0	CU M/MI	401.77	CU M
SP6		09.15.2004	5.35	0	CU M/MI	401.77	CU M
SP6		09.15.2004	5.4	0	CU M/MI	401.76	CU M
SP6		09.15.2004	5.45	0	CU M/MI	401.76	CU M
SP6		09.15.2004	5.5	0.00001	CU M/MI	401.76	CU M
SP6		09.15.2004	5.55	0	CU M/MI	401.76	CU M
SP6		09.15.2004	6	0	CU M/MI	401.76	CU M
SP6		09.15.2004	6.05	0	CU M/MI	401.76	CU M
SP6		09.15.2004	6.1	0	CU M/MI	401.76	CU M
SP6		09.15.2004	6.15	0	CU M/MI	401.76	CU M
SP6		09.15.2004	6.2	0	CU M/MI	401.76	CU M
SP6		09.15.2004	6.25	0.00005	CU M/MI	401.76	CU M
SP6		09.15.2004	6.3	0.00008	CU M/MI	401.76	CU M
SP6		09.15.2004	6.35	0	CU M/MI	401.76	CU M
SP6		09.15.2004	6.4	0	CU M/MI	401.76	CU M
SP6		09.15.2004	6.45	0	CU M/MI	401.76	CU M
SP6		09.15.2004	6.5	0	CU M/MI	401.76	CU M
SP6		09.15.2004	6.55	0	CU M/MI	401.76	CU M
SP6		09.15.2004	7	0	CU M/MI	401.76	CU M
SP6		09.15.2004	7.05	0.00001	CU M/MI	401.76	CU M
SP6		09.15.2004	7.1	0	CU M/MI	401.76	CU M
SP6		09.15.2004	7.15	0	CU M/MI	401.76	CU M
SP6		09.15.2004	7.2	0	CU M/MI	401.76	CU M
SP6		09.15.2004	7.25	0	CU M/MI	401.76	CU M
SP6		09.15.2004	7.3	0	CU M/MI	401.76	CU M
SP6		09.15.2004	7.35	0	CU M/MI	401.76	CU M
SP6		09.15.2004	7.4	0.00006	CU M/MI	401.76	CU M
SP6		09.15.2004	7.45	0	CU M/MI	401.76	CU M
SP6		09.15.2004	7.5	0.00003	CU M/MI	401.76	CU M
SP6		09.15.2004	7.55	0.00005	CU M/MI	401.76	CU M
SP6		09.15.2004	8	0	CU M/MI	401.75	CU M
SP6		09.15.2004	8.05	0	CU M/MI	401.75	CU M
SP6		09.15.2004	8.1	0	CU M/MI	401.75	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6		09.15.2004	8.15	0.00003	CU M/MI	401.75	CU M
SP6		09.15.2004	8.2	0	CU M/MI	401.75	CU M
SP6		09.15.2004	8.25	0	CU M/MI	401.75	CU M
SP6		09.15.2004	8.3	0	CU M/MI	401.75	CU M
SP6		09.15.2004	8.35	0	CU M/MI	401.75	CU M
SP6		09.15.2004	8.4	0	CU M/MI	401.75	CU M
SP6		09.15.2004	8.45	0.00006	CU M/MI	401.75	CU M
SP6		09.15.2004	8.5	0.00008	CU M/MI	401.75	CU M
SP6		09.15.2004	8.55	0.0002	CU M/MI	401.75	CU M
SP6		09.15.2004	9	0.00014	CU M/MI	401.75	CU M
SP6		09.15.2004	9.05	0.00027	CU M/MI	401.75	CU M
SP6		09.15.2004	9.1	0	CU M/MI	401.75	CU M
SP6		09.15.2004	9.15	0.00004	CU M/MI	401.75	CU M
SP6		09.15.2004	9.2	0.0002	CU M/MI	401.75	CU M
SP6		09.15.2004	9.25	0	CU M/MI	401.75	CU M
SP6		09.15.2004	9.3	0.00005	CU M/MI	401.76	CU M
SP6		09.15.2004	9.35	0.00014	CU M/MI	401.76	CU M
SP6		09.15.2004	9.4	0.00026	CU M/MI	401.76	CU M
SP6		09.15.2004	9.45	0.0001	CU M/MI	401.76	CU M
SP6		09.15.2004	9.5	0.00008	CU M/MI	401.76	CU M
SP6		09.15.2004	9.55	0.00006	CU M/MI	401.76	CU M
SP6		09.15.2004	10	0.00002	CU M/MI	401.76	CU M
SP6		09.15.2004	10.05	0.00008	CU M/MI	401.76	CU M
SP6		09.15.2004	10.1	0.00017	CU M/MI	401.76	CU M
SP6		09.15.2004	10.15	0.0001	CU M/MI	401.76	CU M
SP6		09.15.2004	10.2	0.00021	CU M/MI	401.76	CU M
SP6		09.15.2004	10.25	0.00012	CU M/MI	401.76	CU M
SP6		09.15.2004	10.3	0.00025	CU M/MI	401.76	CU M
SP6		09.15.2004	10.35	0.00029	CU M/MI	401.76	CU M
SP6		09.15.2004	10.4	0	CU M/MI	401.76	CU M
SP6		09.15.2004	10.45	0.00018	CU M/MI	401.76	CU M
SP6		09.15.2004	10.5	0.00019	CU M/MI	401.76	CU M
SP6		09.15.2004	10.55	0.00012	CU M/MI	401.76	CU M
SP6		09.15.2004	11	0.00004	CU M/MI	401.76	CU M
SP6		09.15.2004	11.05	0	CU M/MI	401.76	CU M
SP6		09.15.2004	11.1	0	CU M/MI	401.76	CU M
SP6		09.15.2004	11.15	0	CU M/MI	401.76	CU M
SP6		09.15.2004	11.2	0	CU M/MI	401.76	CU M
SP6		09.15.2004	11.25	0	CU M/MI	401.76	CU M
SP6		09.15.2004	11.3	0.00005	CU M/MI	401.76	CU M
SP6		09.15.2004	11.35	0	CU M/MI	401.77	CU M
SP6		09.15.2004	11.4	0.00003	CU M/MI	401.77	CU M
SP6		09.15.2004	11.45	0	CU M/MI	401.77	CU M
SP6		09.15.2004	11.5	0.00004	CU M/MI	401.77	CU M
SP6		09.15.2004	11.55	0	CU M/MI	401.77	CU M
SP6		09.15.2004	12	0.00004	CU M/MI	401.77	CU M
SP6		09.15.2004	12.05	0	CU M/MI	401.77	CU M
SP6		09.15.2004	12.1	0.00008	CU M/MI	401.77	CU M
SP6		09.15.2004	12.15	0.00008	CU M/MI	401.77	CU M
SP6		09.15.2004	12.2	0.00391	CU M/MI	403.14	CU M
SP6		09.15.2004	12.25	0.42279	CU M/MI	403.59	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6		09.15.2004	12.3	0.43421	CU M/MI	405.76	CU M
SP6		09.15.2004	12.35	0.44881	CU M/MI	407.23	CU M
SP6		09.15.2004	12.4	0.43707	CU M/MI	408.73	CU M
SP6		09.15.2004	12.45	0.00026	CU M/MI	410.35	CU M
SP6		09.15.2004	12.5	0.00423	CU M/MI	412.19	CU M
SP6		09.15.2004	12.55	0.4488	CU M/MI	413.9	CU M
SP6		09.15.2004	13	0.00193	CU M/MI	415.03	CU M
SP6		09.15.2004	13.05	0.45726	CU M/MI	415.99	CU M
SP6		09.15.2004	13.1	0.45627	CU M/MI	417.57	CU M
SP6		09.15.2004	13.15	0.4522	CU M/MI	418.27	CU M
SP6		09.15.2004	13.2	0.00739	CU M/MI	420.38	CU M
SP6		09.15.2004	13.25	0.00005	CU M/MI	421.23	CU M
SP6		09.15.2004	13.3	0.00026	CU M/MI	422.15	CU M
SP6		09.15.2004	13.35	0.00152	CU M/MI	423.1	CU M
SP6		09.15.2004	13.4	0.0215	CU M/MI	424.04	CU M
SP6		09.15.2004	13.45	0.45794	CU M/MI	424.82	CU M
SP6		09.15.2004	13.5	0.455	CU M/MI	425.51	CU M
SP6		09.15.2004	13.55	0.4493	CU M/MI	426.41	CU M
SP6		09.15.2004	14	0.00046	CU M/MI	427.1	CU M
SP6		09.15.2004	14.05	0.0006	CU M/MI	428.03	CU M
SP6		09.15.2004	14.1	0.42251	CU M/MI	428.09	CU M
SP6		09.15.2004	14.15	0.00047	CU M/MI	429.35	CU M
SP6		09.15.2004	14.2	0.00017	CU M/MI	430.36	CU M
SP6		09.15.2004	14.25	0.00241	CU M/MI	431.35	CU M
SP6		09.15.2004	14.3	0.01063	CU M/MI	432.31	CU M
SP6		09.15.2004	14.35	0.45898	CU M/MI	433.13	CU M
SP6		09.15.2004	14.4	0.46157	CU M/MI	433.82	CU M
SP6		09.15.2004	14.45	0.46146	CU M/MI	434.51	CU M
SP6		09.15.2004	14.5	0.00085	CU M/MI	435.33	CU M
SP6		09.15.2004	14.55	0.00131	CU M/MI	436.36	CU M
SP6		09.15.2004	15	0.00108	CU M/MI	437.39	CU M
SP6		09.15.2004	15.05	0.00126	CU M/MI	438.35	CU M
SP6		09.15.2004	15.1	0.00167	CU M/MI	439.31	CU M
SP6		09.15.2004	15.15	0.45295	CU M/MI	440.77	CU M
SP6		09.15.2004	15.2	0.44931	CU M/MI	441.8	CU M
SP6		09.15.2004	15.25	0.00031	CU M/MI	442.1	CU M
SP6		09.15.2004	15.3	0.00063	CU M/MI	442.11	CU M
SP6		09.15.2004	15.35	0.00052	CU M/MI	442.11	CU M
SP6		09.15.2004	15.4	0.00044	CU M/MI	442.11	CU M
SP6		09.15.2004	15.45	0.00103	CU M/MI	443.02	CU M
SP6		09.15.2004	15.5	0.00083	CU M/MI	443.03	CU M
SP6		09.15.2004	15.55	0.00055	CU M/MI	443.03	CU M
SP6		09.15.2004	16	0.00049	CU M/MI	443.04	CU M
SP6		09.15.2004	16.05	0.00044	CU M/MI	443.04	CU M
SP6		09.15.2004	16.1	0.00039	CU M/MI	443.04	CU M
SP6		09.15.2004	16.15	0.00022	CU M/MI	443.04	CU M
SP6		09.15.2004	16.2	0.00045	CU M/MI	443.04	CU M
SP6		09.15.2004	16.25	0.00045	CU M/MI	443.05	CU M
SP6		09.15.2004	16.3	0.00064	CU M/MI	443.05	CU M
SP6		09.15.2004	16.35	0.00078	CU M/MI	443.05	CU M
SP6		09.15.2004	16.4	0.00075	CU M/MI	443.06	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6		09.15.2004	16.45	0.00088	CU M/MI	443.06	CU M
SP6		09.15.2004	16.5	0.00096	CU M/MI	443.07	CU M
SP6		09.15.2004	16.55	0.00081	CU M/MI	443.07	CU M
SP6		09.15.2004	17	0.00067	CU M/MI	443.07	CU M
SP6		09.15.2004	17.05	0.00069	CU M/MI	443.08	CU M
SP6		09.15.2004	17.1	0.00041	CU M/MI	443.08	CU M
SP6		09.15.2004	17.15	0.00047	CU M/MI	443.08	CU M
SP6		09.15.2004	17.2	0.00024	CU M/MI	443.08	CU M
SP6		09.15.2004	17.25	0.00018	CU M/MI	443.08	CU M
SP6		09.15.2004	17.3	0.00018	CU M/MI	443.09	CU M
SP6		09.15.2004	17.35	0.00027	CU M/MI	443.09	CU M
SP6		09.15.2004	17.4	0.00018	CU M/MI	443.09	CU M
SP6		09.15.2004	17.45	0.00023	CU M/MI	443.09	CU M
SP6		09.15.2004	17.5	0	CU M/MI	443.09	CU M
SP6		09.15.2004	17.55	0.00025	CU M/MI	443.09	CU M
SP6		09.15.2004	18	0.00001	CU M/MI	443.09	CU M
SP6		09.15.2004	18.05	0.00024	CU M/MI	443.09	CU M
SP6		09.15.2004	18.1	0	CU M/MI	443.69	CU M
SP6		09.15.2004	18.15	0.00006	CU M/MI	443.69	CU M
SP6		09.15.2004	18.2	0.00009	CU M/MI	443.69	CU M
SP6		09.15.2004	18.25	0.00054	CU M/MI	443.69	CU M
SP6		09.15.2004	18.3	0.4612	CU M/MI	444.47	CU M
SP6		09.15.2004	18.35	0.4548	CU M/MI	445.49	CU M
SP6		09.15.2004	18.4	0.44502	CU M/MI	446.45	CU M
SP6		09.15.2004	18.45	0	CU M/MI	487.64	CU M
SP6		09.15.2004	18.5	0	CU M/MI	488.48	CU M
SP6		09.15.2004	18.55	0.44407	CU M/MI	489.73	CU M
SP6		09.15.2004	19	0	CU M/MI	491.04	CU M
SP6		09.15.2004	19.05	0.37495	CU M/MI	492.85	CU M
SP6		09.15.2004	19.1	0.37484	CU M/MI	493.87	CU M
SP6		09.15.2004	19.15	0	CU M/MI	494.56	CU M
SP6		09.15.2004	19.2	0	CU M/MI	494.56	CU M
SP6		09.15.2004	19.25	0.35369	CU M/MI	495.85	CU M
SP6		09.15.2004	19.3	0.3544	CU M/MI	497.62	CU M
SP6		09.15.2004	19.35	0.36188	CU M/MI	498.17	CU M
SP6		09.15.2004	19.4	0.37082	CU M/MI	500.02	CU M
SP6		09.15.2004	19.45	0.03481	CU M/MI	501.83	CU M
SP6		09.15.2004	19.5	0	CU M/MI	501.84	CU M
SP6		09.15.2004	19.55	0	CU M/MI	501.83	CU M
SP6		09.15.2004	20	0	CU M/MI	501.83	CU M
SP6		09.15.2004	20.05	0	CU M/MI	501.83	CU M
SP6		09.15.2004	20.1	0	CU M/MI	501.83	CU M
SP6		09.15.2004	20.15	0.00004	CU M/MI	501.83	CU M
SP6		09.15.2004	20.2	0	CU M/MI	501.83	CU M
SP6		09.15.2004	20.25	0.0001	CU M/MI	501.83	CU M
SP6		09.15.2004	20.3	0.00014	CU M/MI	501.83	CU M
SP6		09.15.2004	20.35	0.53718	CU M/MI	502.11	CU M
SP6		09.15.2004	20.4	0	CU M/MI	502.79	CU M
SP6		09.15.2004	20.45	0	CU M/MI	503.61	CU M
SP6		09.15.2004	20.5	0	CU M/MI	504.39	CU M
SP6		09.15.2004	20.55	0.43836	CU M/MI	506.31	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6		09.15.2004	21	0.42727	CU M/MI	507.88	CU M
SP6		09.15.2004	21.05	0.02007	CU M/MI	509.97	CU M
SP6		09.15.2004	21.1	0.43812	CU M/MI	511.65	CU M
SP6		09.15.2004	21.15	0.44142	CU M/MI	513.06	CU M
SP6		09.15.2004	21.2	0.05707	CU M/MI	514.01	CU M
SP6		09.15.2004	21.25	0.02897	CU M/MI	514.88	CU M
SP6		09.15.2004	21.3	0.44441	CU M/MI	515.83	CU M
SP6		09.15.2004	21.35	0.4449	CU M/MI	517.36	CU M
SP6		09.15.2004	21.4	0.44279	CU M/MI	518.87	CU M
SP6		09.15.2004	21.45	0.4403	CU M/MI	520.36	CU M
SP6		09.15.2004	21.5	0.4135	CU M/MI	521.87	CU M
SP6		09.15.2004	21.55	0.00029	CU M/MI	523.54	CU M
SP6		09.15.2004	22	0.01551	CU M/MI	525.42	CU M
SP6		09.15.2004	22.05	0.44138	CU M/MI	527.04	CU M
SP6		09.15.2004	22.1	0.44309	CU M/MI	528.55	CU M
SP6		09.15.2004	22.15	0.44489	CU M/MI	530.05	CU M
SP6		09.15.2004	22.2	0.44601	CU M/MI	531.54	CU M
SP6		09.15.2004	22.25	0.44484	CU M/MI	532.16	CU M
SP6		09.15.2004	22.3	0.00152	CU M/MI	534.09	CU M
SP6		09.15.2004	22.35	0.44798	CU M/MI	535.87	CU M
SP6		09.15.2004	22.4	0.44922	CU M/MI	537.36	CU M
SP6		09.15.2004	22.45	0.44931	CU M/MI	538.89	CU M
SP6		09.15.2004	22.5	0.45005	CU M/MI	540.42	CU M
SP6		09.15.2004	22.55	0.44699	CU M/MI	541.93	CU M
SP6		09.15.2004	23	0.44801	CU M/MI	543.43	CU M
SP6		09.15.2004	23.05	0.44751	CU M/MI	544.95	CU M
SP6		09.15.2004	23.1	0.44466	CU M/MI	546.46	CU M
SP6		09.15.2004	23.15	0.42761	CU M/MI	547.97	CU M
SP6		09.15.2004	23.2	0.00033	CU M/MI	549.68	CU M
SP6		09.15.2004	23.25	0.00337	CU M/MI	551.41	CU M
SP6		09.15.2004	23.3	0.0032	CU M/MI	552.21	CU M
SP6		09.15.2004	23.35	0.44671	CU M/MI	554.03	CU M
SP6		09.15.2004	23.4	0.44228	CU M/MI	555.53	CU M
SP6		09.15.2004	23.45	0.44376	CU M/MI	557.03	CU M
SP6		09.15.2004	23.5	0.44816	CU M/MI	558.52	CU M
SP6		09.15.2004	23.55	0.44929	CU M/MI	560.03	CU M
SP6		09.16.2004	0	0.43739	CU M/MI	561.55	CU M
SP6		09.16.2004	0.05	0.00053	CU M/MI	563.14	CU M
SP6		09.16.2004	0.1	0.00093	CU M/MI	564.88	CU M
SP6		09.16.2004	0.15	0.01182	CU M/MI	566.66	CU M
SP6		09.16.2004	0.2	0.44672	CU M/MI	568.27	CU M
SP6		09.16.2004	0.25	0.44644	CU M/MI	569.8	CU M
SP6		09.16.2004	0.3	0.44826	CU M/MI	571.3	CU M
SP6		09.16.2004	0.35	0.44578	CU M/MI	572.84	CU M
SP6		09.16.2004	0.4	0.44738	CU M/MI	574.34	CU M
SP6		09.16.2004	0.45	0.44378	CU M/MI	575.83	CU M
SP6		09.16.2004	0.5	0.43384	CU M/MI	577.29	CU M
SP6		09.16.2004	0.55	0	CU M/MI	578.83	CU M
SP6		09.16.2004	1	0.00022	CU M/MI	580.6	CU M
SP6		09.16.2004	1.05	0.00621	CU M/MI	581.41	CU M
SP6		09.16.2004	1.1	0.00001	CU M/MI	582.39	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6		09.16.2004	1.15	0.44804	CU M/MI	584.02	CU M
SP6		09.16.2004	1.2	0.44997	CU M/MI	585.52	CU M
SP6		09.16.2004	1.25	0.44599	CU M/MI	586.99	CU M
SP6		09.16.2004	1.3	0.44416	CU M/MI	588.5	CU M
SP6		09.16.2004	1.35	0.40114	CU M/MI	590	CU M
SP6		09.16.2004	1.4	0	CU M/MI	591.7	CU M
SP6		09.16.2004	1.45	0.00024	CU M/MI	593.39	CU M
SP6		09.16.2004	1.5	0.01071	CU M/MI	595.1	CU M
SP6		09.16.2004	1.55	0.44395	CU M/MI	596.72	CU M
SP6		09.16.2004	2	0.43962	CU M/MI	598.21	CU M
SP6		09.16.2004	2.05	0.44517	CU M/MI	599.67	CU M
SP6		09.16.2004	2.1	0.44348	CU M/MI	601.21	CU M
SP6		09.16.2004	2.15	0.44122	CU M/MI	602.76	CU M
SP6		09.16.2004	2.2	0	CU M/MI	604.44	CU M
SP6		09.16.2004	2.25	0.03316	CU M/MI	606.46	CU M
SP6		09.16.2004	2.3	0.44065	CU M/MI	608.05	CU M
SP6		09.16.2004	2.35	0.44175	CU M/MI	609.53	CU M
SP6		09.16.2004	2.4	0.44159	CU M/MI	610.12	CU M
SP6		09.16.2004	2.45	0.44295	CU M/MI	611.76	CU M
SP6		09.16.2004	2.5	0.44516	CU M/MI	613.23	CU M
SP6		09.16.2004	2.55	0.44104	CU M/MI	614.71	CU M
SP6		09.16.2004	3	0.43862	CU M/MI	616.21	CU M
SP6		09.16.2004	3.05	0	CU M/MI	617.72	CU M
SP6		09.16.2004	3.1	0	CU M/MI	619.42	CU M
SP6		09.16.2004	3.15	0.00235	CU M/MI	621.14	CU M
SP6		09.16.2004	3.2	0.03763	CU M/MI	622.88	CU M
SP6		09.16.2004	3.25	0.44612	CU M/MI	624.48	CU M
SP6		09.16.2004	3.3	0.44383	CU M/MI	625.98	CU M
SP6		09.16.2004	3.35	0.44454	CU M/MI	627.47	CU M
SP6		09.16.2004	3.4	0.42777	CU M/MI	628.07	CU M
SP6		09.16.2004	3.45	0.44223	CU M/MI	629.19	CU M
SP6		09.16.2004	3.5	0.44769	CU M/MI	630.73	CU M
SP6		09.16.2004	3.55	0.44509	CU M/MI	632.22	CU M
SP6		09.16.2004	4	0.44384	CU M/MI	633.71	CU M
SP6		09.16.2004	4.05	0.43992	CU M/MI	635.22	CU M
SP6		09.16.2004	4.1	0	CU M/MI	636.76	CU M
SP6		09.16.2004	4.15	0.00044	CU M/MI	638.49	CU M
SP6		09.16.2004	4.2	0.00496	CU M/MI	640.24	CU M
SP6		09.16.2004	4.25	0.44727	CU M/MI	641.94	CU M
SP6		09.16.2004	4.3	0.44773	CU M/MI	643.43	CU M
SP6		09.16.2004	4.35	0.44627	CU M/MI	644.91	CU M
SP6		09.16.2004	4.4	0.44874	CU M/MI	646.42	CU M
SP6		09.16.2004	4.45	0.44654	CU M/MI	647.9	CU M
SP6		09.16.2004	4.5	0.44463	CU M/MI	649.4	CU M
SP6		09.16.2004	4.55	0.4397	CU M/MI	650.9	CU M
SP6		09.16.2004	5	0	CU M/MI	652.41	CU M
SP6		09.16.2004	5.05	0.00056	CU M/MI	654.16	CU M
SP6		09.16.2004	5.1	0.01751	CU M/MI	656	CU M
SP6		09.16.2004	5.15	0.44596	CU M/MI	657.58	CU M
SP6		09.16.2004	5.2	0.44665	CU M/MI	659.08	CU M
SP6		09.16.2004	5.25	0.44678	CU M/MI	660.56	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6		09.16.2004	5.3	0.44559	CU M/MI	662	CU M
SP6		09.16.2004	5.35	0.44143	CU M/MI	663.5	CU M
SP6		09.16.2004	5.4	0.43356	CU M/MI	665	CU M
SP6		09.16.2004	5.45	0	CU M/MI	666.62	CU M
SP6		09.16.2004	5.5	0.00348	CU M/MI	668.4	CU M
SP6		09.16.2004	5.55	0.34154	CU M/MI	670.13	CU M
SP6		09.16.2004	6	0.44283	CU M/MI	671.61	CU M
SP6		09.16.2004	6.05	0.44325	CU M/MI	673.08	CU M
SP6		09.16.2004	6.1	0.44283	CU M/MI	674.57	CU M
SP6		09.16.2004	6.15	0.44419	CU M/MI	676.03	CU M
SP6		09.16.2004	6.2	0.41237	CU M/MI	677.49	CU M
SP6		09.16.2004	6.25	0	CU M/MI	678.99	CU M
SP6		09.16.2004	6.3	0	CU M/MI	680.78	CU M
SP6		09.16.2004	6.35	0.01659	CU M/MI	682.55	CU M
SP6		09.16.2004	6.4	0.44045	CU M/MI	684.13	CU M
SP6		09.16.2004	6.45	0.44441	CU M/MI	685.61	CU M
SP6		09.16.2004	6.5	0.44437	CU M/MI	687	CU M
SP6		09.16.2004	6.55	0.44773	CU M/MI	687.84	CU M
SP6		09.16.2004	7	0.43628	CU M/MI	688.56	CU M
SP6		09.16.2004	7.05	0.42197	CU M/MI	689.6	CU M
SP6		09.16.2004	7.1	0.44178	CU M/MI	691.82	CU M
SP6		09.16.2004	7.15	0.43907	CU M/MI	693.29	CU M
SP6		09.16.2004	7.2	0.44181	CU M/MI	694.76	CU M
SP6		09.16.2004	7.25	0.44248	CU M/MI	696.25	CU M
SP6		09.16.2004	7.3	0.44176	CU M/MI	697.73	CU M
SP6		09.16.2004	7.35	0.43916	CU M/MI	699.22	CU M
SP6		09.16.2004	7.4	0.4349	CU M/MI	700.7	CU M
SP6		09.16.2004	7.45	0.35176	CU M/MI	702.2	CU M
SP6		09.16.2004	7.5	0.00044	CU M/MI	704.03	CU M
SP6		09.16.2004	7.55	0.01272	CU M/MI	705.71	CU M
SP6		09.16.2004	8	0	CU M/MI	706.72	CU M
SP6		09.16.2004	8.05	0.44506	CU M/MI	707.95	CU M
SP6		09.16.2004	8.1	0.44335	CU M/MI	709.37	CU M
SP6		09.16.2004	8.15	0.44069	CU M/MI	710.86	CU M
SP6		09.16.2004	8.2	0.42935	CU M/MI	712.34	CU M
SP6		09.16.2004	8.25	0	CU M/MI	714	CU M
SP6		09.16.2004	8.3	0.00307	CU M/MI	715.75	CU M
SP6		09.16.2004	8.35	0.05218	CU M/MI	717.48	CU M
SP6		09.16.2004	8.4	0.44158	CU M/MI	719	CU M
SP6		09.16.2004	8.45	0.43945	CU M/MI	720.48	CU M
SP6		09.16.2004	8.5	0.44014	CU M/MI	721.96	CU M
SP6		09.16.2004	8.55	0.43981	CU M/MI	723.44	CU M
SP6		09.16.2004	9	0.43981	CU M/MI	724.92	CU M
SP6		09.16.2004	9.05	0.43208	CU M/MI	726.4	CU M
SP6		09.16.2004	9.1	0.00001	CU M/MI	728.01	CU M
SP6		09.16.2004	9.15	0.00232	CU M/MI	729.78	CU M
SP6		09.16.2004	9.2	0.05602	CU M/MI	731.52	CU M
SP6		09.16.2004	9.25	0.43933	CU M/MI	733	CU M
SP6		09.16.2004	9.3	0.43884	CU M/MI	734.46	CU M
SP6		09.16.2004	9.35	0.4414	CU M/MI	735.93	CU M
SP6		09.16.2004	9.4	0.43944	CU M/MI	737.41	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6		09.16.2004	9.45	0.43479	CU M/MI	738.89	CU M
SP6		09.16.2004	9.5	0.42425	CU M/MI	740.37	CU M
SP6		09.16.2004	9.55	0	CU M/MI	742.01	CU M
SP6		09.16.2004	10	0.00197	CU M/MI	743.75	CU M
SP6		09.16.2004	10.05	0.05994	CU M/MI	745.49	CU M
SP6		09.16.2004	10.1	0.43787	CU M/MI	746.99	CU M
SP6		09.16.2004	10.15	0.43834	CU M/MI	748.47	CU M
SP6		09.16.2004	10.2	0.44125	CU M/MI	749.93	CU M
SP6		09.16.2004	10.25	0.26557	CU M/MI	751.4	CU M
SP6		09.16.2004	10.3	0.43441	CU M/MI	752.83	CU M
SP6		09.16.2004	10.35	0	CU M/MI	754.36	CU M
SP6		09.16.2004	10.4	0.00107	CU M/MI	756.16	CU M
SP6		09.16.2004	10.45	0.04647	CU M/MI	757.91	CU M
SP6		09.16.2004	10.5	0.43487	CU M/MI	759.4	CU M
SP6		09.16.2004	10.55	0.43668	CU M/MI	760.86	CU M
SP6		09.16.2004	11	0.43775	CU M/MI	762.33	CU M
SP6		09.16.2004	11.05	0.43333	CU M/MI	763.78	CU M
SP6		09.16.2004	11.1	0	CU M/MI	764.79	CU M
SP6		09.16.2004	11.15	0.43673	CU M/MI	766.55	CU M
SP6		09.16.2004	11.2	0.43813	CU M/MI	768	CU M
SP6		09.16.2004	11.25	0.43374	CU M/MI	769.49	CU M
SP6		09.16.2004	11.3	0.43598	CU M/MI	771	CU M
SP6		09.16.2004	11.35	0.43271	CU M/MI	772.49	CU M
SP6		09.16.2004	11.4	0.34001	CU M/MI	773.96	CU M
SP6		09.16.2004	11.45	0	CU M/MI	775.66	CU M
SP6		09.16.2004	11.5	0.00622	CU M/MI	777.4	CU M
SP6		09.16.2004	11.55	0.43372	CU M/MI	779.02	CU M
SP6		09.16.2004	12	0.43162	CU M/MI	780.49	CU M
SP6		09.16.2004	12.05	0.43379	CU M/MI	781.95	CU M
SP6		09.16.2004	12.1	0.39022	CU M/MI	782.6	CU M
SP6		09.16.2004	12.15	0.43386	CU M/MI	784.19	CU M
SP6		09.16.2004	12.2	0.41284	CU M/MI	785.65	CU M
SP6		09.16.2004	12.25	0	CU M/MI	787.35	CU M
SP6		09.16.2004	12.3	0.0058	CU M/MI	789.11	CU M
SP6		09.16.2004	12.35	0.43346	CU M/MI	790.74	CU M
SP6		09.16.2004	12.4	0.43228	CU M/MI	792.19	CU M
SP6		09.16.2004	12.45	0.43262	CU M/MI	793.66	CU M
SP6		09.16.2004	12.5	0.43295	CU M/MI	795.12	CU M
SP6		09.16.2004	12.55	0.429	CU M/MI	796.56	CU M
SP6		09.16.2004	13	0.40611	CU M/MI	798.02	CU M
SP6		09.16.2004	13.05	0.00005	CU M/MI	799.76	CU M
SP6		09.16.2004	13.1	0.01799	CU M/MI	801.53	CU M
SP6		09.16.2004	13.15	0.4301	CU M/MI	803.07	CU M
SP6		09.16.2004	13.2	0.42599	CU M/MI	804.48	CU M
SP6		09.16.2004	13.25	0.43131	CU M/MI	805.96	CU M
SP6		09.16.2004	13.3	0.43	CU M/MI	807.44	CU M
SP6		09.16.2004	13.35	0.42956	CU M/MI	808.9	CU M
SP6		09.16.2004	13.4	0.41431	CU M/MI	810.36	CU M
SP6		09.16.2004	13.45	0	CU M/MI	811.94	CU M
SP6		09.16.2004	13.5	0.00058	CU M/MI	813.66	CU M
SP6		09.16.2004	13.55	0.04266	CU M/MI	815.4	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6		09.16.2004	14	0.42668	CU M/MI	816.89	CU M
SP6		09.16.2004	14.05	0.42807	CU M/MI	818.35	CU M
SP6		09.16.2004	14.1	0.43131	CU M/MI	819.81	CU M
SP6		09.16.2004	14.15	0.43008	CU M/MI	821.28	CU M
SP6		09.16.2004	14.2	0.42791	CU M/MI	822.73	CU M
SP6		09.16.2004	14.25	0	CU M/MI	823.88	CU M
SP6		09.16.2004	14.3	0	CU M/MI	823.88	CU M
SP6		09.16.2004	14.35	0	CU M/MI	823.87	CU M
SP6		09.16.2004	14.4	0	CU M/MI	823.87	CU M
SP6		09.16.2004	14.45	0	CU M/MI	823.87	CU M
SP6		09.16.2004	14.5	0	CU M/MI	823.87	CU M
SP6		09.16.2004	14.55	0	CU M/MI	823.87	CU M
SP6		09.16.2004	15	0	CU M/MI	823.87	CU M
SP6		09.16.2004	15.05	0.00012	CU M/MI	823.87	CU M
SP6		09.16.2004	15.1	0.00017	CU M/MI	823.87	CU M
SP6		09.16.2004	15.15	0	CU M/MI	823.87	CU M
SP6		09.16.2004	15.2	0	CU M/MI	823.87	CU M
SP6		09.16.2004	15.25	0	CU M/MI	823.87	CU M
SP6		09.16.2004	15.3	0	CU M/MI	823.87	CU M
SP6		09.16.2004	15.35	0	CU M/MI	823.87	CU M
SP6		09.16.2004	15.4	0.43205	CU M/MI	824.34	CU M
SP6		09.16.2004	15.45	0.41872	CU M/MI	825.04	CU M
SP6		09.16.2004	15.5	0.41161	CU M/MI	825.85	CU M
SP6		09.16.2004	15.55	0.41762	CU M/MI	826.7	CU M
SP6		09.16.2004	16	0.40587	CU M/MI	827.49	CU M
SP6		09.16.2004	16.05	0.38233	CU M/MI	828.29	CU M
SP6		09.16.2004	16.1	0.00002	CU M/MI	829.14	CU M
SP6		09.16.2004	16.15	0.00024	CU M/MI	830.04	CU M
SP6		09.16.2004	16.2	0.0002	CU M/MI	830.92	CU M
SP6		09.16.2004	16.25	0.00019	CU M/MI	831.8	CU M
SP6		09.16.2004	16.3	0.00027	CU M/MI	832.67	CU M
SP6		09.16.2004	16.35	0.00006	CU M/MI	833.56	CU M
SP6		09.16.2004	16.4	0.0004	CU M/MI	834.44	CU M
SP6		09.16.2004	16.45	0.00067	CU M/MI	835.34	CU M
SP6		09.16.2004	16.5	0.00058	CU M/MI	836.23	CU M
SP6		09.16.2004	16.55	0.00063	CU M/MI	837.11	CU M
SP6		09.16.2004	17	0.00042	CU M/MI	837.98	CU M
SP6		09.16.2004	17.05	0.00097	CU M/MI	838.86	CU M
SP6		09.16.2004	17.1	0.0014	CU M/MI	839.71	CU M
SP6		09.16.2004	17.15	0.00184	CU M/MI	840.59	CU M
SP6		09.16.2004	17.2	0.00233	CU M/MI	841.48	CU M
SP6		09.16.2004	17.25	0.00404	CU M/MI	842.37	CU M
SP6		09.16.2004	17.3	0.00611	CU M/MI	843.24	CU M
SP6		09.16.2004	17.35	0.00056	CU M/MI	843.24	CU M
SP6		09.16.2004	17.4	0.43664	CU M/MI	844.35	CU M
SP6		09.16.2004	17.45	0.3855	CU M/MI	845.04	CU M
SP6		09.16.2004	17.5	0.43986	CU M/MI	845.87	CU M
SP6		09.16.2004	17.55	0.44228	CU M/MI	846.72	CU M
SP6		09.16.2004	18	0.44366	CU M/MI	847.53	CU M
SP6		09.16.2004	18.05	0.44341	CU M/MI	848.37	CU M
SP6		09.16.2004	18.1	0.44252	CU M/MI	849.24	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6		09.16.2004	18.15	0.43684	CU M/MI	850.07	CU M
SP6		09.16.2004	18.2	0.44311	CU M/MI	851.02	CU M
SP6		09.16.2004	18.25	0.43626	CU M/MI	851.8	CU M
SP6		09.16.2004	18.3	0.43149	CU M/MI	852.58	CU M
SP6		09.16.2004	18.35	0.42821	CU M/MI	853.34	CU M
SP6		09.16.2004	18.4	0.42128	CU M/MI	854.18	CU M
SP6		09.16.2004	18.45	0.40306	CU M/MI	854.99	CU M
SP6		09.16.2004	18.5	0	CU M/MI	855.83	CU M
SP6		09.16.2004	18.55	0.00007	CU M/MI	856.74	CU M
SP6		09.16.2004	19	0	CU M/MI	857.65	CU M
SP6		09.16.2004	19.05	0	CU M/MI	858.48	CU M
SP6		09.16.2004	19.1	0	CU M/MI	859.31	CU M
SP6		09.16.2004	19.15	0	CU M/MI	860.14	CU M
SP6		09.16.2004	19.2	0	CU M/MI	861.03	CU M
SP6		09.16.2004	19.25	0	CU M/MI	861.89	CU M
SP6		09.16.2004	19.3	0	CU M/MI	862.75	CU M
SP6		09.16.2004	19.35	0	CU M/MI	863.55	CU M
SP6		09.16.2004	19.4	0	CU M/MI	864.19	CU M
SP6		09.16.2004	19.45	0	CU M/MI	865.69	CU M
SP6		09.16.2004	19.5	0.00025	CU M/MI	867.31	CU M
SP6		09.16.2004	19.55	0.00189	CU M/MI	868.95	CU M
SP6		09.16.2004	20	0.0221	CU M/MI	870.55	CU M
SP6		09.16.2004	20.05	0.32343	CU M/MI	872.13	CU M
SP6		09.16.2004	20.1	0.43084	CU M/MI	873.58	CU M
SP6		09.16.2004	20.15	0.42964	CU M/MI	875.02	CU M
SP6		09.16.2004	20.2	0.43101	CU M/MI	876.49	CU M
SP6		09.16.2004	20.25	0.42827	CU M/MI	877.96	CU M
SP6		09.16.2004	20.3	0.42653	CU M/MI	879.43	CU M
SP6		09.16.2004	20.35	0	CU M/MI	880.21	CU M
SP6		09.16.2004	20.4	0	CU M/MI	880.21	CU M
SP6		09.16.2004	20.45	0	CU M/MI	880.21	CU M
SP6		09.16.2004	20.5	0	CU M/MI	880.2	CU M
SP6		09.16.2004	20.55	0	CU M/MI	880.2	CU M
SP6		09.16.2004	21	0	CU M/MI	880.2	CU M
SP6		09.16.2004	21.05	0	CU M/MI	880.2	CU M
SP6		09.16.2004	21.1	0	CU M/MI	880.2	CU M
SP6		09.16.2004	21.15	0	CU M/MI	880.19	CU M
SP6		09.16.2004	21.2	0	CU M/MI	880.19	CU M
SP6		09.16.2004	21.25	0	CU M/MI	880.19	CU M
SP6		09.16.2004	21.3	0	CU M/MI	880.19	CU M
SP6		09.16.2004	21.35	0	CU M/MI	880.19	CU M
SP6		09.16.2004	21.4	0	CU M/MI	880.18	CU M
SP6		09.16.2004	21.45	0	CU M/MI	880.18	CU M
SP6		09.16.2004	21.5	0	CU M/MI	880.18	CU M
SP6		09.16.2004	21.55	0	CU M/MI	880.17	CU M
SP6		09.16.2004	22	0	CU M/MI	880.17	CU M
SP6		09.16.2004	22.05	0	CU M/MI	880.17	CU M
SP6		09.16.2004	22.1	0	CU M/MI	880.16	CU M
SP6		09.16.2004	22.15	0	CU M/MI	880.16	CU M
SP6		09.16.2004	22.2	0	CU M/MI	880.15	CU M
SP6		09.16.2004	22.25	0	CU M/MI	880.15	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6		09.16.2004	22.3	0	CU M/MI	880.14	CU M
SP6		09.16.2004	22.35	0	CU M/MI	880.14	CU M
SP6		09.16.2004	22.4	0	CU M/MI	880.14	CU M
SP6		09.16.2004	22.45	0	CU M/MI	880.13	CU M
SP6		09.16.2004	22.5	0	CU M/MI	880.13	CU M
SP6		09.16.2004	22.55	0	CU M/MI	880.12	CU M
SP6		09.16.2004	23	0	CU M/MI	880.12	CU M
SP6		09.16.2004	23.05	0	CU M/MI	880.11	CU M
SP6		09.16.2004	23.1	0	CU M/MI	880.11	CU M
SP6		09.16.2004	23.15	0	CU M/MI	880.1	CU M
SP6		09.16.2004	23.2	0	CU M/MI	880.1	CU M
SP6		09.16.2004	23.25	0	CU M/MI	880.1	CU M
SP6		09.16.2004	23.3	0	CU M/MI	880.09	CU M
SP6		09.16.2004	23.35	0	CU M/MI	880.09	CU M
SP6		09.16.2004	23.4	0	CU M/MI	880.08	CU M
SP6		09.16.2004	23.45	0	CU M/MI	880.87	CU M
SP6		09.16.2004	23.5	0	CU M/MI	881.63	CU M
SP6		09.16.2004	23.55	0.00002	CU M/MI	882.46	CU M
SP6		09.17.2004	0	0	CU M/MI	883.31	CU M
SP6		09.17.2004	0.05	0.00049	CU M/MI	884.08	CU M
SP6		09.17.2004	0.1	0.00018	CU M/MI	884.92	CU M
SP6		09.17.2004	0.15	0.00053	CU M/MI	885.74	CU M
SP6		09.17.2004	0.2	0.00041	CU M/MI	886.52	CU M
SP6		09.17.2004	0.25	0.00064	CU M/MI	887.34	CU M
SP6		09.17.2004	0.3	0.00015	CU M/MI	888.26	CU M
SP6		09.17.2004	0.35	0.00048	CU M/MI	889.14	CU M
SP6		09.17.2004	0.4	0.0037	CU M/MI	890.04	CU M
SP6		09.17.2004	0.45	0.03996	CU M/MI	891	CU M
SP6		09.17.2004	0.5	0.0002	CU M/MI	891.01	CU M
SP6		09.17.2004	0.55	0.01634	CU M/MI	891.93	CU M
SP6		09.17.2004	1	0.01446	CU M/MI	892.73	CU M
SP6		09.17.2004	1.05	0.01224	CU M/MI	893.52	CU M
SP6		09.17.2004	1.1	0.4086	CU M/MI	894.31	CU M
SP6		09.17.2004	1.15	0.43541	CU M/MI	895.05	CU M
SP6		09.17.2004	1.2	0.43678	CU M/MI	895.79	CU M
SP6		09.17.2004	1.25	0.43527	CU M/MI	896.48	CU M
SP6		09.17.2004	1.3	0.43646	CU M/MI	897.18	CU M
SP6		09.17.2004	1.35	0.41522	CU M/MI	897.81	CU M
SP6		09.17.2004	1.4	0	CU M/MI	898.56	CU M
SP6		09.17.2004	1.45	0.00001	CU M/MI	899.42	CU M
SP6		09.17.2004	1.5	0	CU M/MI	900.21	CU M
SP6		09.17.2004	1.55	0.00001	CU M/MI	901.03	CU M
SP6		09.17.2004	2	0	CU M/MI	901.88	CU M
SP6		09.17.2004	2.05	0.0017	CU M/MI	902.75	CU M
SP6		09.17.2004	2.1	0.00534	CU M/MI	903.53	CU M
SP6		09.17.2004	2.15	0.03211	CU M/MI	904.32	CU M
SP6		09.17.2004	2.2	0.05949	CU M/MI	905.07	CU M
SP6		09.17.2004	2.25	0.04874	CU M/MI	905.83	CU M
SP6		09.17.2004	2.3	0.43251	CU M/MI	906.43	CU M
SP6		09.17.2004	2.35	0.43541	CU M/MI	907.06	CU M
SP6		09.17.2004	2.4	0.43151	CU M/MI	907.71	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6		09.17.2004	2.45	0	CU M/MI	908.49	CU M
SP6		09.17.2004	2.5	0.0136	CU M/MI	909.54	CU M
SP6		09.17.2004	2.55	0.43196	CU M/MI	911.05	CU M
SP6		09.17.2004	3	0.43516	CU M/MI	912.45	CU M
SP6		09.17.2004	3.05	0.431	CU M/MI	913.85	CU M
SP6		09.17.2004	3.1	0.43369	CU M/MI	915.29	CU M
SP6		09.17.2004	3.15	0.43333	CU M/MI	916.69	CU M
SP6		09.17.2004	3.2	0.43097	CU M/MI	918.12	CU M
SP6		09.17.2004	3.25	0.43098	CU M/MI	919.57	CU M
SP6		09.17.2004	3.3	0.42952	CU M/MI	920.97	CU M
SP6		09.17.2004	3.35	0.42733	CU M/MI	922.42	CU M
SP6		09.17.2004	3.4	0.42483	CU M/MI	923.84	CU M
SP6		09.17.2004	3.45	0.39576	CU M/MI	925.23	CU M
SP6		09.17.2004	3.5	0	CU M/MI	926.68	CU M
SP6		09.17.2004	3.55	0.00014	CU M/MI	928.24	CU M
SP6		09.17.2004	4	0.00028	CU M/MI	929.77	CU M
SP6		09.17.2004	4.05	0.00006	CU M/MI	931.24	CU M
SP6		09.17.2004	4.1	0.00686	CU M/MI	932.82	CU M
SP6		09.17.2004	4.15	0.00738	CU M/MI	934.22	CU M
SP6		09.17.2004	4.2	0.02643	CU M/MI	935.73	CU M
SP6		09.17.2004	4.25	0.43142	CU M/MI	937.2	CU M
SP6		09.17.2004	4.3	0.01026	CU M/MI	937.94	CU M
SP6		09.17.2004	4.35	0.03542	CU M/MI	938.68	CU M
SP6		09.17.2004	4.4	0.42733	CU M/MI	939.14	CU M
SP6		09.17.2004	4.45	0.43018	CU M/MI	940.54	CU M
SP6		09.17.2004	4.5	0.42859	CU M/MI	941.94	CU M
SP6		09.17.2004	4.55	0.42924	CU M/MI	943.37	CU M
SP6		09.17.2004	5	0.43005	CU M/MI	944.75	CU M
SP6		09.17.2004	5.05	0.42876	CU M/MI	946.18	CU M
SP6		09.17.2004	5.1	0.42897	CU M/MI	947.54	CU M
SP6		09.17.2004	5.15	0.42777	CU M/MI	948.92	CU M
SP6		09.17.2004	5.2	0.42395	CU M/MI	950.3	CU M
SP6		09.17.2004	5.25	0.409	CU M/MI	950.92	CU M
SP6		09.17.2004	5.3	0.00455	CU M/MI	952.87	CU M
SP6		09.17.2004	5.35	0.01618	CU M/MI	954.39	CU M
SP6		09.17.2004	5.4	0.0311	CU M/MI	955.86	CU M
SP6		09.17.2004	5.45	0.36474	CU M/MI	957.37	CU M
SP6		09.17.2004	5.5	0.43305	CU M/MI	958.76	CU M
SP6		09.17.2004	5.55	0.4312	CU M/MI	960.15	CU M
SP6		09.17.2004	6	0.43327	CU M/MI	961.55	CU M
SP6		09.17.2004	6.05	0.4343	CU M/MI	962.9	CU M
SP6		09.17.2004	6.1	0.43415	CU M/MI	964.28	CU M
SP6		09.17.2004	6.15	0.43261	CU M/MI	965.67	CU M
SP6		09.17.2004	6.2	0.43334	CU M/MI	967.06	CU M
SP6		09.17.2004	6.25	0.42985	CU M/MI	968.45	CU M
SP6		09.17.2004	6.3	0.4326	CU M/MI	969.84	CU M
SP6		09.17.2004	6.35	0.42931	CU M/MI	971.22	CU M
SP6		09.17.2004	6.4	0.42464	CU M/MI	972.6	CU M
SP6		09.17.2004	6.45	0.41915	CU M/MI	973.99	CU M
SP6		09.17.2004	6.5	0.38986	CU M/MI	975.38	CU M
SP6		09.17.2004	6.55	0	CU M/MI	976.77	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6		09.17.2004	7	0.43201	CU M/MI	977.64	CU M
SP6		09.17.2004	7.05	0.43312	CU M/MI	979.04	CU M
SP6		09.17.2004	7.1	0.43355	CU M/MI	980.39	CU M
SP6		09.17.2004	7.15	0.43184	CU M/MI	981.75	CU M
SP6		09.17.2004	7.2	0.43092	CU M/MI	983.13	CU M
SP6		09.17.2004	7.25	0.43021	CU M/MI	984.51	CU M
SP6		09.17.2004	7.3	0.42986	CU M/MI	985.89	CU M
SP6		09.17.2004	7.35	0.4292	CU M/MI	987.23	CU M
SP6		09.17.2004	7.4	0.41843	CU M/MI	988.66	CU M
SP6		09.17.2004	7.45	0.42943	CU M/MI	990.03	CU M
SP6		09.17.2004	7.5	0.42707	CU M/MI	991.38	CU M
SP6		09.17.2004	7.55	0.42364	CU M/MI	992.73	CU M
SP6		09.17.2004	8	0.4101	CU M/MI	994.06	CU M
SP6		09.17.2004	8.05	0	CU M/MI	995.41	CU M
SP6		09.17.2004	8.1	0	CU M/MI	996.87	CU M
SP6		09.17.2004	8.15	0	CU M/MI	998.2	CU M
SP6		09.17.2004	8.2	0	CU M/MI	999.55	CU M
SP6		09.17.2004	8.25	0	CU M/MI	1000.87	CU M
SP6		09.17.2004	8.3	0	CU M/MI	1002.24	CU M
SP6		09.17.2004	8.35	0.36586	CU M/MI	1003.56	CU M
SP6		09.17.2004	8.4	0.00035	CU M/MI	1004.64	CU M
SP6		09.17.2004	8.45	0.43304	CU M/MI	1005.19	CU M
SP6		09.17.2004	8.5	0.00362	CU M/MI	1007.15	CU M
SP6		09.17.2004	8.55	0.44685	CU M/MI	1008.96	CU M
SP6		09.17.2004	9	0.44572	CU M/MI	1010.48	CU M
SP6		09.17.2004	9.05	0.44639	CU M/MI	1012	CU M
SP6		09.17.2004	9.1	0.43697	CU M/MI	1013.46	CU M
SP6		09.17.2004	9.15	0.44456	CU M/MI	1014.97	CU M
SP6		09.17.2004	9.2	0.44401	CU M/MI	1016.5	CU M
SP6		09.17.2004	9.25	0.41466	CU M/MI	1018.02	CU M
SP6		09.17.2004	9.3	0	CU M/MI	1019.64	CU M
SP6		09.17.2004	9.35	0.00209	CU M/MI	1021.4	CU M
SP6		09.17.2004	9.4	0	CU M/MI	1022.25	CU M
SP6		09.17.2004	9.45	0.44535	CU M/MI	1024.1	CU M
SP6		09.17.2004	9.5	0.44736	CU M/MI	1025.58	CU M
SP6		09.17.2004	9.55	0.44737	CU M/MI	1027.11	CU M
SP6		09.17.2004	10	0.4491	CU M/MI	1028.63	CU M
SP6		09.17.2004	10.05	0.44661	CU M/MI	1030.13	CU M
SP6		09.17.2004	10.1	0.39037	CU M/MI	1031.64	CU M
SP6		09.17.2004	10.15	0.00098	CU M/MI	1033.35	CU M
SP6		09.17.2004	10.2	0.00092	CU M/MI	1035.05	CU M
SP6		09.17.2004	10.25	0.02197	CU M/MI	1036.79	CU M
SP6		09.17.2004	10.3	0.45121	CU M/MI	1038.38	CU M
SP6		09.17.2004	10.35	0.44993	CU M/MI	1039.89	CU M
SP6		09.17.2004	10.4	0.44964	CU M/MI	1041.39	CU M
SP6		09.17.2004	10.45	0.44891	CU M/MI	1042.9	CU M
SP6		09.17.2004	10.5	0.4533	CU M/MI	1044.4	CU M
SP6		09.17.2004	10.55	0.45605	CU M/MI	1045.9	CU M
SP6		09.17.2004	11	0.45703	CU M/MI	1047.42	CU M
SP6		09.17.2004	11.05	0.44984	CU M/MI	1048.87	CU M
SP6		09.17.2004	11.1	0.41956	CU M/MI	1050.38	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6		09.17.2004	11.15	0.00023	CU M/MI	1051.15	CU M
SP6		09.17.2004	11.2	0.07705	CU M/MI	1053.37	CU M
SP6		09.17.2004	11.25	0.44861	CU M/MI	1054.85	CU M
SP6		09.17.2004	11.3	0.45547	CU M/MI	1056.43	CU M
SP6		09.17.2004	11.35	0.45302	CU M/MI	1057.94	CU M
SP6		09.17.2004	11.4	0.45436	CU M/MI	1059.46	CU M
SP6		09.17.2004	11.45	0.454	CU M/MI	1061.03	CU M
SP6		09.17.2004	13.25	0.00071	CU M/MI	1062.19	CU M
SP6		09.17.2004	13.3	0.0005	CU M/MI	1063.76	CU M
SP6		09.17.2004	13.35	0.00047	CU M/MI	1065.28	CU M
SP6		09.17.2004	13.4	0.00274	CU M/MI	1066.84	CU M
SP6		09.17.2004	13.45	0.02093	CU M/MI	1068.4	CU M
SP6		09.17.2004	13.5	0.0053	CU M/MI	1069.24	CU M
SP6		09.17.2004	13.55	0.45005	CU M/MI	1070.87	CU M
SP6		09.17.2004	14	0.4487	CU M/MI	1072.34	CU M
SP6		09.17.2004	14.05	0.4505	CU M/MI	1073.81	CU M
SP6		09.17.2004	14.1	0.44846	CU M/MI	1075.24	CU M
SP6		09.17.2004	14.15	0.44878	CU M/MI	1076.68	CU M
SP6		09.17.2004	14.2	0.44752	CU M/MI	1078.09	CU M
SP6		09.17.2004	14.25	0.4405	CU M/MI	1079.54	CU M
SP6		09.17.2004	14.3	0.44333	CU M/MI	1080.96	CU M
SP6		09.17.2004	14.35	0.43387	CU M/MI	1082.4	CU M
SP6		09.17.2004	14.4	0.39811	CU M/MI	1083.82	CU M
SP6		09.17.2004	14.45	0.00015	CU M/MI	1085.31	CU M
SP6		09.17.2004	14.5	0.00014	CU M/MI	1086.76	CU M
SP6		09.17.2004	14.55	0	CU M/MI	1087.79	CU M
SP6		09.17.2004	15	0	CU M/MI	1088.58	CU M
SP6		09.17.2004	15.05	0	CU M/MI	1089.39	CU M
SP6		09.17.2004	15.1	0	CU M/MI	1089.39	CU M
SP6		09.17.2004	15.15	0	CU M/MI	1089.39	CU M
SP6		09.17.2004	15.2	0	CU M/MI	1089.39	CU M
SP6		09.17.2004	15.25	0	CU M/MI	1089.39	CU M
SP6		09.17.2004	15.3	0	CU M/MI	1089.38	CU M
SP6		09.17.2004	15.35	0	CU M/MI	1089.38	CU M
SP6		09.17.2004	15.4	0	CU M/MI	1089.38	CU M
SP6		09.17.2004	15.45	0	CU M/MI	1089.38	CU M
SP6		09.17.2004	15.5	0	CU M/MI	1089.38	CU M
SP6		09.17.2004	15.55	0	CU M/MI	1089.37	CU M
SP6		09.17.2004	16	0	CU M/MI	1089.37	CU M
SP6		09.17.2004	16.05	0	CU M/MI	1089.36	CU M
SP6		09.17.2004	16.1	0	CU M/MI	1089.36	CU M
SP6		09.17.2004	16.15	0	CU M/MI	1089.35	CU M
SP6		09.17.2004	16.2	0	CU M/MI	1089.35	CU M
SP6		09.17.2004	16.25	0	CU M/MI	1089.35	CU M
SP6		09.17.2004	16.3	0	CU M/MI	1089.34	CU M
SP6		09.17.2004	16.35	0	CU M/MI	1089.34	CU M
SP6		09.17.2004	16.4	0	CU M/MI	1089.34	CU M
SP6		09.17.2004	16.45	0.44496	CU M/MI	1089.9	CU M
SP6		09.17.2004	16.5	0.44836	CU M/MI	1090.81	CU M
SP6		09.17.2004	16.55	0.45481	CU M/MI	1091.69	CU M
SP6		09.17.2004	17	0.45872	CU M/MI	1092.51	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6		09.17.2004	17.05	0.45298	CU M/MI	1093.27	CU M
SP6		09.17.2004	17.1	0.46186	CU M/MI	1094.69	CU M
SP6		09.17.2004	17.15	0.00021	CU M/MI	1096.47	CU M
SP6		09.17.2004	17.2	0.03868	CU M/MI	1098.5	CU M
SP6		09.17.2004	17.25	0.45237	CU M/MI	1100.09	CU M
SP6		09.17.2004	17.3	0.45241	CU M/MI	1101.64	CU M
SP6		09.17.2004	17.35	0.4514	CU M/MI	1103.18	CU M
SP6		09.17.2004	17.4	0	CU M/MI	1104.24	CU M
SP6		09.17.2004	17.45	0.44854	CU M/MI	1105.59	CU M
SP6		09.17.2004	17.5	0.00194	CU M/MI	1107.59	CU M
SP6		09.17.2004	17.55	0.44776	CU M/MI	1109.36	CU M
SP6		09.17.2004	18	0.44797	CU M/MI	1110.85	CU M
SP6		09.17.2004	18.05	0.44831	CU M/MI	1112.33	CU M
SP6		09.17.2004	18.1	0.44827	CU M/MI	1113.82	CU M
SP6		09.17.2004	18.15	0.44582	CU M/MI	1115.31	CU M
SP6		09.17.2004	18.2	0.45123	CU M/MI	1116.79	CU M
SP6		09.17.2004	18.25	0.45521	CU M/MI	1118.31	CU M
SP6		09.17.2004	18.3	0.44433	CU M/MI	1119.84	CU M
SP6		09.17.2004	18.35	0.00038	CU M/MI	1121.45	CU M
SP6		09.17.2004	18.4	0.00068	CU M/MI	1123.21	CU M
SP6		09.17.2004	18.45	0.00788	CU M/MI	1124.96	CU M
SP6		09.17.2004	18.5	0.45395	CU M/MI	1126.66	CU M
SP6		09.17.2004	18.55	0.45269	CU M/MI	1128.18	CU M
SP6		09.17.2004	19	0.45181	CU M/MI	1129.69	CU M
SP6		09.17.2004	19.05	0.45132	CU M/MI	1131.2	CU M
SP6		09.17.2004	19.1	0.44885	CU M/MI	1132.7	CU M
SP6		09.17.2004	19.15	0.44722	CU M/MI	1134.19	CU M
SP6		09.17.2004	19.2	0.4445	CU M/MI	1135.68	CU M
SP6		09.17.2004	19.25	0.39214	CU M/MI	1137.17	CU M
SP6		09.17.2004	19.3	0	CU M/MI	1138.91	CU M
SP6		09.17.2004	19.35	0	CU M/MI	1140.38	CU M
SP6		09.17.2004	19.4	0.44388	CU M/MI	1141.46	CU M
SP6		09.17.2004	19.45	0.44573	CU M/MI	1143.07	CU M
SP6		09.17.2004	19.5	0.44951	CU M/MI	1144.55	CU M
SP6		09.17.2004	19.55	0.45175	CU M/MI	1146.04	CU M
SP6		09.17.2004	20	0.44661	CU M/MI	1147.54	CU M
SP6		09.17.2004	20.05	0.44619	CU M/MI	1149.03	CU M
SP6		09.17.2004	20.1	0.00005	CU M/MI	1150.58	CU M
SP6		09.17.2004	20.15	0.0006	CU M/MI	1152.35	CU M
SP6		09.17.2004	20.2	0.0071	CU M/MI	1154.13	CU M
SP6		09.17.2004	20.25	0.45138	CU M/MI	1155.79	CU M
SP6		09.17.2004	20.3	0.45282	CU M/MI	1157.29	CU M
SP6		09.17.2004	20.35	0.45064	CU M/MI	1158.79	CU M
SP6		09.17.2004	20.4	0.45274	CU M/MI	1160.3	CU M
SP6		09.17.2004	20.45	0.44823	CU M/MI	1161.8	CU M
SP6		09.17.2004	20.5	0.44918	CU M/MI	1163.29	CU M
SP6		09.17.2004	20.55	0.43011	CU M/MI	1164.8	CU M
SP6		09.17.2004	21	0	CU M/MI	1166.49	CU M
SP6		09.17.2004	21.05	0.00259	CU M/MI	1168.26	CU M
SP6		09.17.2004	21.1	0.08599	CU M/MI	1170.03	CU M
SP6		09.17.2004	21.15	0.45019	CU M/MI	1171.54	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6		09.17.2004	21.2	0.45116	CU M/MI	1173.03	CU M
SP6		09.17.2004	21.25	0.44941	CU M/MI	1174.53	CU M
SP6		09.17.2004	21.3	0.44904	CU M/MI	1176.03	CU M
SP6		09.17.2004	21.35	0.44682	CU M/MI	1177.53	CU M
SP6		09.17.2004	21.4	0.43655	CU M/MI	1179.02	CU M
SP6		09.17.2004	21.45	0.00009	CU M/MI	1180.63	CU M
SP6		09.17.2004	21.5	0	CU M/MI	1181.46	CU M
SP6		09.17.2004	21.55	0.44801	CU M/MI	1183.44	CU M
SP6		09.17.2004	22	0.44939	CU M/MI	1184.92	CU M
SP6		09.17.2004	22.05	0.4462	CU M/MI	1186.41	CU M
SP6		09.17.2004	22.1	0.44398	CU M/MI	1187.89	CU M
SP6		09.17.2004	22.15	0.44006	CU M/MI	1189.36	CU M
SP6		09.17.2004	22.2	0	CU M/MI	1190.86	CU M
SP6		09.17.2004	22.25	0.00025	CU M/MI	1192.55	CU M
SP6		09.17.2004	22.3	0.0023	CU M/MI	1194.29	CU M
SP6		09.17.2004	22.35	0.43519	CU M/MI	1195.97	CU M
SP6		09.17.2004	22.4	0.442	CU M/MI	1197.45	CU M
SP6		09.17.2004	22.45	0.44192	CU M/MI	1198.94	CU M
SP6		09.17.2004	22.5	0.44675	CU M/MI	1200.42	CU M
SP6		09.17.2004	22.55	0.44695	CU M/MI	1201.91	CU M
SP6		09.17.2004	23	0.44231	CU M/MI	1203.43	CU M
SP6		09.17.2004	23.05	0	CU M/MI	1205.01	CU M
SP6		09.17.2004	23.1	0.00208	CU M/MI	1206.78	CU M
SP6		09.17.2004	23.15	0.44104	CU M/MI	1208.6	CU M
SP6		09.17.2004	23.2	0.44082	CU M/MI	1210.08	CU M
SP6		09.17.2004	23.25	0.43788	CU M/MI	1211.56	CU M
SP6		09.17.2004	23.3	0.43651	CU M/MI	1213.05	CU M
SP6		09.17.2004	23.35	0.43574	CU M/MI	1214.51	CU M
SP6		09.17.2004	23.4	0.41035	CU M/MI	1215.98	CU M
SP6		09.17.2004	23.45	0	CU M/MI	1217.2	CU M
SP6		09.17.2004	23.5	0.00977	CU M/MI	1218.6	CU M
SP6		09.17.2004	23.55	0.0373	CU M/MI	1220.28	CU M
SP6		09.18.2004	0	0.43198	CU M/MI	1221.76	CU M
SP6		09.18.2004	0.05	0	CU M/MI	1221.88	CU M
SP6		09.18.2004	0.1	0	CU M/MI	1221.87	CU M
SP6		09.18.2004	0.15	0	CU M/MI	1221.87	CU M
SP6		09.18.2004	0.2	0	CU M/MI	1221.87	CU M
SP6		09.18.2004	0.25	0.01491	CU M/MI	1223.5	CU M
SP6		09.18.2004	0.3	0.42995	CU M/MI	1225.04	CU M
SP6		09.18.2004	0.35	0.4322	CU M/MI	1226.48	CU M
SP6		09.18.2004	0.4	0.43353	CU M/MI	1227.92	CU M
SP6		09.18.2004	0.45	0.43046	CU M/MI	1229.36	CU M
SP6		09.18.2004	0.5	0.40899	CU M/MI	1230.78	CU M
SP6		09.18.2004	0.55	0	CU M/MI	1232.49	CU M
SP6		09.18.2004	1	0.04851	CU M/MI	1234.34	CU M
SP6		09.18.2004	1.05	0.43801	CU M/MI	1235.81	CU M
SP6		09.18.2004	1.1	0.4394	CU M/MI	1237.28	CU M
SP6		09.18.2004	1.15	0.43845	CU M/MI	1238.72	CU M
SP6		09.18.2004	1.2	0.43658	CU M/MI	1240.17	CU M
SP6		09.18.2004	1.25	0.36144	CU M/MI	1241.65	CU M
SP6		09.18.2004	1.3	0.00099	CU M/MI	1243.45	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6		09.18.2004	1.35	0.03235	CU M/MI	1245.24	CU M
SP6		09.18.2004	1.4	0.44168	CU M/MI	1246.78	CU M
SP6		09.18.2004	1.45	0	CU M/MI	1247.02	CU M
SP6		09.18.2004	1.5	0	CU M/MI	1247.02	CU M
SP6		09.18.2004	1.55	0	CU M/MI	1247.02	CU M
SP6		09.18.2004	2	0	CU M/MI	1247.01	CU M
SP6		09.18.2004	2.05	0.44018	CU M/MI	1247.71	CU M
SP6		09.18.2004	2.1	0.44423	CU M/MI	1249.14	CU M
SP6		09.18.2004	2.15	0.00007	CU M/MI	1250.39	CU M
SP6		09.18.2004	2.2	0	CU M/MI	1250.39	CU M
SP6		09.18.2004	2.25	0	CU M/MI	1250.39	CU M
SP6		09.18.2004	2.3	0	CU M/MI	1250.38	CU M
SP6		09.18.2004	2.35	0	CU M/MI	1250.38	CU M
SP6		09.18.2004	2.4	0	CU M/MI	1250.38	CU M
SP6		09.18.2004	2.45	0.44734	CU M/MI	1251.59	CU M
SP6		09.18.2004	2.5	0.44751	CU M/MI	1253.04	CU M
SP6		09.18.2004	2.55	0.44862	CU M/MI	1254.51	CU M
SP6		09.18.2004	3	0.44395	CU M/MI	1255.97	CU M
SP6		09.18.2004	3.05	0.00034	CU M/MI	1257.49	CU M
SP6		09.18.2004	3.1	0.0002	CU M/MI	1258.6	CU M
SP6		09.18.2004	3.15	0.44816	CU M/MI	1260.27	CU M
SP6		09.18.2004	3.2	0.44564	CU M/MI	1261.73	CU M
SP6		09.18.2004	3.25	0.00008	CU M/MI	1262.71	CU M
SP6		09.18.2004	3.3	0.00006	CU M/MI	1262.71	CU M
SP6		09.18.2004	3.35	0	CU M/MI	1262.71	CU M
SP6		09.18.2004	3.4	0	CU M/MI	1262.71	CU M
SP6		09.18.2004	3.45	0.00005	CU M/MI	1262.71	CU M
SP6		09.18.2004	3.5	0	CU M/MI	1262.71	CU M
SP6		09.18.2004	3.55	0	CU M/MI	1262.71	CU M
SP6		09.18.2004	4	0	CU M/MI	1262.71	CU M
SP6		09.18.2004	4.05	0	CU M/MI	1262.7	CU M
SP6		09.18.2004	4.1	0	CU M/MI	1262.7	CU M
SP6		09.18.2004	4.15	0	CU M/MI	1262.7	CU M
SP6		09.18.2004	4.2	0	CU M/MI	1262.69	CU M
SP6		09.18.2004	4.25	0	CU M/MI	1262.69	CU M
SP6		09.18.2004	4.3	0	CU M/MI	1262.69	CU M
SP6		09.18.2004	4.35	0	CU M/MI	1262.68	CU M
SP6		09.18.2004	4.4	0	CU M/MI	1262.68	CU M
SP6		09.18.2004	4.45	0	CU M/MI	1262.68	CU M
SP6		09.18.2004	4.5	0	CU M/MI	1262.68	CU M
SP6		09.18.2004	4.55	0	CU M/MI	1262.68	CU M
SP6		09.18.2004	5	0	CU M/MI	1262.68	CU M
SP6		09.18.2004	5.05	0	CU M/MI	1262.68	CU M
SP6		09.18.2004	5.1	0	CU M/MI	1262.67	CU M
SP6		09.18.2004	5.15	0	CU M/MI	1262.67	CU M
SP6		09.18.2004	5.2	0	CU M/MI	1262.67	CU M
SP6		09.18.2004	5.25	0	CU M/MI	1262.67	CU M
SP6		09.18.2004	5.3	0	CU M/MI	1262.67	CU M
SP6		09.18.2004	5.35	0	CU M/MI	1262.67	CU M
SP6		09.18.2004	5.4	0	CU M/MI	1262.66	CU M
SP6		09.18.2004	5.45	0	CU M/MI	1262.66	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6		09.18.2004	5.5	0	CU M/MI	1262.66	CU M
SP6		09.18.2004	5.55	0	CU M/MI	1262.66	CU M
SP6	Day 1	09.18.2004	6	0	CU M/MI	1262.65	CU M
SP6	Day 1	09.18.2004	6.05	0	CU M/MI	1262.65	CU M
SP6	Day 1	09.18.2004	6.1	0	CU M/MI	1262.65	CU M
SP6	Day 1	09.18.2004	6.15	0	CU M/MI	1262.64	CU M
SP6	Day 1	09.18.2004	6.2	0	CU M/MI	1262.64	CU M
SP6	Day 1	09.18.2004	6.25	0	CU M/MI	1262.64	CU M
SP6	Day 1	09.18.2004	6.3	0.4386	CU M/MI	1263.74	CU M
SP6	Day 1	09.18.2004	6.35	0.44977	CU M/MI	1265.2	CU M
SP6	Day 1	09.18.2004	6.4	0.4506	CU M/MI	1266.67	CU M
SP6	Day 1	09.18.2004	6.45	0.44448	CU M/MI	1268.15	CU M
SP6	Day 1	09.18.2004	6.5	0.4161	CU M/MI	1269.63	CU M
SP6	Day 1	09.18.2004	6.55	0.00073	CU M/MI	1271.36	CU M
SP6	Day 1	09.18.2004	7	0.0106	CU M/MI	1273.16	CU M
SP6	Day 1	09.18.2004	7.05	0.44157	CU M/MI	1274.77	CU M
SP6	Day 1	09.18.2004	7.1	0.44225	CU M/MI	1276.23	CU M
SP6	Day 1	09.18.2004	7.15	0.44208	CU M/MI	1277.69	CU M
SP6	Day 1	09.18.2004	7.2	0.44431	CU M/MI	1279.17	CU M
SP6	Day 1	09.18.2004	7.25	0.43741	CU M/MI	1280.64	CU M
SP6	Day 1	09.18.2004	7.3	0.00013	CU M/MI	1282.22	CU M
SP6	Day 1	09.18.2004	7.35	0.00301	CU M/MI	1284.03	CU M
SP6	Day 1	09.18.2004	7.4	0.44144	CU M/MI	1285.76	CU M
SP6	Day 1	09.18.2004	7.45	0.44034	CU M/MI	1287.2	CU M
SP6	Day 1	09.18.2004	7.5	0.44316	CU M/MI	1288.66	CU M
SP6	Day 1	09.18.2004	7.55	0.43989	CU M/MI	1290.12	CU M
SP6	Day 1	09.18.2004	8	0.44213	CU M/MI	1291.58	CU M
SP6	Day 1	09.18.2004	8.05	0.37806	CU M/MI	1293.06	CU M
SP6	Day 1	09.18.2004	8.1	0.00048	CU M/MI	1294.79	CU M
SP6	Day 1	09.18.2004	8.15	0.44277	CU M/MI	1295.89	CU M
SP6	Day 1	09.18.2004	8.2	0.44273	CU M/MI	1297.49	CU M
SP6	Day 1	09.18.2004	8.25	0.4458	CU M/MI	1298.97	CU M
SP6	Day 1	09.18.2004	8.3	0.44408	CU M/MI	1300.46	CU M
SP6	Day 1	09.18.2004	8.35	0.44922	CU M/MI	1301.96	CU M
SP6	Day 1	09.18.2004	8.4	0.37494	CU M/MI	1303.47	CU M
SP6	Day 1	09.18.2004	8.45	0.00134	CU M/MI	1305.36	CU M
SP6	Day 1	09.18.2004	8.5	0.17841	CU M/MI	1307.22	CU M
SP6	Day 1	09.18.2004	8.55	0.45254	CU M/MI	1308.73	CU M
SP6	Day 1	09.18.2004	9	0.4527	CU M/MI	1310.24	CU M
SP6	Day 1	09.18.2004	9.05	0.4512	CU M/MI	1311.74	CU M
SP6	Day 1	09.18.2004	9.1	0.44531	CU M/MI	1313.23	CU M
SP6	Day 1	09.18.2004	9.15	0	CU M/MI	1314.8	CU M
SP6	Day 1	09.18.2004	9.2	0.00273	CU M/MI	1316.7	CU M
SP6	Day 1	09.18.2004	9.25	0.4438	CU M/MI	1318.41	CU M
SP6	Day 1	09.18.2004	9.3	0.44365	CU M/MI	1319.89	CU M
SP6	Day 1	09.18.2004	9.35	0.44309	CU M/MI	1321.34	CU M
SP6	Day 1	09.18.2004	9.4	0.43914	CU M/MI	1322.79	CU M
SP6	Day 1	09.18.2004	9.45	0.43745	CU M/MI	1324.27	CU M
SP6	Day 1	09.18.2004	9.5	0.00024	CU M/MI	1325.85	CU M
SP6	Day 1	09.18.2004	9.55	0.00146	CU M/MI	1327.61	CU M
SP6	Day 1	09.18.2004	10	0.04175	CU M/MI	1329.38	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 1	09.18.2004	10.05	0.44265	CU M/MI	1330.89	CU M
SP6	Day 1	09.18.2004	11.45	0.00016	CU M/MI	1332.19	CU M
SP6	Day 1	09.18.2004	11.5	0.01864	CU M/MI	1333.97	CU M
SP6	Day 1	09.18.2004	11.55	0.43573	CU M/MI	1335.52	CU M
SP6	Day 1	09.18.2004	12	0.43634	CU M/MI	1336.95	CU M
SP6	Day 1	09.18.2004	12.05	0.43538	CU M/MI	1338.4	CU M
SP6	Day 1	09.18.2004	12.1	0.44007	CU M/MI	1339.86	CU M
SP6	Day 1	09.18.2004	12.15	0.43461	CU M/MI	1341.31	CU M
SP6	Day 1	09.18.2004	12.2	0	CU M/MI	1342.52	CU M
SP6	Day 1	09.18.2004	12.25	0.02934	CU M/MI	1344.04	CU M
SP6	Day 1	09.18.2004	12.3	0.01894	CU M/MI	1345.6	CU M
SP6	Day 1	09.18.2004	12.35	0.43997	CU M/MI	1347.15	CU M
SP6	Day 1	09.18.2004	12.4	0.44123	CU M/MI	1348.61	CU M
SP6	Day 1	09.18.2004	12.45	0.4184	CU M/MI	1350.07	CU M
SP6	Day 1	09.18.2004	12.5	0.44264	CU M/MI	1351.54	CU M
SP6	Day 1	09.18.2004	12.55	0.44379	CU M/MI	1353.01	CU M
SP6	Day 1	09.18.2004	13	0.40191	CU M/MI	1354.5	CU M
SP6	Day 1	09.18.2004	13.05	0	CU M/MI	1356.27	CU M
SP6	Day 1	09.18.2004	13.1	0.01128	CU M/MI	1358.04	CU M
SP6	Day 1	09.18.2004	13.15	0.4436	CU M/MI	1359.66	CU M
SP6	Day 1	09.18.2004	13.2	0.44172	CU M/MI	1361.13	CU M
SP6	Day 1	09.18.2004	13.25	0.44105	CU M/MI	1362.61	CU M
SP6	Day 1	09.18.2004	13.3	0.44042	CU M/MI	1364.08	CU M
SP6	Day 1	09.18.2004	13.35	0.44307	CU M/MI	1365.57	CU M
SP6	Day 1	09.18.2004	13.4	0.42105	CU M/MI	1367.06	CU M
SP6	Day 1	09.18.2004	13.45	0	CU M/MI	1368.8	CU M
SP6	Day 1	09.18.2004	13.5	0.00719	CU M/MI	1370.57	CU M
SP6	Day 1	09.18.2004	13.55	0.44473	CU M/MI	1372.22	CU M
SP6	Day 1	09.18.2004	14	0.44524	CU M/MI	1373.69	CU M
SP6	Day 1	09.18.2004	14.05	0.44245	CU M/MI	1375.16	CU M
SP6	Day 1	09.18.2004	14.1	0.4402	CU M/MI	1376.64	CU M
SP6	Day 1	09.18.2004	14.15	0.44165	CU M/MI	1378.12	CU M
SP6	Day 1	09.18.2004	14.2	0.42129	CU M/MI	1379.59	CU M
SP6	Day 1	09.18.2004	14.25	0	CU M/MI	1381.32	CU M
SP6	Day 1	09.18.2004	14.3	0	CU M/MI	1382.27	CU M
SP6	Day 1	09.18.2004	14.35	0.43848	CU M/MI	1383.87	CU M
SP6	Day 1	09.18.2004	14.4	0.43874	CU M/MI	1385.3	CU M
SP6	Day 1	09.18.2004	14.45	0.44312	CU M/MI	1386.77	CU M
SP6	Day 1	09.18.2004	14.5	0.43639	CU M/MI	1388.25	CU M
SP6	Day 1	09.18.2004	14.55	0.00015	CU M/MI	1389.82	CU M
SP6	Day 1	09.18.2004	15	0.00009	CU M/MI	1391.59	CU M
SP6	Day 1	09.18.2004	15.05	0.04611	CU M/MI	1393.37	CU M
SP6	Day 1	09.18.2004	15.1	0.44041	CU M/MI	1394.88	CU M
SP6	Day 1	09.18.2004	15.15	0.43974	CU M/MI	1396.35	CU M
SP6	Day 1	09.18.2004	15.2	0.43816	CU M/MI	1397.83	CU M
SP6	Day 1	09.18.2004	15.25	0.44295	CU M/MI	1399.31	CU M
SP6	Day 1	09.18.2004	15.3	0.44316	CU M/MI	1400.79	CU M
SP6	Day 1	09.18.2004	15.35	0	CU M/MI	1402.3	CU M
SP6	Day 1	09.18.2004	15.4	0.00164	CU M/MI	1404.11	CU M
SP6	Day 1	09.18.2004	15.45	0.0279	CU M/MI	1405.88	CU M
SP6	Day 1	09.18.2004	15.5	0.44573	CU M/MI	1407.43	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 1	09.18.2004	15.55	0.44404	CU M/MI	1408.91	CU M
SP6	Day 1	09.18.2004	16	0.44334	CU M/MI	1410.39	CU M
SP6	Day 1	09.18.2004	16.05	0.44354	CU M/MI	1411.88	CU M
SP6	Day 1	09.18.2004	16.1	0.44471	CU M/MI	1413.35	CU M
SP6	Day 1	09.18.2004	16.15	0.43728	CU M/MI	1414.82	CU M
SP6	Day 1	09.18.2004	16.2	0	CU M/MI	1416.36	CU M
SP6	Day 1	09.18.2004	16.25	0.00018	CU M/MI	1418.05	CU M
SP6	Day 1	09.18.2004	16.45	0.44043	CU M/MI	1423.54	CU M
SP6	Day 1	09.18.2004	16.5	0.44048	CU M/MI	1425	CU M
SP6	Day 1	09.18.2004	16.55	0.44398	CU M/MI	1426.47	CU M
SP6	Day 1	09.18.2004	17	0.43927	CU M/MI	1427.93	CU M
SP6	Day 1	09.18.2004	17.05	0.38829	CU M/MI	1429.38	CU M
SP6	Day 1	09.18.2004	17.1	0.00064	CU M/MI	1430.99	CU M
SP6	Day 1	09.18.2004	17.15	0.00151	CU M/MI	1432.66	CU M
SP6	Day 1	09.18.2004	17.2	0.00373	CU M/MI	1434.26	CU M
SP6	Day 1	09.18.2004	17.25	0.04367	CU M/MI	1435.89	CU M
SP6	Day 1	09.18.2004	17.3	0.44406	CU M/MI	1437.38	CU M
SP6	Day 1	09.18.2004	17.35	0.44286	CU M/MI	1438.78	CU M
SP6	Day 1	09.18.2004	17.4	0.44314	CU M/MI	1440.22	CU M
SP6	Day 1	09.18.2004	17.45	0.4407	CU M/MI	1441.64	CU M
SP6	Day 1	09.18.2004	17.5	0.43868	CU M/MI	1443.1	CU M
SP6	Day 1	09.18.2004	17.55	0.43991	CU M/MI	1444.52	CU M
SP6	Day 1	09.18.2004	18	0.44202	CU M/MI	1445.93	CU M
SP6	Day 1	09.18.2004	18.05	0.44009	CU M/MI	1447.36	CU M
SP6	Day 1	09.18.2004	18.1	0.43865	CU M/MI	1448.76	CU M
SP6	Day 1	09.18.2004	18.15	0.43937	CU M/MI	1450.22	CU M
SP6	Day 1	09.18.2004	18.2	0.43356	CU M/MI	1451.64	CU M
SP6	Day 1	09.18.2004	18.25	0.40582	CU M/MI	1453.06	CU M
SP6	Day 1	09.18.2004	18.3	0	CU M/MI	1454.56	CU M
SP6	Day 1	09.18.2004	18.35	0.00028	CU M/MI	1456.09	CU M
SP6	Day 1	09.18.2004	18.4	0	CU M/MI	1456.87	CU M
SP6	Day 1	09.18.2004	18.45	0.03096	CU M/MI	1458.77	CU M
SP6	Day 1	09.18.2004	18.5	0.44261	CU M/MI	1460.23	CU M
SP6	Day 1	09.18.2004	18.55	0.43927	CU M/MI	1461.7	CU M
SP6	Day 1	09.18.2004	19	0.4407	CU M/MI	1463.1	CU M
SP6	Day 1	09.18.2004	19.05	0.43626	CU M/MI	1464.51	CU M
SP6	Day 1	09.18.2004	19.1	0.4392	CU M/MI	1465.91	CU M
SP6	Day 1	09.18.2004	19.15	0	CU M/MI	1466.48	CU M
SP6	Day 1	09.18.2004	19.2	0	CU M/MI	1466.48	CU M
SP6	Day 1	09.18.2004	19.25	0	CU M/MI	1466.48	CU M
SP6	Day 1	09.18.2004	19.3	0	CU M/MI	1466.48	CU M
SP6	Day 1	09.18.2004	19.35	0	CU M/MI	1466.48	CU M
SP6	Day 1	09.18.2004	19.4	0	CU M/MI	1466.47	CU M
SP6	Day 1	09.18.2004	19.45	0.44266	CU M/MI	1466.96	CU M
SP6	Day 1	09.18.2004	19.5	0.4379	CU M/MI	1468.4	CU M
SP6	Day 1	09.18.2004	19.55	0.42492	CU M/MI	1469.86	CU M
SP6	Day 1	09.18.2004	20	0	CU M/MI	1471.36	CU M
SP6	Day 1	09.18.2004	20.05	0	CU M/MI	1472.93	CU M
SP6	Day 1	09.18.2004	20.1	0	CU M/MI	1474.46	CU M
SP6	Day 1	09.18.2004	20.15	0.0039	CU M/MI	1476	CU M
SP6	Day 1	09.18.2004	20.2	0.01101	CU M/MI	1477.43	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 1	09.18.2004	20.25	0.01733	CU M/MI	1478.81	CU M
SP6	Day 1	09.18.2004	20.3	0.02384	CU M/MI	1480.18	CU M
SP6	Day 1	09.18.2004	20.35	0.03025	CU M/MI	1481.53	CU M
SP6	Day 1	09.18.2004	20.4	0.04387	CU M/MI	1482.85	CU M
SP6	Day 1	09.18.2004	20.45	0	CU M/MI	1483.13	CU M
SP6	Day 1	09.18.2004	20.5	0	CU M/MI	1483.12	CU M
SP6	Day 1	09.18.2004	20.55	0	CU M/MI	1483.12	CU M
SP6	Day 1	09.18.2004	21	0	CU M/MI	1483.12	CU M
SP6	Day 1	09.18.2004	21.05	0	CU M/MI	1483.11	CU M
SP6	Day 1	09.18.2004	21.1	0	CU M/MI	1483.11	CU M
SP6	Day 1	09.18.2004	21.15	0	CU M/MI	1483.11	CU M
SP6	Day 1	09.18.2004	21.2	0	CU M/MI	1483.11	CU M
SP6	Day 1	09.18.2004	21.25	0	CU M/MI	1483.1	CU M
SP6	Day 1	09.18.2004	21.3	0	CU M/MI	1483.1	CU M
SP6	Day 1	09.18.2004	21.35	0	CU M/MI	1483.1	CU M
SP6	Day 1	09.18.2004	21.4	0	CU M/MI	1483.1	CU M
SP6	Day 1	09.18.2004	21.45	0	CU M/MI	1483.1	CU M
SP6	Day 1	09.18.2004	21.5	0	CU M/MI	1483.1	CU M
SP6	Day 1	09.18.2004	21.55	0	CU M/MI	1483.1	CU M
SP6	Day 1	09.18.2004	22	0	CU M/MI	1483.1	CU M
SP6	Day 1	09.18.2004	22.05	0	CU M/MI	1483.1	CU M
SP6	Day 1	09.18.2004	22.1	0	CU M/MI	1483.1	CU M
SP6	Day 1	09.18.2004	22.15	0	CU M/MI	1483.1	CU M
SP6	Day 1	09.18.2004	22.2	0	CU M/MI	1483.1	CU M
SP6	Day 1	09.18.2004	22.25	0.00003	CU M/MI	1483.1	CU M
SP6	Day 1	09.18.2004	22.3	0	CU M/MI	1483.1	CU M
SP6	Day 1	09.18.2004	22.35	0	CU M/MI	1483.1	CU M
SP6	Day 1	09.18.2004	22.4	0	CU M/MI	1483.1	CU M
SP6	Day 1	09.18.2004	22.45	0	CU M/MI	1483.1	CU M
SP6	Day 1	09.18.2004	22.5	0	CU M/MI	1483.09	CU M
SP6	Day 1	09.18.2004	22.55	0	CU M/MI	1483.09	CU M
SP6	Day 1	09.18.2004	23	0.43547	CU M/MI	1483.46	CU M
SP6	Day 1	09.18.2004	23.05	0.4287	CU M/MI	1484.85	CU M
SP6	Day 1	09.18.2004	23.1	0.40591	CU M/MI	1486.23	CU M
SP6	Day 1	09.18.2004	23.15	0	CU M/MI	1487.65	CU M
SP6	Day 1	09.18.2004	23.2	0	CU M/MI	1489.12	CU M
SP6	Day 1	09.18.2004	23.25	0	CU M/MI	1490.07	CU M
SP6	Day 1	09.18.2004	23.3	0.42881	CU M/MI	1491.51	CU M
SP6	Day 1	09.18.2004	23.35	0.42986	CU M/MI	1492.84	CU M
SP6	Day 1	09.18.2004	23.4	0.41564	CU M/MI	1494.2	CU M
SP6	Day 1	09.18.2004	23.45	0.42513	CU M/MI	1495.48	CU M
SP6	Day 1	09.18.2004	23.5	0.4348	CU M/MI	1496.79	CU M
SP6	Day 1	09.18.2004	23.55	0.00015	CU M/MI	1497.52	CU M
SP6	Day 1	09.19.2004	0	0.00004	CU M/MI	1498.21	CU M
SP6	Day 1	09.19.2004	0.05	0.00009	CU M/MI	1498.94	CU M
SP6	Day 1	09.19.2004	0.1	0.01778	CU M/MI	1499.66	CU M
SP6	Day 1	09.19.2004	0.15	0.43354	CU M/MI	1500.04	CU M
SP6	Day 1	09.19.2004	0.2	0.00021	CU M/MI	1500.38	CU M
SP6	Day 1	09.19.2004	0.25	0.00006	CU M/MI	1501.1	CU M
SP6	Day 1	09.19.2004	0.3	0.00012	CU M/MI	1501.8	CU M
SP6	Day 1	09.19.2004	0.35	0.01157	CU M/MI	1502.51	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 1	09.19.2004	0.4	0.42999	CU M/MI	1502.73	CU M
SP6	Day 1	09.19.2004	0.45	0	CU M/MI	1503.22	CU M
SP6	Day 1	09.19.2004	0.5	0.00055	CU M/MI	1503.95	CU M
SP6	Day 1	09.19.2004	0.55	0.00079	CU M/MI	1504.67	CU M
SP6	Day 1	09.19.2004	1	0.43371	CU M/MI	1505.24	CU M
SP6	Day 1	09.19.2004	1.05	0.38661	CU M/MI	1505.38	CU M
SP6	Day 1	09.19.2004	1.1	0.00027	CU M/MI	1506.05	CU M
SP6	Day 1	09.19.2004	1.15	0.00034	CU M/MI	1506.75	CU M
SP6	Day 1	09.19.2004	1.2	0.01504	CU M/MI	1507.45	CU M
SP6	Day 1	09.19.2004	1.25	0.00015	CU M/MI	1507.45	CU M
SP6	Day 1	09.19.2004	1.3	0	CU M/MI	1507.45	CU M
SP6	Day 1	09.19.2004	1.35	0	CU M/MI	1507.45	CU M
SP6	Day 1	09.19.2004	1.4	0	CU M/MI	1507.45	CU M
SP6	Day 1	09.19.2004	1.45	0	CU M/MI	1507.45	CU M
SP6	Day 1	09.19.2004	1.5	0	CU M/MI	1507.45	CU M
SP6	Day 1	09.19.2004	1.55	0	CU M/MI	1507.45	CU M
SP6	Day 1	09.19.2004	2	0	CU M/MI	1507.45	CU M
SP6	Day 1	09.19.2004	2	0	CU M/MI	1507.45	CU M
SP6	Day 1	09.19.2004	2.1	0.00023	CU M/MI	1508.26	CU M
SP6	Day 1	09.19.2004	2.15	0.00148	CU M/MI	1509.02	CU M
SP6	Day 1	09.19.2004	2.2	0.02812	CU M/MI	1509.81	CU M
SP6	Day 1	09.19.2004	2.25	0.42315	CU M/MI	1510.59	CU M
SP6	Day 1	09.19.2004	2.3	0.41835	CU M/MI	1511.14	CU M
SP6	Day 1	09.19.2004	2.35	0.42103	CU M/MI	1511.71	CU M
SP6	Day 1	09.19.2004	2.4	0	CU M/MI	1512.28	CU M
SP6	Day 1	09.19.2004	2.45	0	CU M/MI	1513.03	CU M
SP6	Day 1	09.19.2004	2.5	0	CU M/MI	1513.78	CU M
SP6	Day 1	09.19.2004	2.55	0	CU M/MI	1514.54	CU M
SP6	Day 1	09.19.2004	3	0	CU M/MI	1515.33	CU M
SP6	Day 1	09.19.2004	3.05	0	CU M/MI	1516.07	CU M
SP6	Day 1	09.19.2004	3.1	0	CU M/MI	1516.82	CU M
SP6	Day 1	09.19.2004	3.15	0	CU M/MI	1517.58	CU M
SP6	Day 1	09.19.2004	3.2	0	CU M/MI	1518.35	CU M
SP6	Day 1	09.19.2004	3.25	0.00406	CU M/MI	1519.16	CU M
SP6	Day 1	09.19.2004	3.3	0.41706	CU M/MI	1520.11	CU M
SP6	Day 1	09.19.2004	3.35	0.41681	CU M/MI	1521.58	CU M
SP6	Day 1	09.19.2004	3.4	0.00008	CU M/MI	1523.08	CU M
SP6	Day 1	09.19.2004	3.45	0	CU M/MI	1524.21	CU M
SP6	Day 1	09.19.2004	3.5	0.41159	CU M/MI	1525.84	CU M
SP6	Day 1	09.19.2004	3.55	0.41672	CU M/MI	1527.17	CU M
SP6	Day 1	09.19.2004	4.1	0.41473	CU M/MI	1532.04	CU M
SP6	Day 1	09.19.2004	4.15	0.00738	CU M/MI	1533.26	CU M
SP6	Day 1	09.19.2004	4.2	0	CU M/MI	1533.27	CU M
SP6	Day 1	09.19.2004	4.25	0	CU M/MI	1533.26	CU M
SP6	Day 1	09.19.2004	4.3	0	CU M/MI	1533.26	CU M
SP6	Day 1	09.19.2004	4.35	0	CU M/MI	1533.26	CU M
SP6	Day 1	09.19.2004	4.4	0	CU M/MI	1533.26	CU M
SP6	Day 1	09.19.2004	4.45	0.00017	CU M/MI	1533.26	CU M
SP6	Day 1	09.19.2004	4.5	0.00012	CU M/MI	1533.26	CU M
SP6	Day 1	09.19.2004	4.55	0.00026	CU M/MI	1533.26	CU M
SP6	Day 1	09.19.2004	5	0.00038	CU M/MI	1533.26	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 1	09.19.2004	5.05	0.00023	CU M/MI	1533.26	CU M
SP6	Day 1	09.19.2004	5.1	0.4273	CU M/MI	1533.65	CU M
SP6	Day 1	09.19.2004	5.15	0.40048	CU M/MI	1535.05	CU M
SP6	Day 1	09.19.2004	5.2	0.00497	CU M/MI	1536.96	CU M
SP6	Day 1	09.19.2004	5.25	0.42084	CU M/MI	1538.55	CU M
SP6	Day 1	09.19.2004	5.3	0.4194	CU M/MI	1539.95	CU M
SP6	Day 1	09.19.2004	5.35	0.42064	CU M/MI	1541.37	CU M
SP6	Day 1	09.19.2004	5.4	0.00024	CU M/MI	1543.06	CU M
SP6	Day 1	09.19.2004	5.45	0.42076	CU M/MI	1544.88	CU M
SP6	Day 1	09.19.2004	5.5	0.42265	CU M/MI	1546.32	CU M
SP6	Day 1	09.19.2004	5.55	0.42474	CU M/MI	1547.75	CU M
SP6	Day 2	09.19.2004	6	0.41309	CU M/MI	1549.18	CU M
SP6	Day 2	09.19.2004	6.05	0.00237	CU M/MI	1551.01	CU M
SP6	Day 2	09.19.2004	6.1	0.41824	CU M/MI	1552.67	CU M
SP6	Day 2	09.19.2004	6.15	0.41854	CU M/MI	1554.06	CU M
SP6	Day 2	09.19.2004	6.2	0.416	CU M/MI	1555.5	CU M
SP6	Day 2	09.19.2004	6.25	0	CU M/MI	1557.01	CU M
SP6	Day 2	09.19.2004	6.3	0.09301	CU M/MI	1559.01	CU M
SP6	Day 2	09.19.2004	6.35	0.41659	CU M/MI	1560.42	CU M
SP6	Day 2	09.19.2004	6.4	0.41407	CU M/MI	1561.09	CU M
SP6	Day 2	09.19.2004	6.45	0.41927	CU M/MI	1562.66	CU M
SP6	Day 2	09.19.2004	6.5	0.00036	CU M/MI	1564.13	CU M
SP6	Day 2	09.19.2004	6.55	0.01326	CU M/MI	1566.08	CU M
SP6	Day 2	09.19.2004	7	0.42131	CU M/MI	1567.62	CU M
SP6	Day 2	09.19.2004	7.05	0.4122	CU M/MI	1569.07	CU M
SP6	Day 2	09.19.2004	7.1	0.41606	CU M/MI	1570.49	CU M
SP6	Day 2	09.19.2004	7.15	0.00024	CU M/MI	1571.97	CU M
SP6	Day 2	09.19.2004	7.2	0.07998	CU M/MI	1573.99	CU M
SP6	Day 2	09.19.2004	7.25	0.41688	CU M/MI	1575.43	CU M
SP6	Day 2	09.19.2004	7.3	0.42004	CU M/MI	1576.9	CU M
SP6	Day 2	09.19.2004	7.35	0.42066	CU M/MI	1578.35	CU M
SP6	Day 2	09.19.2004	7.4	0.39865	CU M/MI	1579.84	CU M
SP6	Day 2	09.19.2004	7.45	0.00135	CU M/MI	1581.58	CU M
SP6	Day 2	09.19.2004	7.5	0.41896	CU M/MI	1583.37	CU M
SP6	Day 2	09.19.2004	7.55	0.42055	CU M/MI	1584.78	CU M
SP6	Day 2	09.19.2004	8	0.41881	CU M/MI	1586.19	CU M
SP6	Day 2	09.19.2004	8.05	0.00018	CU M/MI	1587.69	CU M
SP6	Day 2	09.19.2004	8.1	0.02712	CU M/MI	1589.65	CU M
SP6	Day 2	09.19.2004	8.15	0.41997	CU M/MI	1591.14	CU M
SP6	Day 2	09.19.2004	8.2	0.41915	CU M/MI	1592.59	CU M
SP6	Day 2	09.19.2004	8.25	0.42251	CU M/MI	1593.98	CU M
SP6	Day 2	09.19.2004	8.3	0.00039	CU M/MI	1595.48	CU M
SP6	Day 2	09.19.2004	8.35	0.00531	CU M/MI	1597.36	CU M
SP6	Day 2	09.19.2004	8.4	0.43147	CU M/MI	1599	CU M
SP6	Day 2	09.19.2004	8.45	0.43133	CU M/MI	1600.43	CU M
SP6	Day 2	09.19.2004	8.5	0.43226	CU M/MI	1601.05	CU M
SP6	Day 2	09.19.2004	8.55	0.00008	CU M/MI	1602.68	CU M
SP6	Day 2	09.19.2004	9	0.42809	CU M/MI	1604.53	CU M
SP6	Day 2	09.19.2004	9.05	0.42707	CU M/MI	1605.97	CU M
SP6	Day 2	09.19.2004	9.1	0.42649	CU M/MI	1607.39	CU M
SP6	Day 2	09.19.2004	9.15	0.42143	CU M/MI	1608.79	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 2	09.19.2004	9.2	0.00091	CU M/MI	1610.48	CU M
SP6	Day 2	09.19.2004	9.25	0.42488	CU M/MI	1612.37	CU M
SP6	Day 2	09.19.2004	9.3	0.42867	CU M/MI	1613.81	CU M
SP6	Day 2	09.19.2004	9.35	0.431	CU M/MI	1615.24	CU M
SP6	Day 2	09.19.2004	9.4	0.43288	CU M/MI	1616.71	CU M
SP6	Day 2	09.19.2004	9.45	0.43349	CU M/MI	1618.18	CU M
SP6	Day 2	09.19.2004	9.5	0.00051	CU M/MI	1619.71	CU M
SP6	Day 2	09.19.2004	9.55	0.00356	CU M/MI	1621.55	CU M
SP6	Day 2	09.19.2004	10	0.436	CU M/MI	1623.27	CU M
SP6	Day 2	09.19.2004	10.05	0.43801	CU M/MI	1624.75	CU M
SP6	Day 2	09.19.2004	10.1	0.43907	CU M/MI	1626.25	CU M
SP6	Day 2	09.19.2004	10.15	0.43873	CU M/MI	1627.72	CU M
SP6	Day 2	09.19.2004	10.2	0.4314	CU M/MI	1629.17	CU M
SP6	Day 2	09.19.2004	10.25	0.00095	CU M/MI	1630.79	CU M
SP6	Day 2	09.19.2004	10.3	0.00692	CU M/MI	1632.64	CU M
SP6	Day 2	09.19.2004	10.35	0.43784	CU M/MI	1634.33	CU M
SP6	Day 2	09.19.2004	10.4	0.43849	CU M/MI	1635.8	CU M
SP6	Day 2	09.19.2004	10.45	0.43559	CU M/MI	1637.27	CU M
SP6	Day 2	09.19.2004	10.5	0.42012	CU M/MI	1637.84	CU M
SP6	Day 2	09.19.2004	10.55	0	CU M/MI	1639.43	CU M
SP6	Day 2	09.19.2004	11	0.00192	CU M/MI	1641.16	CU M
SP6	Day 2	09.19.2004	11.05	0.43474	CU M/MI	1642.87	CU M
SP6	Day 2	09.19.2004	11.1	0.43581	CU M/MI	1644.33	CU M
SP6	Day 2	09.19.2004	11.15	0.43486	CU M/MI	1645.79	CU M
SP6	Day 2	09.19.2004	11.2	0.42845	CU M/MI	1647.22	CU M
SP6	Day 2	09.19.2004	11.25	0.43117	CU M/MI	1648.69	CU M
SP6	Day 2	09.19.2004	11.3	0.08715	CU M/MI	1650.16	CU M
SP6	Day 2	09.19.2004	11.35	0.00029	CU M/MI	1651.88	CU M
SP6	Day 2	09.19.2004	11.4	0.00971	CU M/MI	1653.61	CU M
SP6	Day 2	09.19.2004	11.45	0.4351	CU M/MI	1655.21	CU M
SP6	Day 2	09.19.2004	11.5	0.43879	CU M/MI	1656.7	CU M
SP6	Day 2	09.19.2004	11.55	0.43444	CU M/MI	1658.15	CU M
SP6	Day 2	09.19.2004	12	0.43609	CU M/MI	1659.57	CU M
SP6	Day 2	09.19.2004	12.05	0.43648	CU M/MI	1661.01	CU M
SP6	Day 2	09.19.2004	12.1	0.43528	CU M/MI	1662.43	CU M
SP6	Day 2	09.19.2004	12.15	0.42244	CU M/MI	1663.86	CU M
SP6	Day 2	09.19.2004	12.2	0.00038	CU M/MI	1665.44	CU M
SP6	Day 2	09.19.2004	12.25	0.00179	CU M/MI	1667.14	CU M
SP6	Day 2	09.19.2004	12.3	0.01482	CU M/MI	1668.79	CU M
SP6	Day 2	09.19.2004	12.35	0.43501	CU M/MI	1670.32	CU M
SP6	Day 2	09.19.2004	12.4	0.4345	CU M/MI	1671.74	CU M
SP6	Day 2	09.19.2004	12.45	0.43443	CU M/MI	1673.15	CU M
SP6	Day 2	09.19.2004	12.5	0.43473	CU M/MI	1674.59	CU M
SP6	Day 2	09.19.2004	12.55	0.04783	CU M/MI	1675.94	CU M
SP6	Day 2	09.19.2004	13	0.43678	CU M/MI	1676.74	CU M
SP6	Day 2	09.19.2004	13.05	0.00052	CU M/MI	1678.34	CU M
SP6	Day 2	09.19.2004	13.1	0.0024	CU M/MI	1680.1	CU M
SP6	Day 2	09.19.2004	13.15	0.00724	CU M/MI	1681.69	CU M
SP6	Day 2	09.19.2004	13.2	0.09927	CU M/MI	1683.27	CU M
SP6	Day 2	09.19.2004	13.25	0.43527	CU M/MI	1684.7	CU M
SP6	Day 2	09.19.2004	13.25	0.43527	CU M/MI	1684.7	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 2	09.19.2004	13.35	0.43425	CU M/MI	1687.55	CU M
SP6	Day 2	09.19.2004	13.4	0.43491	CU M/MI	1688.95	CU M
SP6	Day 2	09.19.2004	13.45	0.43575	CU M/MI	1690.35	CU M
SP6	Day 2	09.19.2004	13.5	0.43648	CU M/MI	1691.74	CU M
SP6	Day 2	09.19.2004	13.55	0.43515	CU M/MI	1693.15	CU M
SP6	Day 2	09.19.2004	14	0.43411	CU M/MI	1694.54	CU M
SP6	Day 2	09.19.2004	14.05	0.43323	CU M/MI	1695.91	CU M
SP6	Day 2	09.19.2004	14.1	0.43181	CU M/MI	1697.35	CU M
SP6	Day 2	09.19.2004	14.15	0.00023	CU M/MI	1698.01	CU M
SP6	Day 2	09.19.2004	14.2	0.00004	CU M/MI	1698.78	CU M
SP6	Day 2	09.19.2004	14.25	0.00027	CU M/MI	1699.56	CU M
SP6	Day 2	09.19.2004	14.3	0.00003	CU M/MI	1700.31	CU M
SP6	Day 2	09.19.2004	14.35	0.00189	CU M/MI	1701.09	CU M
SP6	Day 2	09.19.2004	14.4	0.02517	CU M/MI	1701.84	CU M
SP6	Day 2	09.19.2004	14.45	0.43169	CU M/MI	1702.34	CU M
SP6	Day 2	09.19.2004	14.5	0.4299	CU M/MI	1702.86	CU M
SP6	Day 2	09.19.2004	14.55	0.0002	CU M/MI	1703.34	CU M
SP6	Day 2	09.19.2004	15	0.00018	CU M/MI	1703.34	CU M
SP6	Day 2	09.19.2004	15.05	0.0157	CU M/MI	1704.15	CU M
SP6	Day 2	09.19.2004	15.1	0.00022	CU M/MI	1704.15	CU M
SP6	Day 2	09.19.2004	15.15	0.00449	CU M/MI	1704.97	CU M
SP6	Day 2	09.19.2004	15.2	0.42895	CU M/MI	1705.66	CU M
SP6	Day 2	09.19.2004	15.4	0	CU M/MI	1708.05	CU M
SP6	Day 2	09.19.2004	15.45	0	CU M/MI	1708.81	CU M
SP6	Day 2	09.19.2004	15.5	0.00025	CU M/MI	1709.59	CU M
SP6	Day 2	09.19.2004	15.55	0.00024	CU M/MI	1710.35	CU M
SP6	Day 2	09.19.2004	16	0.00107	CU M/MI	1711.07	CU M
SP6	Day 2	09.19.2004	16.05	0.01235	CU M/MI	1711.8	CU M
SP6	Day 2	09.19.2004	16.1	0.43636	CU M/MI	1712.38	CU M
SP6	Day 2	09.19.2004	16.15	0.43497	CU M/MI	1712.87	CU M
SP6	Day 2	09.19.2004	16.2	0.3741	CU M/MI	1713.32	CU M
SP6	Day 2	09.19.2004	16.25	0.00007	CU M/MI	1714.07	CU M
SP6	Day 2	09.19.2004	16.3	0.0002	CU M/MI	1714.87	CU M
SP6	Day 2	09.19.2004	16.35	0.43202	CU M/MI	1717.01	CU M
SP6	Day 2	09.19.2004	16.4	0.43106	CU M/MI	1718.44	CU M
SP6	Day 2	09.19.2004	16.45	0.43242	CU M/MI	1719.84	CU M
SP6	Day 2	09.19.2004	16.5	0.43077	CU M/MI	1721.22	CU M
SP6	Day 2	09.19.2004	16.55	0.43069	CU M/MI	1722.6	CU M
SP6	Day 2	09.19.2004	17	0	CU M/MI	1724.06	CU M
SP6	Day 2	09.19.2004	17.05	0.00145	CU M/MI	1725.69	CU M
SP6	Day 2	09.19.2004	17.1	0.00272	CU M/MI	1727.3	CU M
SP6	Day 2	09.19.2004	17.15	0.01892	CU M/MI	1728.88	CU M
SP6	Day 2	09.19.2004	17.2	0.43297	CU M/MI	1730.38	CU M
SP6	Day 2	09.19.2004	17.25	0.43468	CU M/MI	1731.79	CU M
SP6	Day 2	09.19.2004	17.3	0.4361	CU M/MI	1733.19	CU M
SP6	Day 2	09.19.2004	17.35	0.43486	CU M/MI	1734.59	CU M
SP6	Day 2	09.19.2004	17.4	0.43597	CU M/MI	1735.99	CU M
SP6	Day 2	09.19.2004	17.45	0.43753	CU M/MI	1737.4	CU M
SP6	Day 2	09.19.2004	17.5	0.43341	CU M/MI	1738.81	CU M
SP6	Day 2	09.19.2004	17.55	0.32757	CU M/MI	1740.22	CU M
SP6	Day 2	09.19.2004	18	0.00016	CU M/MI	1741.82	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 2	09.19.2004	18.05	0.00074	CU M/MI	1743.4	CU M
SP6	Day 2	09.19.2004	18.1	0.00558	CU M/MI	1744.99	CU M
SP6	Day 2	09.19.2004	18.15	0.43366	CU M/MI	1746.57	CU M
SP6	Day 2	09.19.2004	18.2	0.4373	CU M/MI	1747.97	CU M
SP6	Day 2	09.19.2004	18.25	0.43806	CU M/MI	1749.37	CU M
SP6	Day 2	09.19.2004	18.3	0.43764	CU M/MI	1750.82	CU M
SP6	Day 2	09.19.2004	18.35	0.43887	CU M/MI	1752.25	CU M
SP6	Day 2	09.19.2004	18.4	0.44496	CU M/MI	1753.68	CU M
SP6	Day 2	09.19.2004	18.45	0.44491	CU M/MI	1755.12	CU M
SP6	Day 2	09.19.2004	18.5	0.4472	CU M/MI	1756.56	CU M
SP6	Day 2	09.19.2004	18.55	0.44822	CU M/MI	1758.03	CU M
SP6	Day 2	09.19.2004	19	0.44729	CU M/MI	1759.49	CU M
SP6	Day 2	09.19.2004	19.05	0.44844	CU M/MI	1760.93	CU M
SP6	Day 2	09.19.2004	19.1	0.44647	CU M/MI	1762.37	CU M
SP6	Day 2	09.19.2004	19.15	0.00066	CU M/MI	1763.7	CU M
SP6	Day 2	09.19.2004	19.2	0.0009	CU M/MI	1764.89	CU M
SP6	Day 2	09.19.2004	19.25	0.00003	CU M/MI	1766.06	CU M
SP6	Day 2	09.19.2004	19.3	0.0571	CU M/MI	1767.37	CU M
SP6	Day 2	09.19.2004	19.35	0.03391	CU M/MI	1768.96	CU M
SP6	Day 2	09.19.2004	19.4	0.44533	CU M/MI	1770.48	CU M
SP6	Day 2	09.19.2004	19.45	0.44667	CU M/MI	1771.92	CU M
SP6	Day 2	09.19.2004	19.5	0.44764	CU M/MI	1773.36	CU M
SP6	Day 2	09.19.2004	19.55	0.4458	CU M/MI	1774.8	CU M
SP6	Day 2	09.19.2004	20	0.44596	CU M/MI	1776.25	CU M
SP6	Day 2	09.19.2004	20.05	0.446	CU M/MI	1777.69	CU M
SP6	Day 2	09.19.2004	20.1	0.44408	CU M/MI	1779.12	CU M
SP6	Day 2	09.19.2004	20.15	0.44526	CU M/MI	1780.57	CU M
SP6	Day 2	09.19.2004	20.2	0.44541	CU M/MI	1782	CU M
SP6	Day 2	09.19.2004	20.25	0.4452	CU M/MI	1783.44	CU M
SP6	Day 2	09.19.2004	20.3	0.44405	CU M/MI	1784.88	CU M
SP6	Day 2	09.19.2004	20.35	0.43705	CU M/MI	1786.33	CU M
SP6	Day 2	09.19.2004	20.4	0.34447	CU M/MI	1787.76	CU M
SP6	Day 2	09.19.2004	20.45	0.00023	CU M/MI	1789.33	CU M
SP6	Day 2	09.19.2004	20.5	0.00084	CU M/MI	1790.89	CU M
SP6	Day 2	09.19.2004	20.55	0.00081	CU M/MI	1792.44	CU M
SP6	Day 2	09.19.2004	21	0.00346	CU M/MI	1794.03	CU M
SP6	Day 2	09.19.2004	21.05	0.01642	CU M/MI	1795.59	CU M
SP6	Day 2	09.19.2004	21.1	0.11614	CU M/MI	1797.15	CU M
SP6	Day 2	09.19.2004	21.15	0.44737	CU M/MI	1798.59	CU M
SP6	Day 2	09.19.2004	21.2	0.44431	CU M/MI	1800.05	CU M
SP6	Day 2	09.19.2004	21.25	0.44575	CU M/MI	1801.49	CU M
SP6	Day 2	09.19.2004	21.3	0.44506	CU M/MI	1802.92	CU M
SP6	Day 2	09.19.2004	21.35	0.44578	CU M/MI	1804.36	CU M
SP6	Day 2	09.19.2004	21.4	0.44608	CU M/MI	1805.81	CU M
SP6	Day 2	09.19.2004	21.45	0.44499	CU M/MI	1807.25	CU M
SP6	Day 2	09.19.2004	21.5	0.44269	CU M/MI	1808.67	CU M
SP6	Day 2	09.19.2004	21.55	0.4425	CU M/MI	1810.1	CU M
SP6	Day 2	09.19.2004	22	0.43491	CU M/MI	1811.53	CU M
SP6	Day 2	09.19.2004	22.05	0.39994	CU M/MI	1812.97	CU M
SP6	Day 2	09.19.2004	22.1	0.00052	CU M/MI	1814.49	CU M
SP6	Day 2	09.19.2004	22.15	0.00029	CU M/MI	1816.02	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 2	09.19.2004	22.2	0.00117	CU M/MI	1817.56	CU M
SP6	Day 2	09.19.2004	22.25	0.00083	CU M/MI	1819.1	CU M
SP6	Day 2	09.19.2004	22.3	0.00358	CU M/MI	1820.65	CU M
SP6	Day 2	09.19.2004	22.35	0.01784	CU M/MI	1822.24	CU M
SP6	Day 2	09.19.2004	22.4	0.44509	CU M/MI	1823.77	CU M
SP6	Day 2	09.19.2004	22.45	0.44383	CU M/MI	1825.2	CU M
SP6	Day 2	09.19.2004	22.5	0.44216	CU M/MI	1826.64	CU M
SP6	Day 2	09.19.2004	22.55	0.44403	CU M/MI	1828.05	CU M
SP6	Day 2	09.19.2004	23	0.44274	CU M/MI	1829.5	CU M
SP6	Day 2	09.19.2004	23.05	0.44357	CU M/MI	1830.91	CU M
SP6	Day 2	09.19.2004	23.1	0.4416	CU M/MI	1832.36	CU M
SP6	Day 2	09.19.2004	23.15	0.44177	CU M/MI	1833.79	CU M
SP6	Day 2	09.19.2004	23.2	0.44166	CU M/MI	1835.21	CU M
SP6	Day 2	09.19.2004	23.25	0.0003	CU M/MI	1835.96	CU M
SP6	Day 2	09.19.2004	23.3	0.00035	CU M/MI	1837.52	CU M
SP6	Day 2	09.19.2004	23.35	0.00034	CU M/MI	1838.47	CU M
SP6	Day 2	09.19.2004	23.4	0.00094	CU M/MI	1839.79	CU M
SP6	Day 2	09.19.2004	23.45	0.44151	CU M/MI	1841.17	CU M
SP6	Day 2	09.19.2004	23.5	0.00033	CU M/MI	1841.81	CU M
SP6	Day 2	09.19.2004	23.55	0.0002	CU M/MI	1842.55	CU M
SP6	Day 2	09.20.2004	0	0.00033	CU M/MI	1843.29	CU M
SP6	Day 2	09.20.2004	0.05	0.00053	CU M/MI	1844.03	CU M
SP6	Day 2	09.20.2004	0.1	0.44254	CU M/MI	1844.72	CU M
SP6	Day 2	09.20.2004	0.15	0.44187	CU M/MI	1845.07	CU M
SP6	Day 2	09.20.2004	0.2	0.00032	CU M/MI	1845.52	CU M
SP6	Day 2	09.20.2004	0.25	0.00017	CU M/MI	1846.23	CU M
SP6	Day 2	09.20.2004	0.3	0.00031	CU M/MI	1846.97	CU M
SP6	Day 2	09.20.2004	0.35	0.00056	CU M/MI	1847.71	CU M
SP6	Day 2	09.20.2004	0.4	0.01598	CU M/MI	1848.45	CU M
SP6	Day 2	09.20.2004	0.45	0.44102	CU M/MI	1848.85	CU M
SP6	Day 2	09.20.2004	0.5	0	CU M/MI	1849.19	CU M
SP6	Day 2	09.20.2004	0.55	0.00023	CU M/MI	1849.93	CU M
SP6	Day 2	09.20.2004	1	0.0006	CU M/MI	1850.67	CU M
SP6	Day 2	09.20.2004	1.05	0.00067	CU M/MI	1851.4	CU M
SP6	Day 2	09.20.2004	1.1	0.02444	CU M/MI	1852.14	CU M
SP6	Day 2	09.20.2004	1.15	0.44201	CU M/MI	1852.52	CU M
SP6	Day 2	09.20.2004	1.2	0.0002	CU M/MI	1852.88	CU M
SP6	Day 2	09.20.2004	1.25	0.0003	CU M/MI	1853.62	CU M
SP6	Day 2	09.20.2004	1.3	0.00046	CU M/MI	1854.34	CU M
SP6	Day 2	09.20.2004	1.35	0.00031	CU M/MI	1855.07	CU M
SP6	Day 2	09.20.2004	1.4	0.04218	CU M/MI	1855.8	CU M
SP6	Day 2	09.20.2004	1.45	0.41439	CU M/MI	1856.06	CU M
SP6	Day 2	09.20.2004	1.5	0.00041	CU M/MI	1856.54	CU M
SP6	Day 2	09.20.2004	1.55	0.00034	CU M/MI	1857.26	CU M
SP6	Day 2	09.20.2004	2	0.00001	CU M/MI	1857.99	CU M
SP6	Day 2	09.20.2004	2.05	0	CU M/MI	1858.73	CU M
SP6	Day 2	09.20.2004	2.1	0.44235	CU M/MI	1859.3	CU M
SP6	Day 2	09.20.2004	2.15	0.41961	CU M/MI	1859.55	CU M
SP6	Day 2	09.20.2004	2.2	0.00027	CU M/MI	1860.19	CU M
SP6	Day 2	09.20.2004	2.25	0	CU M/MI	1860.91	CU M
SP6	Day 2	09.20.2004	2.3	0.00019	CU M/MI	1861.64	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 2	09.20.2004	2.35	0.43456	CU M/MI	1862.32	CU M
SP6	Day 2	09.20.2004	2.4	0.43276	CU M/MI	1862.98	CU M
SP6	Day 2	09.20.2004	2.45	0.00002	CU M/MI	1863.5	CU M
SP6	Day 2	09.20.2004	2.5	0.00001	CU M/MI	1863.5	CU M
SP6	Day 2	09.20.2004	2.55	0	CU M/MI	1863.49	CU M
SP6	Day 2	09.20.2004	3	0	CU M/MI	1863.49	CU M
SP6	Day 2	09.20.2004	3.05	0.00021	CU M/MI	1863.49	CU M
SP6	Day 2	09.20.2004	3.1	0.00022	CU M/MI	1863.49	CU M
SP6	Day 2	09.20.2004	3.15	0.00028	CU M/MI	1863.5	CU M
SP6	Day 2	09.20.2004	3.2	0.00013	CU M/MI	1863.5	CU M
SP6	Day 2	09.20.2004	3.25	0.00012	CU M/MI	1863.5	CU M
SP6	Day 2	09.20.2004	3.3	0	CU M/MI	1863.5	CU M
SP6	Day 2	09.20.2004	3.35	0	CU M/MI	1863.5	CU M
SP6	Day 2	09.20.2004	3.4	0	CU M/MI	1863.5	CU M
SP6	Day 2	09.20.2004	3.45	0	CU M/MI	1863.49	CU M
SP6	Day 2	09.20.2004	3.5	0	CU M/MI	1863.49	CU M
SP6	Day 2	09.20.2004	3.55	0	CU M/MI	1863.49	CU M
SP6	Day 2	09.20.2004	4	0.08363	CU M/MI	1863.54	CU M
SP6	Day 2	09.20.2004	4.05	0	CU M/MI	1863.69	CU M
SP6	Day 2	09.20.2004	4.1	0.00002	CU M/MI	1863.69	CU M
SP6	Day 2	09.20.2004	4.15	0	CU M/MI	1863.69	CU M
SP6	Day 2	09.20.2004	4.35	0	CU M/MI	1863.68	CU M
SP6	Day 2	09.20.2004	4.4	0	CU M/MI	1863.68	CU M
SP6	Day 2	09.20.2004	4.45	0	CU M/MI	1863.68	CU M
SP6	Day 2	09.20.2004	4.5	0	CU M/MI	1863.68	CU M
SP6	Day 2	09.20.2004	4.55	0	CU M/MI	1863.67	CU M
SP6	Day 2	09.20.2004	5	0	CU M/MI	1863.67	CU M
SP6	Day 2	09.20.2004	5.05	0	CU M/MI	1863.67	CU M
SP6	Day 2	09.20.2004	5.1	0	CU M/MI	1863.66	CU M
SP6	Day 2	09.20.2004	5.15	0	CU M/MI	1863.66	CU M
SP6	Day 2	09.20.2004	5.2	0	CU M/MI	1863.66	CU M
SP6	Day 2	09.20.2004	5.25	0	CU M/MI	1863.65	CU M
SP6	Day 2	09.20.2004	5.3	0.43696	CU M/MI	1864.12	CU M
SP6	Day 2	09.20.2004	5.35	0.41745	CU M/MI	1864.57	CU M
SP6	Day 2	09.20.2004	5.4	0.00043	CU M/MI	1865.25	CU M
SP6	Day 2	09.20.2004	5.45	0.00061	CU M/MI	1866	CU M
SP6	Day 2	09.20.2004	5.5	0.00072	CU M/MI	1866.77	CU M
SP6	Day 2	09.20.2004	5.55	0.00084	CU M/MI	1867.5	CU M
SP6	Day 3	09.20.2004	6	0.03992	CU M/MI	1868.19	CU M
SP6	Day 3	09.20.2004	6.05	0.44511	CU M/MI	1868.46	CU M
SP6	Day 3	09.20.2004	6.1	0.00119	CU M/MI	1868.94	CU M
SP6	Day 3	09.20.2004	6.15	0.44671	CU M/MI	1869.3	CU M
SP6	Day 3	09.20.2004	6.2	0.00072	CU M/MI	1869.77	CU M
SP6	Day 3	09.20.2004	6.25	0.00051	CU M/MI	1870.52	CU M
SP6	Day 3	09.20.2004	6.3	0.00115	CU M/MI	1871.27	CU M
SP6	Day 3	09.20.2004	6.35	0.00258	CU M/MI	1872.03	CU M
SP6	Day 3	09.20.2004	6.4	0.44561	CU M/MI	1872.45	CU M
SP6	Day 3	09.20.2004	6.45	0.00087	CU M/MI	1872.77	CU M
SP6	Day 3	09.20.2004	6.5	0.00078	CU M/MI	1873.5	CU M
SP6	Day 3	09.20.2004	6.55	0.00105	CU M/MI	1874.26	CU M
SP6	Day 3	09.20.2004	7	0.01751	CU M/MI	1874.99	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 3	09.20.2004	7.05	0.45266	CU M/MI	1875.3	CU M
SP6	Day 3	09.20.2004	7.1	0.00111	CU M/MI	1875.74	CU M
SP6	Day 3	09.20.2004	7.15	0.00075	CU M/MI	1876.47	CU M
SP6	Day 3	09.20.2004	7.2	0.0008	CU M/MI	1877.21	CU M
SP6	Day 3	09.20.2004	7.25	0.00988	CU M/MI	1877.96	CU M
SP6	Day 3	09.20.2004	7.3	0.4399	CU M/MI	1878.29	CU M
SP6	Day 3	09.20.2004	7.35	0.00081	CU M/MI	1878.72	CU M
SP6	Day 3	09.20.2004	7.4	0.00106	CU M/MI	1879.47	CU M
SP6	Day 3	09.20.2004	7.45	0.00083	CU M/MI	1880.21	CU M
SP6	Day 3	09.20.2004	7.5	0.44065	CU M/MI	1880.9	CU M
SP6	Day 3	09.20.2004	7.55	0.42616	CU M/MI	1881.05	CU M
SP6	Day 3	09.20.2004	8	0.00087	CU M/MI	1881.69	CU M
SP6	Day 3	09.20.2004	8.05	0.00087	CU M/MI	1882.43	CU M
SP6	Day 3	09.20.2004	8.1	0.00103	CU M/MI	1883.17	CU M
SP6	Day 3	09.20.2004	8.15	0.4419	CU M/MI	1883.67	CU M
SP6	Day 3	09.20.2004	8.2	0.00085	CU M/MI	1883.92	CU M
SP6	Day 3	09.20.2004	8.25	0.0009	CU M/MI	1884.64	CU M
SP6	Day 3	09.20.2004	8.3	0.0008	CU M/MI	1885.37	CU M
SP6	Day 3	09.20.2004	8.35	0.00638	CU M/MI	1886.13	CU M
SP6	Day 3	09.20.2004	8.4	0.44466	CU M/MI	1886.59	CU M
SP6	Day 3	09.20.2004	8.45	0.00071	CU M/MI	1886.9	CU M
SP6	Day 3	09.20.2004	8.5	0.44399	CU M/MI	1888.37	CU M
SP6	Day 3	09.20.2004	8.55	0.44068	CU M/MI	1889.73	CU M
SP6	Day 3	09.20.2004	9	0.43712	CU M/MI	1891.1	CU M
SP6	Day 3	09.20.2004	9.05	0.0005	CU M/MI	1892.25	CU M
SP6	Day 3	09.20.2004	9.1	0.4334	CU M/MI	1892.52	CU M
SP6	Day 3	09.20.2004	9.15	0.00102	CU M/MI	1893.43	CU M
SP6	Day 3	09.20.2004	9.2	0.00125	CU M/MI	1894.76	CU M
SP6	Day 3	09.20.2004	9.25	0.00088	CU M/MI	1895.71	CU M
SP6	Day 3	09.20.2004	9.3	0.0011	CU M/MI	1896.52	CU M
SP6	Day 3	09.20.2004	9.35	0.0035	CU M/MI	1897.28	CU M
SP6	Day 3	09.20.2004	9.4	0.17102	CU M/MI	1898.1	CU M
SP6	Day 3	09.20.2004	9.45	0.0566	CU M/MI	1898.64	CU M
SP6	Day 3	09.20.2004	9.5	0.00083	CU M/MI	1898.66	CU M
SP6	Day 3	09.20.2004	9.55	0.00071	CU M/MI	1898.66	CU M
SP6	Day 3	09.20.2004	10	0.00048	CU M/MI	1898.66	CU M
SP6	Day 3	09.20.2004	10.05	0.43545	CU M/MI	1898.82	CU M
SP6	Day 3	09.20.2004	10.1	0.00034	CU M/MI	1899.47	CU M
SP6	Day 3	09.20.2004	10.15	0.00035	CU M/MI	1900.26	CU M
SP6	Day 3	09.20.2004	10.2	0.00101	CU M/MI	1901.06	CU M
SP6	Day 3	09.20.2004	10.25	0.0007	CU M/MI	1901.88	CU M
SP6	Day 3	09.20.2004	10.3	0.00024	CU M/MI	1902.67	CU M
SP6	Day 3	09.20.2004	10.35	0.00146	CU M/MI	1903.48	CU M
SP6	Day 3	09.20.2004	10.4	0.00563	CU M/MI	1904.29	CU M
SP6	Day 3	09.20.2004	10.45	0.41899	CU M/MI	1905.07	CU M
SP6	Day 3	09.20.2004	10.5	0.44277	CU M/MI	1905.67	CU M
SP6	Day 3	09.20.2004	10.55	0.44343	CU M/MI	1906.26	CU M
SP6	Day 3	09.20.2004	11	0.42541	CU M/MI	1906.85	CU M
SP6	Day 3	09.20.2004	11.05	0.00096	CU M/MI	1907.55	CU M
SP6	Day 3	09.20.2004	11.1	0.00072	CU M/MI	1908.37	CU M
SP6	Day 3	09.20.2004	11.15	0.00079	CU M/MI	1909.18	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 3	09.20.2004	11.2	0.00067	CU M/MI	1910.01	CU M
SP6	Day 3	09.20.2004	11.25	0.00098	CU M/MI	1910.83	CU M
SP6	Day 3	09.20.2004	11.3	0.00157	CU M/MI	1911.65	CU M
SP6	Day 3	09.20.2004	11.35	0.01611	CU M/MI	1912.47	CU M
SP6	Day 3	09.20.2004	11.4	0.44175	CU M/MI	1913.17	CU M
SP6	Day 3	09.20.2004	11.45	0.43891	CU M/MI	1913.76	CU M
SP6	Day 3	09.20.2004	11.5	0.4287	CU M/MI	1914.32	CU M
SP6	Day 3	09.20.2004	11.55	0.00087	CU M/MI	1914.91	CU M
SP6	Day 3	09.20.2004	12	0.00082	CU M/MI	1915.73	CU M
SP6	Day 3	09.20.2004	12.05	0.00097	CU M/MI	1916.56	CU M
SP6	Day 3	09.20.2004	12.1	0.00052	CU M/MI	1917.38	CU M
SP6	Day 3	09.20.2004	12.15	0.00067	CU M/MI	1918.19	CU M
SP6	Day 3	09.20.2004	12.2	0.00142	CU M/MI	1919.01	CU M
SP6	Day 3	09.20.2004	12.25	0.02101	CU M/MI	1919.82	CU M
SP6	Day 3	09.20.2004	12.3	0.43806	CU M/MI	1920.49	CU M
SP6	Day 3	09.20.2004	12.35	0.43377	CU M/MI	1921.06	CU M
SP6	Day 3	09.20.2004	12.4	0.42815	CU M/MI	1921.67	CU M
SP6	Day 3	09.20.2004	12.45	0.00053	CU M/MI	1922.24	CU M
SP6	Day 3	09.20.2004	12.5	0.00043	CU M/MI	1923.05	CU M
SP6	Day 3	09.20.2004	12.55	0.00023	CU M/MI	1923.86	CU M
SP6	Day 3	09.20.2004	13	0.00047	CU M/MI	1924.67	CU M
SP6	Day 3	09.20.2004	13.05	0.00038	CU M/MI	1925.48	CU M
SP6	Day 3	09.20.2004	13.1	0.00103	CU M/MI	1926.29	CU M
SP6	Day 3	09.20.2004	13.15	0.00003	CU M/MI	1926.29	CU M
SP6	Day 3	09.20.2004	13.2	0.00128	CU M/MI	1927.16	CU M
SP6	Day 3	09.20.2004	13.25	0.08484	CU M/MI	1927.97	CU M
SP6	Day 3	09.20.2004	13.3	0.43588	CU M/MI	1928.54	CU M
SP6	Day 3	09.20.2004	13.35	0.43253	CU M/MI	1929.1	CU M
SP6	Day 3	09.20.2004	13.4	0.39206	CU M/MI	1929.64	CU M
SP6	Day 3	09.20.2004	13.45	0.0002	CU M/MI	1930.41	CU M
SP6	Day 3	09.20.2004	13.5	0.00015	CU M/MI	1931.21	CU M
SP6	Day 3	09.20.2004	13.55	0.00044	CU M/MI	1932.02	CU M
SP6	Day 3	09.20.2004	14	0.0001	CU M/MI	1932.83	CU M
SP6	Day 3	09.20.2004	14.05	0.00225	CU M/MI	1933.63	CU M
SP6	Day 3	09.20.2004	14.1	0.04865	CU M/MI	1934.43	CU M
SP6	Day 3	09.20.2004	14.15	0.43185	CU M/MI	1935.03	CU M
SP6	Day 3	09.20.2004	14.2	0.43033	CU M/MI	1935.6	CU M
SP6	Day 3	09.20.2004	14.25	0.4172	CU M/MI	1936.16	CU M
SP6	Day 3	09.20.2004	14.3	0	CU M/MI	1936.86	CU M
SP6	Day 3	09.20.2004	14.35	0	CU M/MI	1937.67	CU M
SP6	Day 3	09.20.2004	14.4	0	CU M/MI	1938.48	CU M
SP6	Day 3	09.20.2004	14.45	0	CU M/MI	1939.29	CU M
SP6	Day 3	09.20.2004	14.5	0.0005	CU M/MI	1940.09	CU M
SP6	Day 3	09.20.2004	14.55	0.00684	CU M/MI	1940.9	CU M
SP6	Day 3	09.20.2004	15	0.42829	CU M/MI	1941.59	CU M
SP6	Day 3	09.20.2004	15.05	0.43395	CU M/MI	1942.16	CU M
SP6	Day 3	09.20.2004	15.1	0.42963	CU M/MI	1942.72	CU M
SP6	Day 3	09.20.2004	15.15	0	CU M/MI	1943.28	CU M
SP6	Day 3	09.20.2004	15.2	0	CU M/MI	1944.08	CU M
SP6	Day 3	09.20.2004	15.25	0	CU M/MI	1944.88	CU M
SP6	Day 3	09.20.2004	15.3	0	CU M/MI	1945.7	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 3	09.20.2004	15.35	0	CU M/MI	1946.5	CU M
SP6	Day 3	09.20.2004	15.4	0	CU M/MI	1947.3	CU M
SP6	Day 3	09.20.2004	15.45	0.00168	CU M/MI	1948.12	CU M
SP6	Day 3	09.20.2004	15.5	0.02148	CU M/MI	1948.94	CU M
SP6	Day 3	09.20.2004	15.55	0.43149	CU M/MI	1949.7	CU M
SP6	Day 3	09.20.2004	16	0.43772	CU M/MI	1950.28	CU M
SP6	Day 3	09.20.2004	16.05	0.43421	CU M/MI	1950.85	CU M
SP6	Day 3	09.20.2004	16.1	0.4056	CU M/MI	1951.42	CU M
SP6	Day 3	09.20.2004	16.15	0.42234	CU M/MI	1952.28	CU M
SP6	Day 3	09.20.2004	16.2	0.00323	CU M/MI	1954.2	CU M
SP6	Day 3	09.20.2004	16.3	0.4422	CU M/MI	1957.37	CU M
SP6	Day 3	09.20.2004	16.35	0.44079	CU M/MI	1958.83	CU M
SP6	Day 3	09.20.2004	16.4	0.4436	CU M/MI	1960.3	CU M
SP6	Day 3	09.20.2004	16.45	0.00046	CU M/MI	1961.98	CU M
SP6	Day 3	09.20.2004	16.5	0.03638	CU M/MI	1963.94	CU M
SP6	Day 3	09.20.2004	16.55	0.44369	CU M/MI	1965.45	CU M
SP6	Day 3	09.20.2004	17	0.44172	CU M/MI	1966.91	CU M
SP6	Day 3	09.20.2004	17.05	0.44589	CU M/MI	1968.36	CU M
SP6	Day 3	09.20.2004	17.1	0.00065	CU M/MI	1969.94	CU M
SP6	Day 3	09.20.2004	17.15	0.01103	CU M/MI	1971.9	CU M
SP6	Day 3	09.20.2004	17.2	0.0008	CU M/MI	1973.05	CU M
SP6	Day 3	09.20.2004	17.25	0.44609	CU M/MI	1974.08	CU M
SP6	Day 3	09.20.2004	17.3	0.00042	CU M/MI	1975.6	CU M
SP6	Day 3	09.20.2004	17.35	0.44522	CU M/MI	1976.91	CU M
SP6	Day 3	09.20.2004	17.4	0.44822	CU M/MI	1978.51	CU M
SP6	Day 3	09.20.2004	17.45	0.44863	CU M/MI	1979.98	CU M
SP6	Day 3	09.20.2004	17.5	0.44329	CU M/MI	1981.45	CU M
SP6	Day 3	09.20.2004	17.55	0.43951	CU M/MI	1982.92	CU M
SP6	Day 3	09.20.2004	18	0.00123	CU M/MI	1984.66	CU M
SP6	Day 3	09.20.2004	18.05	0.44464	CU M/MI	1986.6	CU M
SP6	Day 3	09.20.2004	18.1	0.44684	CU M/MI	1988.07	CU M
SP6	Day 3	09.20.2004	18.15	0.44292	CU M/MI	1989.55	CU M
SP6	Day 3	09.20.2004	18.2	0.44507	CU M/MI	1991	CU M
SP6	Day 3	09.20.2004	18.25	0.0009	CU M/MI	1992.51	CU M
SP6	Day 3	09.20.2004	18.3	0.00539	CU M/MI	1994.49	CU M
SP6	Day 3	09.20.2004	18.35	0.44435	CU M/MI	1996.17	CU M
SP6	Day 3	09.20.2004	18.4	0.43799	CU M/MI	1997.62	CU M
SP6	Day 3	09.20.2004	18.45	0.43698	CU M/MI	1999.06	CU M
SP6	Day 3	09.20.2004	18.5	0.41482	CU M/MI	2000.5	CU M
SP6	Day 3	09.20.2004	18.55	0.00176	CU M/MI	2002.38	CU M
SP6	Day 3	09.20.2004	19	0.43021	CU M/MI	2004.08	CU M
SP6	Day 3	09.20.2004	19.05	0.43121	CU M/MI	2005.5	CU M
SP6	Day 3	09.20.2004	19.1	0.43	CU M/MI	2006.92	CU M
SP6	Day 3	09.20.2004	19.15	0.38622	CU M/MI	2008.34	CU M
SP6	Day 3	09.20.2004	19.2	0.00582	CU M/MI	2010.3	CU M
SP6	Day 3	09.20.2004	19.25	0.43604	CU M/MI	2011.92	CU M
SP6	Day 3	09.20.2004	19.3	0.43578	CU M/MI	2013.36	CU M
SP6	Day 3	09.20.2004	19.35	0.43581	CU M/MI	2014.8	CU M
SP6	Day 3	09.20.2004	19.4	0.3737	CU M/MI	2016.25	CU M
SP6	Day 3	09.20.2004	19.45	0.01131	CU M/MI	2018.25	CU M
SP6	Day 3	09.20.2004	19.5	0.43617	CU M/MI	2019.84	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 3	09.20.2004	19.55	0.43864	CU M/MI	2021.27	CU M
SP6	Day 3	09.20.2004	20	0.43592	CU M/MI	2022.72	CU M
SP6	Day 3	09.20.2004	20.05	0	CU M/MI	2024.26	CU M
SP6	Day 3	09.20.2004	20.1	0.01812	CU M/MI	2026.21	CU M
SP6	Day 3	09.20.2004	20.15	0.43371	CU M/MI	2027.74	CU M
SP6	Day 3	09.20.2004	20.2	0.43388	CU M/MI	2029.18	CU M
SP6	Day 3	09.20.2004	20.25	0.43237	CU M/MI	2030.63	CU M
SP6	Day 3	09.20.2004	20.3	0.00026	CU M/MI	2032.16	CU M
SP6	Day 3	09.20.2004	20.35	0.01352	CU M/MI	2034.1	CU M
SP6	Day 3	09.20.2004	20.4	0.43078	CU M/MI	2035.68	CU M
SP6	Day 3	09.20.2004	20.45	0.43214	CU M/MI	2037.11	CU M
SP6	Day 3	09.20.2004	20.5	0.43134	CU M/MI	2038.56	CU M
SP6	Day 3	09.20.2004	20.55	0.39073	CU M/MI	2039.99	CU M
SP6	Day 3	09.20.2004	21	0.00619	CU M/MI	2041.97	CU M
SP6	Day 3	09.20.2004	21.05	0.43144	CU M/MI	2043.58	CU M
SP6	Day 3	09.20.2004	21.1	0.43438	CU M/MI	2045.01	CU M
SP6	Day 3	09.20.2004	21.15	0.43375	CU M/MI	2046.44	CU M
SP6	Day 3	09.20.2004	21.2	0.00049	CU M/MI	2048	CU M
SP6	Day 3	09.20.2004	21.25	0.15645	CU M/MI	2050	CU M
SP6	Day 3	09.20.2004	21.3	0.0316	CU M/MI	2050.79	CU M
SP6	Day 3	09.20.2004	21.35	0.42737	CU M/MI	2052.22	CU M
SP6	Day 3	09.20.2004	21.4	0	CU M/MI	2052.97	CU M
SP6	Day 3	09.20.2004	21.45	0.05174	CU M/MI	2054.91	CU M
SP6	Day 3	09.20.2004	21.5	0.42439	CU M/MI	2056.28	CU M
SP6	Day 3	09.20.2004	21.55	0.42348	CU M/MI	2057.65	CU M
SP6	Day 3	09.20.2004	22	0.41846	CU M/MI	2059.08	CU M
SP6	Day 3	09.20.2004	22.05	0.00104	CU M/MI	2060.74	CU M
SP6	Day 3	09.20.2004	22.1	0.42864	CU M/MI	2062.65	CU M
SP6	Day 3	09.20.2004	22.15	0.43067	CU M/MI	2064.08	CU M
SP6	Day 3	09.20.2004	22.2	0.43113	CU M/MI	2065.5	CU M
SP6	Day 3	09.20.2004	22.25	0.39371	CU M/MI	2066.93	CU M
SP6	Day 3	09.20.2004	22.3	0.00903	CU M/MI	2068.89	CU M
SP6	Day 3	09.20.2004	22.35	0.42337	CU M/MI	2070.46	CU M
SP6	Day 3	09.20.2004	22.4	0.42266	CU M/MI	2071.9	CU M
SP6	Day 3	09.20.2004	22.45	0.42253	CU M/MI	2073.3	CU M
SP6	Day 3	09.20.2004	22.5	0.38713	CU M/MI	2074.75	CU M
SP6	Day 3	09.20.2004	22.55	0.00806	CU M/MI	2076.71	CU M
SP6	Day 3	09.20.2004	23	0.429	CU M/MI	2078.33	CU M
SP6	Day 3	09.20.2004	23.05	0.43229	CU M/MI	2079.74	CU M
SP6	Day 3	09.20.2004	23.1	0.42941	CU M/MI	2081.16	CU M
SP6	Day 3	09.20.2004	23.15	0	CU M/MI	2082.65	CU M
SP6	Day 3	09.20.2004	23.2	0.02162	CU M/MI	2084.65	CU M
SP6	Day 3	09.20.2004	23.25	0.43453	CU M/MI	2086.16	CU M
SP6	Day 3	09.20.2004	23.3	0.43111	CU M/MI	2087.61	CU M
SP6	Day 3	09.20.2004	23.35	0.42936	CU M/MI	2089.03	CU M
SP6	Day 3	09.20.2004	23.4	0.00008	CU M/MI	2090.56	CU M
SP6	Day 3	09.20.2004	23.45	0.42612	CU M/MI	2092.56	CU M
SP6	Day 3	09.20.2004	23.5	0.42444	CU M/MI	2093.94	CU M
SP6	Day 3	09.20.2004	23.55	0.43101	CU M/MI	2095.36	CU M
SP6	Day 3	09.21.2004	0	0.42442	CU M/MI	2096.78	CU M
SP6	Day 3	09.21.2004	0.05	0.00165	CU M/MI	2098.54	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 3	09.21.2004	0.1	0.43301	CU M/MI	2100.39	CU M
SP6	Day 3	09.21.2004	0.15	0.43374	CU M/MI	2101.84	CU M
SP6	Day 3	09.21.2004	0.2	0.4345	CU M/MI	2103.31	CU M
SP6	Day 3	09.21.2004	0.25	0.43259	CU M/MI	2104.75	CU M
SP6	Day 3	09.21.2004	0.3	0.40954	CU M/MI	2106.23	CU M
SP6	Day 3	09.21.2004	0.35	0.02782	CU M/MI	2108.33	CU M
SP6	Day 3	09.21.2004	0.4	0.43385	CU M/MI	2109.83	CU M
SP6	Day 3	09.21.2004	0.45	0.4367	CU M/MI	2111.29	CU M
SP6	Day 3	09.21.2004	0.5	0.43359	CU M/MI	2112.75	CU M
SP6	Day 3	09.21.2004	0.55	0.00094	CU M/MI	2114.44	CU M
SP6	Day 3	09.21.2004	1	0.00385	CU M/MI	2116.21	CU M
SP6	Day 3	09.21.2004	1.05	0.43767	CU M/MI	2117.92	CU M
SP6	Day 3	09.21.2004	1.1	0.43696	CU M/MI	2119.4	CU M
SP6	Day 3	09.21.2004	1.15	0.43601	CU M/MI	2120.83	CU M
SP6	Day 3	09.21.2004	1.2	0.42857	CU M/MI	2122.37	CU M
SP6	Day 3	09.21.2004	1.25	0.00083	CU M/MI	2124.01	CU M
SP6	Day 3	09.21.2004	1.3	0.00328	CU M/MI	2125.75	CU M
SP6	Day 3	09.21.2004	1.35	0.00175	CU M/MI	2127.2	CU M
SP6	Day 3	09.21.2004	1.4	0.41553	CU M/MI	2128.33	CU M
SP6	Day 3	09.21.2004	1.45	0.41516	CU M/MI	2129.72	CU M
SP6	Day 3	09.21.2004	1.5	0.37573	CU M/MI	2130.45	CU M
SP6	Day 3	09.21.2004	1.55	0.4032	CU M/MI	2132.47	CU M
SP6	Day 3	09.21.2004	2	0.40248	CU M/MI	2133.82	CU M
SP6	Day 3	09.21.2004	2.05	0.22317	CU M/MI	2135.21	CU M
SP6	Day 3	09.21.2004	2.1	0.40293	CU M/MI	2137.21	CU M
SP6	Day 3	09.21.2004	2.15	0.40032	CU M/MI	2138.61	CU M
SP6	Day 3	09.21.2004	2.2	0.00064	CU M/MI	2139.94	CU M
SP6	Day 3	09.21.2004	2.25	0.34296	CU M/MI	2141.91	CU M
SP6	Day 3	09.21.2004	2.3	0.39179	CU M/MI	2143.24	CU M
SP6	Day 3	09.21.2004	2.35	0.001	CU M/MI	2144.75	CU M
SP6	Day 3	09.21.2004	2.4	0.38004	CU M/MI	2146.46	CU M
SP6	Day 3	09.21.2004	2.45	0.37661	CU M/MI	2147.75	CU M
SP6	Day 3	09.21.2004	2.5	0.33898	CU M/MI	2149.56	CU M
SP6	Day 3	09.21.2004	2.55	0.34787	CU M/MI	2151.21	CU M
SP6	Day 3	09.21.2004	3	0	CU M/MI	2152.55	CU M
SP6	Day 3	09.21.2004	3.05	0.34444	CU M/MI	2154.15	CU M
SP6	Day 3	09.21.2004	3.1	0.35513	CU M/MI	2155.92	CU M
SP6	Day 3	09.21.2004	3.15	0.36535	CU M/MI	2157.15	CU M
SP6	Day 3	09.21.2004	3.2	0.3581	CU M/MI	2158.97	CU M
SP6	Day 3	09.21.2004	3.25	0.35933	CU M/MI	2160.16	CU M
SP6	Day 3	09.21.2004	3.3	0.36404	CU M/MI	2161.95	CU M
SP6	Day 3	09.21.2004	3.35	0.00289	CU M/MI	2163.57	CU M
SP6	Day 3	09.21.2004	3.4	0.37186	CU M/MI	2165.04	CU M
SP6	Day 3	09.21.2004	3.45	0.00017	CU M/MI	2165.19	CU M
SP6	Day 3	09.21.2004	3.5	0.00003	CU M/MI	2165.22	CU M
SP6	Day 3	09.21.2004	3.55	0.00037	CU M/MI	2165.22	CU M
SP6	Day 3	09.21.2004	4	0.00019	CU M/MI	2165.22	CU M
SP6	Day 3	09.21.2004	4.05	0.00042	CU M/MI	2165.22	CU M
SP6	Day 3	09.21.2004	4.15	0	CU M/MI	2165.22	CU M
SP6	Day 3	09.21.2004	4.2	0	CU M/MI	2165.22	CU M
SP6	Day 3	09.21.2004	4.25	0	CU M/MI	2165.22	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 3	09.21.2004	4.3	0	CU M/MI	2165.22	CU M
SP6	Day 3	09.21.2004	4.35	0	CU M/MI	2165.22	CU M
SP6	Day 3	09.21.2004	4.4	0	CU M/MI	2165.22	CU M
SP6	Day 3	09.21.2004	4.45	0	CU M/MI	2165.22	CU M
SP6	Day 3	09.21.2004	4.5	0	CU M/MI	2165.22	CU M
SP6	Day 3	09.21.2004	4.55	0	CU M/MI	2165.22	CU M
SP6	Day 3	09.21.2004	5	0	CU M/MI	2165.22	CU M
SP6	Day 3	09.21.2004	5.05	0	CU M/MI	2165.22	CU M
SP6	Day 3	09.21.2004	5.1	0	CU M/MI	2165.22	CU M
SP6	Day 3	09.21.2004	5.15	0	CU M/MI	2165.22	CU M
SP6	Day 3	09.21.2004	5.2	0	CU M/MI	2165.22	CU M
SP6	Day 3	09.21.2004	5.25	0	CU M/MI	2165.22	CU M
SP6	Day 3	09.21.2004	5.3	0	CU M/MI	2165.22	CU M
SP6	Day 3	09.21.2004	5.35	0	CU M/MI	2165.22	CU M
SP6	Day 3	09.21.2004	5.4	0	CU M/MI	2165.22	CU M
SP6	Day 3	09.21.2004	5.45	0	CU M/MI	2165.22	CU M
SP6	Day 3	09.21.2004	5.5	0	CU M/MI	2165.22	CU M
SP6	Day 3	09.21.2004	5.55	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	6	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	6.05	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	6.1	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	6.15	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	6.2	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	6.25	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	6.3	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	6.35	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	6.4	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	6.45	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	6.5	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	6.55	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	7	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	7.05	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	7.1	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	7.15	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	7.2	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	7.25	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	7.3	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	7.35	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	7.4	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	7.45	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	7.5	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	7.55	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	8	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	8.05	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	8.1	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	8.15	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	8.2	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	8.25	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	8.3	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	8.35	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	8.4	0	CU M/MI	2165.22	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 4	09.21.2004	8.45	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	8.5	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	8.55	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	9	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	9.05	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	9.1	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	9.15	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	9.2	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	9.25	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	9.3	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	9.35	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	9.4	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	9.45	0	CU M/MI	2165.22	CU M
SP6	Day 4	09.21.2004	9.5	0.32812	CU M/MI	2166.6	CU M
SP6	Day 4	09.21.2004	9.55	0.32823	CU M/MI	2168.25	CU M
SP6	Day 4	09.21.2004	10	0.32942	CU M/MI	2169.89	CU M
SP6	Day 4	09.21.2004	10.05	0.04283	CU M/MI	2171.51	CU M
SP6	Day 4	09.21.2004	10.1	0.32722	CU M/MI	2172.61	CU M
SP6	Day 4	09.21.2004	10.15	0.32591	CU M/MI	2174.24	CU M
SP6	Day 4	09.21.2004	10.2	0.32355	CU M/MI	2175.86	CU M
SP6	Day 4	09.21.2004	10.25	0.3232	CU M/MI	2177.48	CU M
SP6	Day 4	09.21.2004	10.3	0	CU M/MI	2178.66	CU M
SP6	Day 4	09.21.2004	10.35	0.32928	CU M/MI	2180.19	CU M
SP6	Day 4	09.21.2004	10.4	0.32985	CU M/MI	2181.84	CU M
SP6	Day 4	09.21.2004	10.45	0.33084	CU M/MI	2183.49	CU M
SP6	Day 4	09.21.2004	10.5	0.33294	CU M/MI	2185.14	CU M
SP6	Day 4	09.21.2004	10.55	0.33036	CU M/MI	2186.22	CU M
SP6	Day 4	09.21.2004	11	0.33098	CU M/MI	2187.89	CU M
SP6	Day 4	09.21.2004	11.05	0.30581	CU M/MI	2188.34	CU M
SP6	Day 4	09.21.2004	11.1	0	CU M/MI	2189.19	CU M
SP6	Day 4	09.21.2004	11.15	0	CU M/MI	2190.1	CU M
SP6	Day 4	09.21.2004	11.2	0.34142	CU M/MI	2190.9	CU M
SP6	Day 4	09.21.2004	11.25	0.34032	CU M/MI	2191.35	CU M
SP6	Day 4	09.21.2004	11.3	0	CU M/MI	2191.88	CU M
SP6	Day 4	09.21.2004	11.35	0	CU M/MI	2192.78	CU M
SP6	Day 4	09.21.2004	11.4	0	CU M/MI	2193.67	CU M
SP6	Day 4	09.21.2004	11.45	0.34196	CU M/MI	2194.39	CU M
SP6	Day 4	09.21.2004	11.5	0.34143	CU M/MI	2194.84	CU M
SP6	Day 4	09.21.2004	11.55	0	CU M/MI	2195.4	CU M
SP6	Day 4	09.21.2004	12	0	CU M/MI	2196.28	CU M
SP6	Day 4	09.21.2004	12.05	0	CU M/MI	2197.16	CU M
SP6	Day 4	09.21.2004	12.1	0.34348	CU M/MI	2197.96	CU M
SP6	Day 4	09.21.2004	12.15	0.34346	CU M/MI	2198.43	CU M
SP6	Day 4	09.21.2004	12.2	0.28971	CU M/MI	2198.93	CU M
SP6	Day 4	09.21.2004	12.25	0	CU M/MI	2199.81	CU M
SP6	Day 4	09.21.2004	12.3	0	CU M/MI	2200.7	CU M
SP6	Day 4	09.21.2004	12.35	0.01738	CU M/MI	2201.59	CU M
SP6	Day 4	09.21.2004	12.4	0.38496	CU M/MI	2202.17	CU M
SP6	Day 4	09.21.2004	12.45	0.38034	CU M/MI	2202.66	CU M
SP6	Day 4	09.21.2004	12.5	0	CU M/MI	2203.26	CU M
SP6	Day 4	09.21.2004	12.55	0	CU M/MI	2204.09	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 4	09.21.2004	13	0	CU M/MI	2204.07	CU M
SP6	Day 4	09.21.2004	13.05	0	CU M/MI	2205.15	CU M
SP6	Day 4	09.21.2004	13.1	0.38415	CU M/MI	2205.85	CU M
SP6	Day 4	09.21.2004	13.15	0	CU M/MI	2205.96	CU M
SP6	Day 4	09.21.2004	13.2	0.37439	CU M/MI	2206.23	CU M
SP6	Day 4	09.21.2004	13.25	0.37769	CU M/MI	2208.15	CU M
SP6	Day 4	09.21.2004	13.3	0.37662	CU M/MI	2210.02	CU M
SP6	Day 4	09.21.2004	13.35	0.38268	CU M/MI	2211.29	CU M
SP6	Day 4	09.21.2004	13.4	0.38579	CU M/MI	2213.21	CU M
SP6	Day 4	09.21.2004	13.45	0.37847	CU M/MI	2214.47	CU M
SP6	Day 4	09.21.2004	13.5	0.03233	CU M/MI	2216.33	CU M
SP6	Day 4	09.21.2004	13.55	0.38398	CU M/MI	2217.65	CU M
SP6	Day 4	09.21.2004	14	0	CU M/MI	2219.08	CU M
SP6	Day 4	09.21.2004	14.05	0.38642	CU M/MI	2220.85	CU M
SP6	Day 4	09.21.2004	14.1	0.38465	CU M/MI	2222.14	CU M
SP6	Day 4	09.21.2004	14.15	0.3873	CU M/MI	2224.06	CU M
SP6	Day 4	09.21.2004	14.2	0.38339	CU M/MI	2225.31	CU M
SP6	Day 4	09.21.2004	14.25	0.38502	CU M/MI	2227.23	CU M
SP6	Day 4	09.21.2004	14.3	0.39476	CU M/MI	2228.49	CU M
SP6	Day 4	09.21.2004	14.35	0	CU M/MI	2230.03	CU M
SP6	Day 4	09.21.2004	14.4	0.39892	CU M/MI	2231.81	CU M
SP6	Day 4	09.21.2004	14.45	0.3968	CU M/MI	2233.13	CU M
SP6	Day 4	09.21.2004	14.5	0.00948	CU M/MI	2235	CU M
SP6	Day 4	09.21.2004	14.55	0.39365	CU M/MI	2236.42	CU M
SP6	Day 4	09.21.2004	15	0.39549	CU M/MI	2237.71	CU M
SP6	Day 4	09.21.2004	15.05	0.39561	CU M/MI	2239.69	CU M
SP6	Day 4	09.21.2004	15.1	0.39437	CU M/MI	2240.98	CU M
SP6	Day 4	09.21.2004	15.15	0	CU M/MI	2242.43	CU M
SP6	Day 4	09.21.2004	15.2	0.39321	CU M/MI	2244.26	CU M
SP6	Day 4	09.21.2004	15.25	0.39257	CU M/MI	2245.58	CU M
SP6	Day 4	09.21.2004	15.3	0	CU M/MI	2247.3	CU M
SP6	Day 4	09.21.2004	15.35	0	CU M/MI	2248.08	CU M
SP6	Day 4	09.21.2004	15.4	0.3919	CU M/MI	2249.59	CU M
SP6	Day 4	09.21.2004	15.45	0	CU M/MI	2251.15	CU M
SP6	Day 4	09.21.2004	15.5	0.39088	CU M/MI	2252.83	CU M
SP6	Day 4	09.21.2004	16.05	0.39059	CU M/MI	2257.36	CU M
SP6	Day 4	09.21.2004	16.1	0	CU M/MI	2258.71	CU M
SP6	Day 4	09.21.2004	16.15	0.38107	CU M/MI	2260.55	CU M
SP6	Day 4	09.21.2004	16.2	0.38158	CU M/MI	2261.83	CU M
SP6	Day 4	09.21.2004	16.25	0.37917	CU M/MI	2263.73	CU M
SP6	Day 4	09.21.2004	16.3	0.37951	CU M/MI	2265.02	CU M
SP6	Day 4	09.21.2004	16.35	0.009	CU M/MI	2266.81	CU M
SP6	Day 4	09.21.2004	16.4	0.40811	CU M/MI	2268.2	CU M
SP6	Day 4	09.21.2004	16.45	0.4091	CU M/MI	2269.53	CU M
SP6	Day 4	09.21.2004	16.5	0.00016	CU M/MI	2271.36	CU M
SP6	Day 4	09.21.2004	16.55	0.41136	CU M/MI	2272.96	CU M
SP6	Day 4	09.21.2004	17	0.41139	CU M/MI	2274.34	CU M
SP6	Day 4	09.21.2004	17.05	0.41314	CU M/MI	2275.73	CU M
SP6	Day 4	09.21.2004	17.1	0	CU M/MI	2277.44	CU M
SP6	Day 4	09.21.2004	17.15	0	CU M/MI	2278.49	CU M
SP6	Day 4	09.21.2004	17.2	0.40981	CU M/MI	2279.76	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 4	09.21.2004	17.25	0.41078	CU M/MI	2281.18	CU M
SP6	Day 4	09.21.2004	17.3	0	CU M/MI	2282.7	CU M
SP6	Day 4	09.21.2004	17.35	0.41155	CU M/MI	2284.57	CU M
SP6	Day 4	09.21.2004	17.4	0.4104	CU M/MI	2285.91	CU M
SP6	Day 4	09.21.2004	17.45	0.41194	CU M/MI	2287.29	CU M
SP6	Day 4	09.21.2004	17.5	0.37631	CU M/MI	2288.69	CU M
SP6	Day 4	09.21.2004	17.55	0.00131	CU M/MI	2290.54	CU M
SP6	Day 4	09.21.2004	18	0.40964	CU M/MI	2292.11	CU M
SP6	Day 4	09.21.2004	18.05	0.41099	CU M/MI	2293.47	CU M
SP6	Day 4	09.21.2004	18.1	0.40986	CU M/MI	2294.84	CU M
SP6	Day 4	09.21.2004	18.15	0	CU M/MI	2296.29	CU M
SP6	Day 4	09.21.2004	18.2	0.05773	CU M/MI	2298.29	CU M
SP6	Day 4	09.21.2004	18.25	0.41031	CU M/MI	2299.64	CU M
SP6	Day 4	09.21.2004	18.3	0.41112	CU M/MI	2301.02	CU M
SP6	Day 4	09.21.2004	18.35	0.40977	CU M/MI	2302.39	CU M
SP6	Day 4	09.21.2004	18.4	0	CU M/MI	2304.18	CU M
SP6	Day 4	09.21.2004	18.45	0.41137	CU M/MI	2305.85	CU M
SP6	Day 4	09.21.2004	18.5	0.41064	CU M/MI	2307.24	CU M
SP6	Day 4	09.21.2004	18.55	0.41086	CU M/MI	2308.64	CU M
SP6	Day 4	09.21.2004	19	0.41192	CU M/MI	2310.03	CU M
SP6	Day 4	09.21.2004	19.05	0	CU M/MI	2311.63	CU M
SP6	Day 4	09.21.2004	19.1	0.41054	CU M/MI	2313.45	CU M
SP6	Day 4	09.21.2004	19.15	0.41072	CU M/MI	2314.84	CU M
SP6	Day 4	09.21.2004	19.2	0.4104	CU M/MI	2316.25	CU M
SP6	Day 4	09.21.2004	19.25	0.40934	CU M/MI	2317.64	CU M
SP6	Day 4	09.21.2004	19.3	0	CU M/MI	2319.3	CU M
SP6	Day 4	09.21.2004	19.35	0.40205	CU M/MI	2321.11	CU M
SP6	Day 4	09.21.2004	19.4	0	CU M/MI	2322.21	CU M
SP6	Day 4	09.21.2004	19.45	0.41106	CU M/MI	2323.2	CU M
SP6	Day 4	09.21.2004	19.5	0.40986	CU M/MI	2324.63	CU M
SP6	Day 4	09.21.2004	19.55	0.40913	CU M/MI	2325.98	CU M
SP6	Day 4	09.21.2004	20	0.39438	CU M/MI	2327.36	CU M
SP6	Day 4	09.21.2004	20.05	0	CU M/MI	2329.17	CU M
SP6	Day 4	09.21.2004	20.1	0.40617	CU M/MI	2330.78	CU M
SP6	Day 4	09.21.2004	20.15	0	CU M/MI	2331.37	CU M
SP6	Day 4	09.21.2004	20.2	0	CU M/MI	2331.35	CU M
SP6	Day 4	09.21.2004	20.25	0.40624	CU M/MI	2332.56	CU M
SP6	Day 4	09.21.2004	20.3	0	CU M/MI	2334.16	CU M
SP6	Day 4	09.21.2004	20.35	0.00509	CU M/MI	2335.86	CU M
SP6	Day 4	09.21.2004	20.4	0.40354	CU M/MI	2337.38	CU M
SP6	Day 4	09.21.2004	20.45	0.40374	CU M/MI	2338.79	CU M
SP6	Day 4	09.21.2004	20.5	0.40379	CU M/MI	2340.17	CU M
SP6	Day 4	09.21.2004	20.55	0.40362	CU M/MI	2341.54	CU M
SP6	Day 4	09.21.2004	21	0	CU M/MI	2343.02	CU M
SP6	Day 4	09.21.2004	21.05	0.01447	CU M/MI	2344.85	CU M
SP6	Day 4	09.21.2004	21.1	0.40507	CU M/MI	2346.31	CU M
SP6	Day 4	09.21.2004	21.15	0.4067	CU M/MI	2347.67	CU M
SP6	Day 4	09.21.2004	21.2	0.40301	CU M/MI	2349.08	CU M
SP6	Day 4	09.21.2004	21.25	0.37055	CU M/MI	2350.5	CU M
SP6	Day 4	09.21.2004	21.3	0	CU M/MI	2352.23	CU M
SP6	Day 4	09.21.2004	21.35	0	CU M/MI	2353.14	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 4	09.21.2004	21.4	0.40035	CU M/MI	2354.58	CU M
SP6	Day 4	09.21.2004	21.45	0.40162	CU M/MI	2355.81	CU M
SP6	Day 4	09.21.2004	21.5	0.35741	CU M/MI	2357.14	CU M
SP6	Day 4	09.21.2004	21.55	0.03833	CU M/MI	2359.1	CU M
SP6	Day 4	09.21.2004	22	0.40267	CU M/MI	2360.48	CU M
SP6	Day 4	09.21.2004	22.05	0.4005	CU M/MI	2361.87	CU M
SP6	Day 4	09.21.2004	22.1	0.40015	CU M/MI	2363.18	CU M
SP6	Day 4	09.21.2004	22.15	0	CU M/MI	2364.89	CU M
SP6	Day 4	09.21.2004	22.2	0.39885	CU M/MI	2366.51	CU M
SP6	Day 4	09.21.2004	22.25	0.40016	CU M/MI	2367.84	CU M
SP6	Day 4	09.21.2004	22.3	0.40028	CU M/MI	2369.22	CU M
SP6	Day 4	09.21.2004	22.35	0	CU M/MI	2370.74	CU M
SP6	Day 4	09.21.2004	22.4	0.40328	CU M/MI	2372.54	CU M
SP6	Day 4	09.21.2004	22.45	0.40504	CU M/MI	2373.89	CU M
SP6	Day 4	09.21.2004	22.5	0.40303	CU M/MI	2375.25	CU M
SP6	Day 4	09.21.2004	22.55	0	CU M/MI	2376.57	CU M
SP6	Day 4	09.21.2004	23	0	CU M/MI	2377.3	CU M
SP6	Day 4	09.21.2004	23.05	0	CU M/MI	2378.03	CU M
SP6	Day 4	09.21.2004	23.1	0	CU M/MI	2378.72	CU M
SP6	Day 4	09.21.2004	23.15	0	CU M/MI	2379.48	CU M
SP6	Day 4	09.21.2004	23.2	0	CU M/MI	2380.21	CU M
SP6	Day 4	09.21.2004	23.25	0	CU M/MI	2380.9	CU M
SP6	Day 4	09.21.2004	23.3	0	CU M/MI	2381.67	CU M
SP6	Day 4	09.21.2004	23.35	0	CU M/MI	2382.43	CU M
SP6	Day 4	09.21.2004	23.4	0	CU M/MI	2383.12	CU M
SP6	Day 4	09.21.2004	23.45	0	CU M/MI	2383.81	CU M
SP6	Day 4	09.21.2004	23.5	0	CU M/MI	2384.55	CU M
SP6	Day 4	09.21.2004	23.55	0.00802	CU M/MI	2385.31	CU M
SP6	Day 4	09.22.2004	0	0	CU M/MI	2385.78	CU M
SP6	Day 4	09.22.2004	0.05	0	CU M/MI	2385.76	CU M
SP6	Day 4	09.22.2004	0.1	0	CU M/MI	2386.58	CU M
SP6	Day 4	09.22.2004	0.15	0	CU M/MI	2387.38	CU M
SP6	Day 4	09.22.2004	0.2	0.00652	CU M/MI	2388.19	CU M
SP6	Day 4	09.22.2004	0.25	0.15119	CU M/MI	2388.96	CU M
SP6	Day 4	09.22.2004	0.3	0.38856	CU M/MI	2389.63	CU M
SP6	Day 4	09.22.2004	0.35	0.39601	CU M/MI	2390.27	CU M
SP6	Day 4	09.22.2004	0.4	0.40155	CU M/MI	2390.96	CU M
SP6	Day 4	09.22.2004	0.45	0.40211	CU M/MI	2391.63	CU M
SP6	Day 4	09.22.2004	0.5	0.4003	CU M/MI	2392.29	CU M
SP6	Day 4	09.22.2004	0.55	0.38753	CU M/MI	2392.89	CU M
SP6	Day 4	09.22.2004	1	0	CU M/MI	2393.53	CU M
SP6	Day 4	09.22.2004	1.05	0	CU M/MI	2394.35	CU M
SP6	Day 4	09.22.2004	1.1	0	CU M/MI	2395.14	CU M
SP6	Day 4	09.22.2004	1.15	0	CU M/MI	2395.86	CU M
SP6	Day 4	09.22.2004	1.2	0	CU M/MI	2396.65	CU M
SP6	Day 4	09.22.2004	1.25	0.39897	CU M/MI	2398.25	CU M
SP6	Day 4	09.22.2004	1.3	0	CU M/MI	2399.91	CU M
SP6	Day 4	09.22.2004	1.35	0.4004	CU M/MI	2401.65	CU M
SP6	Day 4	09.22.2004	1.4	0.39439	CU M/MI	2403	CU M
SP6	Day 4	09.22.2004	1.45	0.39804	CU M/MI	2405	CU M
SP6	Day 4	09.22.2004	1.5	0.39921	CU M/MI	2406.36	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 4	09.22.2004	1.55	0.38918	CU M/MI	2407.66	CU M
SP6	Day 4	09.22.2004	2	0.39874	CU M/MI	2409.65	CU M
SP6	Day 4	09.22.2004	2.05	0.39695	CU M/MI	2411.02	CU M
SP6	Day 4	09.22.2004	2.1	0	CU M/MI	2411.86	CU M
SP6	Day 4	09.22.2004	2.15	0.39819	CU M/MI	2412.9	CU M
SP6	Day 4	09.22.2004	2.2	0.39998	CU M/MI	2414.89	CU M
SP6	Day 4	09.22.2004	2.25	0.39555	CU M/MI	2416.27	CU M
SP6	Day 4	09.22.2004	2.3	0.39556	CU M/MI	2417.59	CU M
SP6	Day 4	09.22.2004	2.35	0.01458	CU M/MI	2419.49	CU M
SP6	Day 4	09.22.2004	2.4	0.39609	CU M/MI	2420.95	CU M
SP6	Day 4	09.22.2004	2.45	0.39046	CU M/MI	2422.29	CU M
SP6	Day 4	09.22.2004	2.5	0	CU M/MI	2423.95	CU M
SP6	Day 4	09.22.2004	2.55	0.39165	CU M/MI	2425.56	CU M
SP6	Day 4	09.22.2004	3	0.38743	CU M/MI	2426.91	CU M
SP6	Day 4	09.22.2004	3.05	0	CU M/MI	2428.39	CU M
SP6	Day 4	09.22.2004	3.1	0.38748	CU M/MI	2430.17	CU M
SP6	Day 4	09.22.2004	3.15	0.38924	CU M/MI	2430.79	CU M
SP6	Day 4	09.22.2004	3.2	0.38496	CU M/MI	2432.15	CU M
SP6	Day 4	09.22.2004	3.25	0	CU M/MI	2433.77	CU M
SP6	Day 4	09.22.2004	3.3	0.38179	CU M/MI	2435.42	CU M
SP6	Day 4	09.22.2004	3.35	0.36703	CU M/MI	2436.7	CU M
SP6	Day 4	09.22.2004	3.4	0.3602	CU M/MI	2438.5	CU M
SP6	Day 4	09.22.2004	3.45	0.3585	CU M/MI	2439.7	CU M
SP6	Day 4	09.22.2004	3.5	0.35509	CU M/MI	2441.49	CU M
SP6	Day 4	09.22.2004	3.55	0.3568	CU M/MI	2442.59	CU M
SP6	Day 4	09.22.2004	4	0.35627	CU M/MI	2443.21	CU M
SP6	Day 4	09.22.2004	4.2	0.33909	CU M/MI	2447.34	CU M
SP6	Day 4	09.22.2004	4.25	0.29006	CU M/MI	2448.45	CU M
SP6	Day 4	09.22.2004	4.3	0	CU M/MI	2449.4	CU M
SP6	Day 4	09.22.2004	4.35	0.31518	CU M/MI	2450.66	CU M
SP6	Day 4	09.22.2004	4.4	0.30971	CU M/MI	2452.21	CU M
SP6	Day 4	09.22.2004	4.45	0	CU M/MI	2453.26	CU M
SP6	Day 4	09.22.2004	4.5	0.31685	CU M/MI	2453.7	CU M
SP6	Day 4	09.22.2004	4.55	0.31005	CU M/MI	2455.25	CU M
SP6	Day 4	09.22.2004	5	0.3114	CU M/MI	2456.81	CU M
SP6	Day 4	09.22.2004	5.05	0	CU M/MI	2457.3	CU M
SP6	Day 4	09.22.2004	5.1	0.30499	CU M/MI	2457.88	CU M
SP6	Day 4	09.22.2004	5.15	0.31135	CU M/MI	2459.41	CU M
SP6	Day 4	09.22.2004	5.2	0	CU M/MI	2460.22	CU M
SP6	Day 4	09.22.2004	5.25	0	CU M/MI	2460.2	CU M
SP6	Day 4	09.22.2004	5.3	0	CU M/MI	2460.19	CU M
SP6	Day 4	09.22.2004	5.35	0	CU M/MI	2460.17	CU M
SP6	Day 4	09.22.2004	5.4	0	CU M/MI	2460.15	CU M
SP6	Day 4	09.22.2004	5.45	0	CU M/MI	2460.14	CU M
SP6	Day 4	09.22.2004	5.5	0	CU M/MI	2460.12	CU M
SP6	Day 4	09.22.2004	5.55	0	CU M/MI	2460.1	CU M
SP6	Day 5	09.22.2004	6	0.31204	CU M/MI	2460.92	CU M
SP6	Day 5	09.22.2004	6.05	0.31494	CU M/MI	2462.49	CU M
SP6	Day 5	09.22.2004	6.1	0.31532	CU M/MI	2464.07	CU M
SP6	Day 5	09.22.2004	6.15	0.31885	CU M/MI	2465.66	CU M
SP6	Day 5	09.22.2004	6.2	0.31961	CU M/MI	2467.25	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 5	09.22.2004	6.25	0.32365	CU M/MI	2468.32	CU M
SP6	Day 5	09.22.2004	6.3	0.32323	CU M/MI	2469.95	CU M
SP6	Day 5	09.22.2004	6.35	0.32288	CU M/MI	2471.57	CU M
SP6	Day 5	09.22.2004	6.4	0.32377	CU M/MI	2473.19	CU M
SP6	Day 5	09.22.2004	6.45	0	CU M/MI	2474.36	CU M
SP6	Day 5	09.22.2004	6.5	0	CU M/MI	2474.34	CU M
SP6	Day 5	09.22.2004	6.55	0.32623	CU M/MI	2475.38	CU M
SP6	Day 5	09.22.2004	7	0.32907	CU M/MI	2477.01	CU M
SP6	Day 5	09.22.2004	7.05	0.34716	CU M/MI	2478.73	CU M
SP6	Day 5	09.22.2004	7.1	0.34847	CU M/MI	2479.9	CU M
SP6	Day 5	09.22.2004	7.15	0.34755	CU M/MI	2481.64	CU M
SP6	Day 5	09.22.2004	7.2	0.3482	CU M/MI	2483.38	CU M
SP6	Day 5	09.22.2004	7.25	0.34905	CU M/MI	2484.53	CU M
SP6	Day 5	09.22.2004	7.3	0.35026	CU M/MI	2486.27	CU M
SP6	Day 5	09.22.2004	7.35	0	CU M/MI	2486.83	CU M
SP6	Day 5	09.22.2004	7.4	0.34899	CU M/MI	2488.5	CU M
SP6	Day 5	09.22.2004	7.45	0	CU M/MI	2489.82	CU M
SP6	Day 5	09.22.2004	7.5	0.35147	CU M/MI	2491.42	CU M
SP6	Day 5	09.22.2004	7.55	0.35589	CU M/MI	2493.19	CU M
SP6	Day 5	09.22.2004	8	0.35283	CU M/MI	2494.35	CU M
SP6	Day 5	09.22.2004	8.05	0.3564	CU M/MI	2496.13	CU M
SP6	Day 5	09.22.2004	8.1	0.35968	CU M/MI	2497.31	CU M
SP6	Day 5	09.22.2004	8.15	0.35942	CU M/MI	2499.1	CU M
SP6	Day 5	09.22.2004	8.2	0	CU M/MI	2500.62	CU M
SP6	Day 5	09.22.2004	8.25	0.36486	CU M/MI	2502.11	CU M
SP6	Day 5	09.22.2004	8.3	0.3685	CU M/MI	2503.94	CU M
SP6	Day 5	09.22.2004	8.35	0.37869	CU M/MI	2505.17	CU M
SP6	Day 5	09.22.2004	8.4	0	CU M/MI	2506.77	CU M
SP6	Day 5	09.22.2004	8.45	0.38129	CU M/MI	2508.32	CU M
SP6	Day 5	09.22.2004	8.5	0.31753	CU M/MI	2509.58	CU M
SP6	Day 5	09.22.2004	8.55	0.38287	CU M/MI	2511.48	CU M
SP6	Day 5	09.22.2004	9	0.38278	CU M/MI	2512.73	CU M
SP6	Day 5	09.22.2004	9.05	0.38309	CU M/MI	2514.65	CU M
SP6	Day 5	09.22.2004	9.1	0.38121	CU M/MI	2515.9	CU M
SP6	Day 5	09.22.2004	9.15	0.38274	CU M/MI	2517.81	CU M
SP6	Day 5	09.22.2004	9.2	0.38446	CU M/MI	2519.06	CU M
SP6	Day 5	09.22.2004	9.25	0	CU M/MI	2520.67	CU M
SP6	Day 5	09.22.2004	9.3	0.3837	CU M/MI	2522.22	CU M
SP6	Day 5	09.22.2004	9.35	0.35549	CU M/MI	2523.49	CU M
SP6	Day 5	09.22.2004	9.4	0.38283	CU M/MI	2525.4	CU M
SP6	Day 5	09.22.2004	9.45	0.3712	CU M/MI	2525.89	CU M
SP6	Day 5	09.22.2004	9.5	0.38259	CU M/MI	2527.81	CU M
SP6	Day 5	09.22.2004	9.55	0.38185	CU M/MI	2529.03	CU M
SP6	Day 5	09.22.2004	10	0	CU M/MI	2529.61	CU M
SP6	Day 5	09.22.2004	10.05	0.38068	CU M/MI	2531.47	CU M
SP6	Day 5	09.22.2004	10.1	0	CU M/MI	2533.15	CU M
SP6	Day 5	09.22.2004	10.15	0.3733	CU M/MI	2534.6	CU M
SP6	Day 5	09.22.2004	10.2	0.35532	CU M/MI	2535.83	CU M
SP6	Day 5	09.22.2004	10.25	0.38021	CU M/MI	2537.71	CU M
SP6	Day 5	09.22.2004	10.3	0.38623	CU M/MI	2538.96	CU M
SP6	Day 5	09.22.2004	10.35	0.38718	CU M/MI	2540.89	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 5	09.22.2004	10.4	0.38708	CU M/MI	2542.16	CU M
SP6	Day 5	09.22.2004	10.45	0.00031	CU M/MI	2543.88	CU M
SP6	Day 5	09.22.2004	10.5	0.3864	CU M/MI	2545.35	CU M
SP6	Day 5	09.22.2004	10.55	0.36494	CU M/MI	2546.63	CU M
SP6	Day 5	09.22.2004	11	0.38383	CU M/MI	2548.55	CU M
SP6	Day 5	09.22.2004	11.05	0.38374	CU M/MI	2549.81	CU M
SP6	Day 5	09.22.2004	11.1	0.38266	CU M/MI	2551.72	CU M
SP6	Day 5	09.22.2004	11.15	0.38315	CU M/MI	2552.95	CU M
SP6	Day 5	09.22.2004	11.2	0.14192	CU M/MI	2554.86	CU M
SP6	Day 5	09.22.2004	11.25	0.38288	CU M/MI	2556.12	CU M
SP6	Day 5	09.22.2004	11.3	0	CU M/MI	2557.58	CU M
SP6	Day 5	09.22.2004	11.35	0.38376	CU M/MI	2559.32	CU M
SP6	Day 5	09.22.2004	11.4	0.38432	CU M/MI	2560.6	CU M
SP6	Day 5	09.22.2004	11.45	0.38302	CU M/MI	2562.52	CU M
SP6	Day 5	09.22.2004	11.5	0.38423	CU M/MI	2563.79	CU M
SP6	Day 5	09.22.2004	11.55	0.3833	CU M/MI	2565.7	CU M
SP6	Day 5	09.22.2004	12	0.3816	CU M/MI	2566.96	CU M
SP6	Day 5	09.22.2004	12.05	0	CU M/MI	2568.39	CU M
SP6	Day 5	09.22.2004	12.1	0.3811	CU M/MI	2570.1	CU M
SP6	Day 5	09.22.2004	12.15	0.37603	CU M/MI	2571.35	CU M
SP6	Day 5	09.22.2004	12.2	0.37904	CU M/MI	2573.24	CU M
SP6	Day 5	09.22.2004	12.25	0.38338	CU M/MI	2574.49	CU M
SP6	Day 5	09.22.2004	12.3	0.02966	CU M/MI	2576.34	CU M
SP6	Day 5	09.22.2004	12.35	0.37816	CU M/MI	2577.63	CU M
SP6	Day 5	09.22.2004	12.4	0	CU M/MI	2578.99	CU M
SP6	Day 5	09.22.2004	12.45	0.37704	CU M/MI	2580.76	CU M
SP6	Day 5	09.22.2004	12.5	0.37661	CU M/MI	2582.01	CU M
SP6	Day 5	09.22.2004	12.55	0.37653	CU M/MI	2583.9	CU M
SP6	Day 5	09.22.2004	13	0	CU M/MI	2584.21	CU M
SP6	Day 5	09.22.2004	13.05	0	CU M/MI	2584.19	CU M
SP6	Day 5	09.22.2004	13.1	0	CU M/MI	2584.17	CU M
SP6	Day 5	09.22.2004	13.15	0	CU M/MI	2584.15	CU M
SP6	Day 5	09.22.2004	13.2	0	CU M/MI	2584.13	CU M
SP6	Day 5	09.22.2004	13.25	0	CU M/MI	2584.11	CU M
SP6	Day 5	09.22.2004	13.3	0	CU M/MI	2584.09	CU M
SP6	Day 5	09.22.2004	13.35	0	CU M/MI	2584.07	CU M
SP6	Day 5	09.22.2004	13.4	0.38583	CU M/MI	2585.26	CU M
SP6	Day 5	09.22.2004	13.45	0.3774	CU M/MI	2586.53	CU M
SP6	Day 5	09.22.2004	13.5	0.37891	CU M/MI	2588.43	CU M
SP6	Day 5	09.22.2004	13.55	0.37805	CU M/MI	2589.67	CU M
SP6	Day 5	09.22.2004	14	0.35512	CU M/MI	2591.57	CU M
SP6	Day 5	09.22.2004	14.05	0.37977	CU M/MI	2592.82	CU M
SP6	Day 5	09.22.2004	14.1	0	CU M/MI	2594.23	CU M
SP6	Day 5	09.22.2004	14.15	0.37704	CU M/MI	2595.95	CU M
SP6	Day 5	09.22.2004	14.2	0.37309	CU M/MI	2597.19	CU M
SP6	Day 5	09.22.2004	14.25	0.38099	CU M/MI	2599.09	CU M
SP6	Day 5	09.22.2004	14.3	0.38069	CU M/MI	2600.35	CU M
SP6	Day 5	09.22.2004	14.35	0.37613	CU M/MI	2600.95	CU M
SP6	Day 5	09.22.2004	14.4	0.38209	CU M/MI	2602.86	CU M
SP6	Day 5	09.22.2004	14.45	0	CU M/MI	2603.75	CU M
SP6	Day 5	09.22.2004	14.5	0	CU M/MI	2603.73	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 5	09.22.2004	15.05	0	CU M/MI	2603.67	CU M
SP6	Day 5	09.22.2004	15.1	0	CU M/MI	2603.65	CU M
SP6	Day 5	09.22.2004	15.15	0	CU M/MI	2603.63	CU M
SP6	Day 5	09.22.2004	15.2	0.01629	CU M/MI	2604.68	CU M
SP6	Day 5	09.22.2004	15.25	0.38154	CU M/MI	2605.31	CU M
SP6	Day 5	09.22.2004	15.3	0.38234	CU M/MI	2607.23	CU M
SP6	Day 5	09.22.2004	15.35	0.38412	CU M/MI	2608.47	CU M
SP6	Day 5	09.22.2004	15.4	0.37841	CU M/MI	2610.38	CU M
SP6	Day 5	09.22.2004	15.45	0.37941	CU M/MI	2611.62	CU M
SP6	Day 5	09.22.2004	15.5	0	CU M/MI	2613.18	CU M
SP6	Day 5	09.22.2004	15.55	0.37937	CU M/MI	2614.76	CU M
SP6	Day 5	09.22.2004	16	0.36413	CU M/MI	2616.03	CU M
SP6	Day 5	09.22.2004	16.05	0.38149	CU M/MI	2617.93	CU M
SP6	Day 5	09.22.2004	16.1	0.3786	CU M/MI	2619.18	CU M
SP6	Day 5	09.22.2004	16.15	0.37893	CU M/MI	2621.07	CU M
SP6	Day 5	09.22.2004	16.2	0.37784	CU M/MI	2622.31	CU M
SP6	Day 5	09.22.2004	16.25	0.01671	CU M/MI	2624.13	CU M
SP6	Day 5	09.22.2004	16.3	0.38295	CU M/MI	2625.45	CU M
SP6	Day 5	09.22.2004	16.35	0	CU M/MI	2626.84	CU M
SP6	Day 5	09.22.2004	16.4	0.38509	CU M/MI	2628.62	CU M
SP6	Day 5	09.22.2004	16.45	0.3798	CU M/MI	2629.87	CU M
SP6	Day 5	09.22.2004	16.5	0.38456	CU M/MI	2631.79	CU M
SP6	Day 5	09.22.2004	16.55	0.38803	CU M/MI	2633.04	CU M
SP6	Day 5	09.22.2004	17	0.38818	CU M/MI	2634.98	CU M
SP6	Day 5	09.22.2004	17.05	0.38911	CU M/MI	2636.23	CU M
SP6	Day 5	09.22.2004	17.1	0	CU M/MI	2637.68	CU M
SP6	Day 5	09.22.2004	17.15	0.38688	CU M/MI	2639.43	CU M
SP6	Day 5	09.22.2004	17.2	0.38492	CU M/MI	2640.7	CU M
SP6	Day 5	09.22.2004	17.25	0.38864	CU M/MI	2642.64	CU M
SP6	Day 5	09.22.2004	17.3	0.38856	CU M/MI	2643.91	CU M
SP6	Day 5	09.22.2004	17.35	0.00144	CU M/MI	2645.66	CU M
SP6	Day 5	09.22.2004	17.4	0.3872	CU M/MI	2647.1	CU M
SP6	Day 5	09.22.2004	17.45	0.37285	CU M/MI	2648.37	CU M
SP6	Day 5	09.22.2004	17.5	0.3838	CU M/MI	2650.29	CU M
SP6	Day 5	09.22.2004	17.55	0.38524	CU M/MI	2651.55	CU M
SP6	Day 5	09.22.2004	18	0.38022	CU M/MI	2653.46	CU M
SP6	Day 5	09.22.2004	18.05	0.38246	CU M/MI	2654.69	CU M
SP6	Day 5	09.22.2004	18.1	0.35557	CU M/MI	2656	CU M
SP6	Day 5	09.22.2004	18.15	0.38295	CU M/MI	2657.9	CU M
SP6	Day 5	09.22.2004	18.2	0.3811	CU M/MI	2659.25	CU M
SP6	Day 5	09.22.2004	18.25	0	CU M/MI	2660.68	CU M
SP6	Day 5	09.22.2004	18.3	0.3711	CU M/MI	2662.43	CU M
SP6	Day 5	09.22.2004	18.35	0.36589	CU M/MI	2663.64	CU M
SP6	Day 5	09.22.2004	18.4	0.37126	CU M/MI	2665.49	CU M
SP6	Day 5	09.22.2004	18.45	0.36853	CU M/MI	2666.78	CU M
SP6	Day 5	09.22.2004	18.5	0.36232	CU M/MI	2668.6	CU M
SP6	Day 5	09.22.2004	18.55	0.36416	CU M/MI	2669.84	CU M
SP6	Day 5	09.22.2004	19	0.3621	CU M/MI	2671.65	CU M
SP6	Day 5	09.22.2004	19.05	0.35779	CU M/MI	2672.85	CU M
SP6	Day 5	09.22.2004	19.1	0.34631	CU M/MI	2674.64	CU M
SP6	Day 5	09.22.2004	19.15	0	CU M/MI	2675.15	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 5	09.22.2004	19.2	0.33835	CU M/MI	2676.8	CU M
SP6	Day 5	09.22.2004	19.25	0	CU M/MI	2678.25	CU M
SP6	Day 5	09.22.2004	19.3	0	CU M/MI	2679.18	CU M
SP6	Day 5	09.22.2004	19.35	0.34449	CU M/MI	2680.34	CU M
SP6	Day 5	09.22.2004	19.4	0.30872	CU M/MI	2681.96	CU M
SP6	Day 5	09.22.2004	19.45	0.31245	CU M/MI	2683.51	CU M
SP6	Day 5	09.22.2004	19.5	0.32123	CU M/MI	2685.11	CU M
SP6	Day 5	09.22.2004	19.55	0.32581	CU M/MI	2686.73	CU M
SP6	Day 5	09.22.2004	20	0.32066	CU M/MI	2687.93	CU M
SP6	Day 5	09.22.2004	20.05	0.33681	CU M/MI	2689.59	CU M
SP6	Day 5	09.22.2004	20.1	0.33644	CU M/MI	2691.27	CU M
SP6	Day 5	09.22.2004	20.15	0	CU M/MI	2691.9	CU M
SP6	Day 5	09.22.2004	20.2	0	CU M/MI	2691.88	CU M
SP6	Day 5	09.22.2004	20.25	0	CU M/MI	2691.87	CU M
SP6	Day 5	09.22.2004	20.3	0	CU M/MI	2691.85	CU M
SP6	Day 5	09.22.2004	20.35	0	CU M/MI	2691.83	CU M
SP6	Day 5	09.22.2004	20.4	0	CU M/MI	2691.81	CU M
SP6	Day 5	09.22.2004	20.45	0	CU M/MI	2691.79	CU M
SP6	Day 5	09.22.2004	20.5	0	CU M/MI	2691.77	CU M
SP6	Day 5	09.22.2004	20.55	0	CU M/MI	2691.75	CU M
SP6	Day 5	09.22.2004	21	0.34148	CU M/MI	2693.19	CU M
SP6	Day 5	09.22.2004	21.05	0.34953	CU M/MI	2694.89	CU M
SP6	Day 5	09.22.2004	21.1	0.34293	CU M/MI	2696.13	CU M
SP6	Day 5	09.22.2004	21.15	0.35101	CU M/MI	2697.89	CU M
SP6	Day 5	09.22.2004	21.2	0.35313	CU M/MI	2699.63	CU M
SP6	Day 5	09.22.2004	21.25	0.35673	CU M/MI	2700.82	CU M
SP6	Day 5	09.22.2004	21.3	0.35166	CU M/MI	2702.59	CU M
SP6	Day 5	09.22.2004	21.35	0	CU M/MI	2703.45	CU M
SP6	Day 5	09.22.2004	21.4	0	CU M/MI	2703.43	CU M
SP6	Day 5	09.22.2004	21.45	0	CU M/MI	2703.42	CU M
SP6	Day 5	09.22.2004	21.5	0	CU M/MI	2703.4	CU M
SP6	Day 5	09.22.2004	21.55	0	CU M/MI	2703.39	CU M
SP6	Day 5	09.22.2004	22	0	CU M/MI	2703.37	CU M
SP6	Day 5	09.22.2004	22.05	0	CU M/MI	2703.36	CU M
SP6	Day 5	09.22.2004	22.1	0.36847	CU M/MI	2703.62	CU M
SP6	Day 5	09.22.2004	22.15	0.35537	CU M/MI	2705.42	CU M
SP6	Day 5	09.22.2004	22.2	0.34814	CU M/MI	2706.54	CU M
SP6	Day 5	09.22.2004	22.25	0.34378	CU M/MI	2708.28	CU M
SP6	Day 5	09.22.2004	22.3	0.05664	CU M/MI	2709.99	CU M
SP6	Day 5	09.22.2004	22.35	0.34618	CU M/MI	2711.13	CU M
SP6	Day 5	09.22.2004	22.4	0.34472	CU M/MI	2712.86	CU M
SP6	Day 5	09.22.2004	22.45	0.34041	CU M/MI	2714	CU M
SP6	Day 5	09.22.2004	22.5	0.34391	CU M/MI	2715.73	CU M
SP6	Day 5	09.22.2004	22.55	0.34517	CU M/MI	2717.46	CU M
SP6	Day 5	09.22.2004	23	0.34761	CU M/MI	2718.61	CU M
SP6	Day 5	09.22.2004	23.05	0.34508	CU M/MI	2720.34	CU M
SP6	Day 5	09.22.2004	23.1	0	CU M/MI	2721.73	CU M
SP6	Day 5	09.22.2004	23.15	0.34339	CU M/MI	2723.19	CU M
SP6	Day 5	09.22.2004	23.2	0.34499	CU M/MI	2724.91	CU M
SP6	Day 5	09.22.2004	23.25	0.3483	CU M/MI	2726.06	CU M
SP6	Day 5	09.22.2004	23.3	0.36465	CU M/MI	2727.83	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 5	09.22.2004	23.35	0.35383	CU M/MI	2729.04	CU M
SP6	Day 5	09.22.2004	23.4	0.3662	CU M/MI	2730.87	CU M
SP6	Day 5	09.22.2004	23.45	0.36339	CU M/MI	2732.07	CU M
SP6	Day 5	09.22.2004	23.5	0.36838	CU M/MI	2733.91	CU M
SP6	Day 5	09.22.2004	23.55	0.36743	CU M/MI	2735.15	CU M
SP6	Day 5	09.23.2004	0	0.3667	CU M/MI	2736.98	CU M
SP6	Day 5	09.23.2004	0.05	0.36445	CU M/MI	2738.19	CU M
SP6	Day 5	09.23.2004	0.1	0.36549	CU M/MI	2740.02	CU M
SP6	Day 5	09.23.2004	0.15	0.36576	CU M/MI	2741.23	CU M
SP6	Day 5	09.23.2004	0.2	0.01091	CU M/MI	2742.95	CU M
SP6	Day 5	09.23.2004	0.25	0.36651	CU M/MI	2744.28	CU M
SP6	Day 5	09.23.2004	0.3	0	CU M/MI	2745.77	CU M
SP6	Day 5	09.23.2004	0.35	0	CU M/MI	2746.87	CU M
SP6	Day 5	09.23.2004	0.4	0	CU M/MI	2746.85	CU M
SP6	Day 5	09.23.2004	0.45	0.37039	CU M/MI	2748.55	CU M
SP6	Day 5	09.23.2004	0.5	0	CU M/MI	2749.49	CU M
SP6	Day 5	09.23.2004	0.55	0.00508	CU M/MI	2749.92	CU M
SP6	Day 5	09.23.2004	1	0.01695	CU M/MI	2750.83	CU M
SP6	Day 5	09.23.2004	1.05	0.37253	CU M/MI	2751.34	CU M
SP6	Day 5	09.23.2004	1.1	0.3672	CU M/MI	2751.84	CU M
SP6	Day 5	09.23.2004	1.15	0	CU M/MI	2752.4	CU M
SP6	Day 5	09.23.2004	1.2	0	CU M/MI	2753.96	CU M
SP6	Day 5	09.23.2004	1.25	0.37517	CU M/MI	2755.4	CU M
SP6	Day 5	09.23.2004	1.3	0.36736	CU M/MI	2756.64	CU M
SP6	Day 5	09.23.2004	1.35	0	CU M/MI	2757.72	CU M
SP6	Day 5	09.23.2004	1.4	0.37462	CU M/MI	2759.04	CU M
SP6	Day 5	09.23.2004	1.45	0	CU M/MI	2760.46	CU M
SP6	Day 5	09.23.2004	1.5	0.37273	CU M/MI	2762.15	CU M
SP6	Day 5	09.23.2004	1.55	0	CU M/MI	2762.75	CU M
SP6	Day 5	09.23.2004	2	0.37051	CU M/MI	2763.27	CU M
SP6	Day 5	09.23.2004	2.05	0.37335	CU M/MI	2765.13	CU M
SP6	Day 5	09.23.2004	2.1	0.37245	CU M/MI	2766.39	CU M
SP6	Day 5	09.23.2004	2.15	0	CU M/MI	2767.83	CU M
SP6	Day 5	09.23.2004	2.2	0.37369	CU M/MI	2769.52	CU M
SP6	Day 5	09.23.2004	2.25	0.37371	CU M/MI	2770.78	CU M
SP6	Day 5	09.23.2004	2.3	0.36953	CU M/MI	2772.63	CU M
SP6	Day 5	09.23.2004	2.35	0.37032	CU M/MI	2773.87	CU M
SP6	Day 5	09.23.2004	2.4	0.02074	CU M/MI	2775.66	CU M
SP6	Day 5	09.23.2004	2.45	0.36939	CU M/MI	2776.95	CU M
SP6	Day 5	09.23.2004	2.5	0	CU M/MI	2778.31	CU M
SP6	Day 5	09.23.2004	2.55	0.37002	CU M/MI	2780.04	CU M
SP6	Day 5	09.23.2004	3	0.37182	CU M/MI	2781.28	CU M
SP6	Day 5	09.23.2004	3.05	0.37012	CU M/MI	2783.13	CU M
SP6	Day 5	09.23.2004	3.1	0.36997	CU M/MI	2784.37	CU M
SP6	Day 5	09.23.2004	3.15	0.37047	CU M/MI	2786.22	CU M
SP6	Day 5	09.23.2004	3.2	0.36817	CU M/MI	2787.47	CU M
SP6	Day 5	09.23.2004	3.25	0.01885	CU M/MI	2789.25	CU M
SP6	Day 5	09.23.2004	3.3	0	CU M/MI	2790.31	CU M
SP6	Day 5	09.23.2004	3.35	0	CU M/MI	2790.3	CU M
SP6	Day 5	09.23.2004	3.4	0.36839	CU M/MI	2791.99	CU M
SP6	Day 5	09.23.2004	3.45	0.37093	CU M/MI	2793.84	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 5	09.23.2004	3.5	0	CU M/MI	2793.98	CU M
SP6	Day 5	09.23.2004	3.55	0	CU M/MI	2794.17	CU M
SP6	Day 5	09.23.2004	4.1	0.3708	CU M/MI	2796.35	CU M
SP6	Day 5	09.23.2004	4.15	0	CU M/MI	2797.79	CU M
SP6	Day 5	09.23.2004	4.2	0	CU M/MI	2797.77	CU M
SP6	Day 5	09.23.2004	4.25	0	CU M/MI	2797.76	CU M
SP6	Day 5	09.23.2004	4.3	0	CU M/MI	2797.74	CU M
SP6	Day 5	09.23.2004	4.35	0	CU M/MI	2797.72	CU M
SP6	Day 5	09.23.2004	4.4	0	CU M/MI	2797.71	CU M
SP6	Day 5	09.23.2004	4.45	0	CU M/MI	2797.69	CU M
SP6	Day 5	09.23.2004	4.5	0	CU M/MI	2797.68	CU M
SP6	Day 5	09.23.2004	4.55	0	CU M/MI	2797.66	CU M
SP6	Day 5	09.23.2004	5	0	CU M/MI	2797.65	CU M
SP6	Day 5	09.23.2004	5.05	0	CU M/MI	2797.63	CU M
SP6	Day 5	09.23.2004	5.1	0	CU M/MI	2797.62	CU M
SP6	Day 5	09.23.2004	5.15	0	CU M/MI	2797.6	CU M
SP6	Day 5	09.23.2004	5.2	0	CU M/MI	2797.58	CU M
SP6	Day 5	09.23.2004	5.25	0	CU M/MI	2797.56	CU M
SP6	Day 5	09.23.2004	5.3	0	CU M/MI	2797.54	CU M
SP6	Day 5	09.23.2004	5.35	0	CU M/MI	2797.52	CU M
SP6	Day 5	09.23.2004	5.4	0	CU M/MI	2797.51	CU M
SP6	Day 5	09.23.2004	5.45	0	CU M/MI	2797.49	CU M
SP6	Day 5	09.23.2004	5.5	0	CU M/MI	2797.47	CU M
SP6	Day 5	09.23.2004	5.55	0	CU M/MI	2797.46	CU M
SP6	Day 6	09.23.2004	6	0	CU M/MI	2797.44	CU M
SP6	Day 6	09.23.2004	6.05	0	CU M/MI	2797.43	CU M
SP6	Day 6	09.23.2004	6.1	0	CU M/MI	2797.41	CU M
SP6	Day 6	09.23.2004	6.15	0	CU M/MI	2797.4	CU M
SP6	Day 6	09.23.2004	6.2	0	CU M/MI	2797.39	CU M
SP6	Day 6	09.23.2004	6.25	0	CU M/MI	2797.37	CU M
SP6	Day 6	09.23.2004	6.3	0	CU M/MI	2797.36	CU M
SP6	Day 6	09.23.2004	6.35	0.38253	CU M/MI	2797.84	CU M
SP6	Day 6	09.23.2004	6.4	0.37885	CU M/MI	2799.7	CU M
SP6	Day 6	09.23.2004	6.45	0.38109	CU M/MI	2800.91	CU M
SP6	Day 6	09.23.2004	6.5	0.03719	CU M/MI	2802.79	CU M
SP6	Day 6	09.23.2004	6.55	0.38324	CU M/MI	2804.05	CU M
SP6	Day 6	09.23.2004	7	0	CU M/MI	2805.52	CU M
SP6	Day 6	09.23.2004	7.05	0	CU M/MI	2805.5	CU M
SP6	Day 6	09.23.2004	7.1	0	CU M/MI	2805.49	CU M
SP6	Day 6	09.23.2004	7.15	0	CU M/MI	2805.47	CU M
SP6	Day 6	09.23.2004	7.2	0	CU M/MI	2805.45	CU M
SP6	Day 6	09.23.2004	7.25	0.37477	CU M/MI	2806.63	CU M
SP6	Day 6	09.23.2004	7.3	0.38325	CU M/MI	2808.52	CU M
SP6	Day 6	09.23.2004	7.35	0.3822	CU M/MI	2809.76	CU M
SP6	Day 6	09.23.2004	7.4	0.38475	CU M/MI	2811.68	CU M
SP6	Day 6	09.23.2004	7.45	0.38317	CU M/MI	2812.91	CU M
SP6	Day 6	09.23.2004	7.5	0	CU M/MI	2814.48	CU M
SP6	Day 6	09.23.2004	7.55	0.38524	CU M/MI	2816.1	CU M
SP6	Day 6	09.23.2004	8	0.37311	CU M/MI	2817.36	CU M
SP6	Day 6	09.23.2004	8.05	0.38712	CU M/MI	2819.29	CU M
SP6	Day 6	09.23.2004	8.1	0.38538	CU M/MI	2820.54	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 6	09.23.2004	8.15	0.38679	CU M/MI	2822.47	CU M
SP6	Day 6	09.23.2004	8.2	0.38698	CU M/MI	2823.61	CU M
SP6	Day 6	09.23.2004	8.25	0.38605	CU M/MI	2824.42	CU M
SP6	Day 6	09.23.2004	8.3	0.38559	CU M/MI	2826.35	CU M
SP6	Day 6	09.23.2004	8.35	0.37227	CU M/MI	2827.6	CU M
SP6	Day 6	09.23.2004	8.4	0.38539	CU M/MI	2829.52	CU M
SP6	Day 6	09.23.2004	8.45	0.38287	CU M/MI	2830.79	CU M
SP6	Day 6	09.23.2004	8.5	0.38312	CU M/MI	2832.71	CU M
SP6	Day 6	09.23.2004	8.55	0.38402	CU M/MI	2833.95	CU M
SP6	Day 6	09.23.2004	9	0.0205	CU M/MI	2835.79	CU M
SP6	Day 6	09.23.2004	9.05	0.38329	CU M/MI	2837.11	CU M
SP6	Day 6	09.23.2004	9.1	0.32868	CU M/MI	2837.61	CU M
SP6	Day 6	09.23.2004	9.15	0.38007	CU M/MI	2839.5	CU M
SP6	Day 6	09.23.2004	9.2	0.37954	CU M/MI	2840.72	CU M
SP6	Day 6	09.23.2004	9.25	0.37611	CU M/MI	2842.61	CU M
SP6	Day 6	09.23.2004	9.3	0.32997	CU M/MI	2843.88	CU M
SP6	Day 6	09.23.2004	9.35	0.37331	CU M/MI	2845.73	CU M
SP6	Day 6	09.23.2004	9.4	0.37596	CU M/MI	2847.6	CU M
SP6	Day 6	09.23.2004	9.45	0.37337	CU M/MI	2848.87	CU M
SP6	Day 6	09.23.2004	9.5	0.38155	CU M/MI	2850.76	CU M
SP6	Day 6	09.23.2004	9.55	0.37831	CU M/MI	2852.06	CU M
SP6	Day 6	09.23.2004	10	0.38447	CU M/MI	2853.97	CU M
SP6	Day 6	09.23.2004	10.05	0.38548	CU M/MI	2855.89	CU M
SP6	Day 6	09.23.2004	10.1	0.38443	CU M/MI	2857.2	CU M
SP6	Day 6	09.23.2004	10.15	0.38371	CU M/MI	2859.12	CU M
SP6	Day 6	09.23.2004	10.2	0.38128	CU M/MI	2860.41	CU M
SP6	Day 6	09.23.2004	10.25	0.38326	CU M/MI	2862.32	CU M
SP6	Day 6	09.23.2004	10.3	0	CU M/MI	2862.5	CU M
SP6	Day 6	09.23.2004	10.35	0	CU M/MI	2862.48	CU M
SP6	Day 6	09.23.2004	10.4	0	CU M/MI	2862.46	CU M
SP6	Day 6	09.23.2004	10.45	0	CU M/MI	2862.44	CU M
SP6	Day 6	09.23.2004	10.5	0	CU M/MI	2862.42	CU M
SP6	Day 6	09.23.2004	10.55	0	CU M/MI	2862.4	CU M
SP6	Day 6	09.23.2004	11	0	CU M/MI	2862.38	CU M
SP6	Day 6	09.23.2004	11.05	0	CU M/MI	2862.36	CU M
SP6	Day 6	09.23.2004	11.1	0	CU M/MI	2862.34	CU M
SP6	Day 6	09.23.2004	11.15	0	CU M/MI	2862.32	CU M
SP6	Day 6	09.23.2004	11.2	0	CU M/MI	2862.3	CU M
SP6	Day 6	09.23.2004	11.25	0	CU M/MI	2862.29	CU M
SP6	Day 6	09.23.2004	11.3	0	CU M/MI	2862.27	CU M
SP6	Day 6	09.23.2004	11.35	0	CU M/MI	2862.25	CU M
SP6	Day 6	09.23.2004	11.4	0	CU M/MI	2862.24	CU M
SP6	Day 6	09.23.2004	11.45	0	CU M/MI	2862.22	CU M
SP6	Day 6	09.23.2004	11.5	0	CU M/MI	2862.21	CU M
SP6	Day 6	09.23.2004	11.55	0	CU M/MI	2862.19	CU M
SP6	Day 6	09.23.2004	12	0	CU M/MI	2862.18	CU M
SP6	Day 6	09.23.2004	12.05	0	CU M/MI	2862.16	CU M
SP6	Day 6	09.23.2004	12.1	0	CU M/MI	2862.15	CU M
SP6	Day 6	09.23.2004	12.15	0	CU M/MI	2862.13	CU M
SP6	Day 6	09.23.2004	12.25	0	CU M/MI	2862.1	CU M
SP6	Day 6	09.23.2004	12.3	0	CU M/MI	2862.09	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 6	09.23.2004	12.35	0	CU M/MI	2862.07	CU M
SP6	Day 6	09.23.2004	12.4	0	CU M/MI	2862.05	CU M
SP6	Day 6	09.23.2004	12.45	0	CU M/MI	2862.04	CU M
SP6	Day 6	09.23.2004	12.5	0	CU M/MI	2862.02	CU M
SP6	Day 6	09.23.2004	12.55	0	CU M/MI	2862	CU M
SP6	Day 6	09.23.2004	13	0	CU M/MI	2861.99	CU M
SP6	Day 6	09.23.2004	13.05	0	CU M/MI	2861.97	CU M
SP6	Day 6	09.23.2004	13.1	0	CU M/MI	2861.95	CU M
SP6	Day 6	09.23.2004	13.15	0	CU M/MI	2861.93	CU M
SP6	Day 6	09.23.2004	13.2	0.38061	CU M/MI	2862.43	CU M
SP6	Day 6	09.23.2004	13.25	0.37948	CU M/MI	2864.3	CU M
SP6	Day 6	09.23.2004	13.3	0.38368	CU M/MI	2865.59	CU M
SP6	Day 6	09.23.2004	13.35	0.37901	CU M/MI	2867.48	CU M
SP6	Day 6	09.23.2004	13.4	0.38326	CU M/MI	2868.79	CU M
SP6	Day 6	09.23.2004	13.45	0.38952	CU M/MI	2870.72	CU M
SP6	Day 6	09.23.2004	13.5	0	CU M/MI	2872.18	CU M
SP6	Day 6	09.23.2004	13.55	0.38707	CU M/MI	2873.96	CU M
SP6	Day 6	09.23.2004	14	0.38378	CU M/MI	2875.88	CU M
SP6	Day 6	09.23.2004	14.05	0.38757	CU M/MI	2877.18	CU M
SP6	Day 6	09.23.2004	14.1	0.38399	CU M/MI	2879.09	CU M
SP6	Day 6	09.23.2004	14.15	0.39325	CU M/MI	2880.42	CU M
SP6	Day 6	09.23.2004	14.2	0.40734	CU M/MI	2882.46	CU M
SP6	Day 6	09.23.2004	14.25	0.40902	CU M/MI	2883.8	CU M
SP6	Day 6	09.23.2004	14.3	0	CU M/MI	2885.38	CU M
SP6	Day 6	09.23.2004	14.35	0.40879	CU M/MI	2887.22	CU M
SP6	Day 6	09.23.2004	14.4	0.40848	CU M/MI	2888.6	CU M
SP6	Day 6	09.23.2004	14.45	0.02298	CU M/MI	2890.57	CU M
SP6	Day 6	09.23.2004	14.5	0.37958	CU M/MI	2891.99	CU M
SP6	Day 6	09.23.2004	14.55	0	CU M/MI	2892.05	CU M
SP6	Day 6	09.23.2004	15	0	CU M/MI	2892.02	CU M
SP6	Day 6	09.23.2004	15.05	0.40683	CU M/MI	2893.84	CU M
SP6	Day 6	09.23.2004	15.1	0	CU M/MI	2894.33	CU M
SP6	Day 6	09.23.2004	15.15	0	CU M/MI	2894.31	CU M
SP6	Day 6	09.23.2004	15.2	0	CU M/MI	2894.29	CU M
SP6	Day 6	09.23.2004	15.25	0.00323	CU M/MI	2895.13	CU M
SP6	Day 6	09.23.2004	15.3	0	CU M/MI	2895.11	CU M
SP6	Day 6	09.23.2004	15.35	0	CU M/MI	2895.09	CU M
SP6	Day 6	09.23.2004	15.4	0.40037	CU M/MI	2896.15	CU M
SP6	Day 6	09.23.2004	15.45	0.40559	CU M/MI	2898.18	CU M
SP6	Day 6	09.23.2004	15.5	0.40496	CU M/MI	2899.57	CU M
SP6	Day 6	09.23.2004	15.55	0	CU M/MI	2901.19	CU M
SP6	Day 6	09.23.2004	16	0.01372	CU M/MI	2902.88	CU M
SP6	Day 6	09.23.2004	16.05	0.40396	CU M/MI	2903.67	CU M
SP6	Day 6	09.23.2004	16.1	0.39976	CU M/MI	2905.68	CU M
SP6	Day 6	09.23.2004	16.15	0.40018	CU M/MI	2907.04	CU M
SP6	Day 6	09.23.2004	16.2	0.40139	CU M/MI	2909.05	CU M
SP6	Day 6	09.23.2004	16.25	0.40253	CU M/MI	2910.42	CU M
SP6	Day 6	09.23.2004	16.3	0.40053	CU M/MI	2912.42	CU M
SP6	Day 6	09.23.2004	16.35	0.40046	CU M/MI	2913.8	CU M
SP6	Day 6	09.23.2004	16.4	0	CU M/MI	2915.53	CU M
SP6	Day 6	09.23.2004	16.45	0.40156	CU M/MI	2917.16	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 6	09.23.2004	16.5	0	CU M/MI	2918.7	CU M
SP6	Day 6	09.23.2004	16.55	0	CU M/MI	2919.55	CU M
SP6	Day 6	09.23.2004	17	0.40131	CU M/MI	2921.4	CU M
SP6	Day 6	09.23.2004	17.05	0	CU M/MI	2923.1	CU M
SP6	Day 6	09.23.2004	17.1	0.39954	CU M/MI	2924.77	CU M
SP6	Day 6	09.23.2004	17.15	0	CU M/MI	2926.13	CU M
SP6	Day 6	09.23.2004	17.2	0.40102	CU M/MI	2928.09	CU M
SP6	Day 6	09.23.2004	17.25	0.39852	CU M/MI	2929.43	CU M
SP6	Day 6	09.23.2004	17.3	0.40271	CU M/MI	2931.44	CU M
SP6	Day 6	09.23.2004	17.35	0.40607	CU M/MI	2932.82	CU M
SP6	Day 6	09.23.2004	17.4	0.00057	CU M/MI	2934.67	CU M
SP6	Day 6	09.23.2004	17.45	0.40245	CU M/MI	2936.2	CU M
SP6	Day 6	09.23.2004	17.5	0.39497	CU M/MI	2937.57	CU M
SP6	Day 6	09.23.2004	17.55	0.40312	CU M/MI	2939.58	CU M
SP6	Day 6	09.23.2004	18	0.40724	CU M/MI	2940.99	CU M
SP6	Day 6	09.23.2004	18.05	0	CU M/MI	2942.8	CU M
SP6	Day 6	09.23.2004	18.1	0.40427	CU M/MI	2944.43	CU M
SP6	Day 6	09.23.2004	18.15	0.3097	CU M/MI	2945.79	CU M
SP6	Day 6	09.23.2004	18.2	0.40202	CU M/MI	2947.76	CU M
SP6	Day 6	09.23.2004	18.25	0.40561	CU M/MI	2949.14	CU M
SP6	Day 6	09.23.2004	18.3	0.40149	CU M/MI	2951.16	CU M
SP6	Day 6	09.23.2004	18.35	0.40237	CU M/MI	2952.55	CU M
SP6	Day 6	09.23.2004	18.4	0.03415	CU M/MI	2954.53	CU M
SP6	Day 6	09.23.2004	18.45	0.40347	CU M/MI	2955.91	CU M
SP6	Day 6	09.23.2004	18.5	0	CU M/MI	2957.33	CU M
SP6	Day 6	09.23.2004	18.55	0	CU M/MI	2958.22	CU M
SP6	Day 6	09.23.2004	19	0	CU M/MI	2959.08	CU M
SP6	Day 6	09.23.2004	19.05	0.00143	CU M/MI	2959.95	CU M
SP6	Day 6	09.23.2004	19.1	0.02849	CU M/MI	2960.82	CU M
SP6	Day 6	09.23.2004	19.15	0.40505	CU M/MI	2961.58	CU M
SP6	Day 6	09.23.2004	19.2	0.40583	CU M/MI	2962.34	CU M
SP6	Day 6	09.23.2004	19.25	0.40171	CU M/MI	2963.15	CU M
SP6	Day 6	09.23.2004	19.3	0.40307	CU M/MI	2963.83	CU M
SP6	Day 6	09.23.2004	19.35	0.40136	CU M/MI	2964.55	CU M
SP6	Day 6	09.23.2004	19.4	0.39358	CU M/MI	2965.28	CU M
SP6	Day 6	09.23.2004	19.45	0.36489	CU M/MI	2966.03	CU M
SP6	Day 6	09.23.2004	19.5	0	CU M/MI	2966.83	CU M
SP6	Day 6	09.23.2004	19.55	0	CU M/MI	2967.71	CU M
SP6	Day 6	09.23.2004	20	0	CU M/MI	2968.59	CU M
SP6	Day 6	09.23.2004	20.05	0	CU M/MI	2969.39	CU M
SP6	Day 6	09.23.2004	20.1	0	CU M/MI	2970.07	CU M
SP6	Day 6	09.23.2004	20.15	0.40367	CU M/MI	2970.39	CU M
SP6	Day 6	09.23.2004	20.2	0.36907	CU M/MI	2971.02	CU M
SP6	Day 6	09.23.2004	20.25	0.40155	CU M/MI	2973	CU M
SP6	Day 6	09.23.2004	20.3	0.40143	CU M/MI	2974.4	CU M
SP6	Day 6	09.23.2004	20.35	0.40179	CU M/MI	2976.41	CU M
SP6	Day 6	09.23.2004	20.4	0.40235	CU M/MI	2977.87	CU M
SP6	Day 6	09.23.2004	20.45	0.40315	CU M/MI	2979.88	CU M
SP6	Day 6	09.23.2004	20.5	0.40112	CU M/MI	2981.25	CU M
SP6	Day 6	09.23.2004	20.55	0	CU M/MI	2983	CU M
SP6	Day 6	09.23.2004	21	0.4042	CU M/MI	2984.62	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 6	09.23.2004	21.05	0.39836	CU M/MI	2985.97	CU M
SP6	Day 6	09.23.2004	21.1	0.40087	CU M/MI	2987.98	CU M
SP6	Day 6	09.23.2004	21.15	0.40149	CU M/MI	2989.39	CU M
SP6	Day 6	09.23.2004	21.2	0.40187	CU M/MI	2991.4	CU M
SP6	Day 6	09.23.2004	21.25	0.40384	CU M/MI	2992.74	CU M
SP6	Day 6	09.23.2004	21.3	0	CU M/MI	2994.42	CU M
SP6	Day 6	09.23.2004	21.35	0.40346	CU M/MI	2996.11	CU M
SP6	Day 6	09.23.2004	21.4	0.40068	CU M/MI	2997.49	CU M
SP6	Day 6	09.23.2004	21.45	0.40182	CU M/MI	2999.5	CU M
SP6	Day 6	09.23.2004	21.5	0.4008	CU M/MI	3000.85	CU M
SP6	Day 6	09.23.2004	21.55	0.40028	CU M/MI	3002.85	CU M
SP6	Day 6	09.23.2004	22	0.39962	CU M/MI	3004.22	CU M
SP6	Day 6	09.23.2004	22.05	0	CU M/MI	3005.76	CU M
SP6	Day 6	09.23.2004	22.1	0.39779	CU M/MI	3007.59	CU M
SP6	Day 6	09.23.2004	22.15	0.39801	CU M/MI	3008.92	CU M
SP6	Day 6	09.23.2004	22.2	0.39844	CU M/MI	3010.91	CU M
SP6	Day 6	09.23.2004	22.25	0.39787	CU M/MI	3012.24	CU M
SP6	Day 6	09.23.2004	22.3	0.3975	CU M/MI	3014.23	CU M
SP6	Day 6	09.23.2004	22.35	0.39607	CU M/MI	3015.58	CU M
SP6	Day 6	09.23.2004	22.4	0.39548	CU M/MI	3016.37	CU M
SP6	Day 6	09.23.2004	22.45	0.02127	CU M/MI	3018.29	CU M
SP6	Day 6	09.23.2004	22.5	0.39553	CU M/MI	3019.64	CU M
SP6	Day 6	09.23.2004	22.55	0.00174	CU M/MI	3021.45	CU M
SP6	Day 6	09.23.2004	23	0.39664	CU M/MI	3022.96	CU M
SP6	Day 6	09.23.2004	23.05	0	CU M/MI	3024.44	CU M
SP6	Day 6	09.23.2004	23.1	0.39561	CU M/MI	3026.3	CU M
SP6	Day 6	09.23.2004	23.15	0.39402	CU M/MI	3027.68	CU M
SP6	Day 6	09.23.2004	23.2	0.39539	CU M/MI	3029.66	CU M
SP6	Day 6	09.23.2004	23.25	0.39377	CU M/MI	3030.98	CU M
SP6	Day 6	09.23.2004	23.3	0.39596	CU M/MI	3032.96	CU M
SP6	Day 6	09.23.2004	23.35	0.39546	CU M/MI	3034.33	CU M
SP6	Day 6	09.23.2004	23.4	0.39629	CU M/MI	3036.31	CU M
SP6	Day 6	09.23.2004	23.45	0.39683	CU M/MI	3037.64	CU M
SP6	Day 6	09.23.2004	23.5	0.17536	CU M/MI	3039.63	CU M
SP6	Day 6	09.23.2004	23.55	0.39723	CU M/MI	3041.01	CU M
SP6	Day 6	09.24.2004	0	0	CU M/MI	3042.69	CU M
SP6	Day 6	09.24.2004	0.05	0.39739	CU M/MI	3044.34	CU M
SP6	Day 6	09.24.2004	0.1	0	CU M/MI	3046.01	CU M
SP6	Day 6	09.24.2004	0.15	0.40006	CU M/MI	3047.73	CU M
SP6	Day 6	09.24.2004	0.2	0.39157	CU M/MI	3048.35	CU M
SP6	Day 6	09.24.2004	0.25	0.39926	CU M/MI	3050.35	CU M
SP6	Day 6	09.24.2004	0.3	0.01598	CU M/MI	3051.59	CU M
SP6	Day 6	09.24.2004	0.35	0	CU M/MI	3051.58	CU M
SP6	Day 6	09.24.2004	0.4	0.40161	CU M/MI	3053.55	CU M
SP6	Day 6	09.24.2004	0.45	0.40092	CU M/MI	3055.56	CU M
SP6	Day 6	09.24.2004	0.5	0.40089	CU M/MI	3056.97	CU M
SP6	Day 6	09.24.2004	0.55	0.09341	CU M/MI	3058.95	CU M
SP6	Day 6	09.24.2004	1	0	CU M/MI	3058.95	CU M
SP6	Day 6	09.24.2004	1.05	0.40048	CU M/MI	3060.37	CU M
SP6	Day 6	09.24.2004	1.1	0.40077	CU M/MI	3062.37	CU M
SP6	Day 6	09.24.2004	1.15	0.3434	CU M/MI	3063.76	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 6	09.24.2004	1.2	0.39696	CU M/MI	3065.75	CU M
SP6	Day 6	09.24.2004	1.25	0.37295	CU M/MI	3067.14	CU M
SP6	Day 6	09.24.2004	1.3	0.39688	CU M/MI	3069.1	CU M
SP6	Day 6	09.24.2004	1.35	0.40195	CU M/MI	3070.55	CU M
SP6	Day 6	09.24.2004	1.4	0.40316	CU M/MI	3072.57	CU M
SP6	Day 6	09.24.2004	1.45	0.40249	CU M/MI	3073.99	CU M
SP6	Day 6	09.24.2004	1.5	0.01998	CU M/MI	3075.92	CU M
SP6	Day 6	09.24.2004	1.55	0.39238	CU M/MI	3077.41	CU M
SP6	Day 6	09.24.2004	2	0	CU M/MI	3079.12	CU M
SP6	Day 6	09.24.2004	2.05	0.3995	CU M/MI	3080.71	CU M
SP6	Day 6	09.24.2004	2.1	0.02101	CU M/MI	3082.63	CU M
SP6	Day 6	09.24.2004	2.15	0	CU M/MI	3082.61	CU M
SP6	Day 6	09.24.2004	2.2	0.39599	CU M/MI	3083.9	CU M
SP6	Day 6	09.24.2004	2.25	0.39382	CU M/MI	3085.87	CU M
SP6	Day 6	09.24.2004	2.3	0	CU M/MI	3087.11	CU M
SP6	Day 6	09.24.2004	2.35	0	CU M/MI	3087.09	CU M
SP6	Day 6	09.24.2004	2.4	0.39483	CU M/MI	3088.73	CU M
SP6	Day 6	09.24.2004	2.45	0.39488	CU M/MI	3090.7	CU M
SP6	Day 6	09.24.2004	2.5	0.19976	CU M/MI	3092.66	CU M
SP6	Day 6	09.24.2004	2.55	0.39445	CU M/MI	3093.98	CU M
SP6	Day 6	09.24.2004	3	0.38885	CU M/MI	3095.93	CU M
SP6	Day 6	09.24.2004	3.05	0.39508	CU M/MI	3097.32	CU M
SP6	Day 6	09.24.2004	3.1	0.0241	CU M/MI	3099.22	CU M
SP6	Day 6	09.24.2004	3.15	0.38949	CU M/MI	3100.61	CU M
SP6	Day 6	09.24.2004	3.2	0	CU M/MI	3101.7	CU M
SP6	Day 6	09.24.2004	3.25	0.38959	CU M/MI	3103.21	CU M
SP6	Day 6	09.24.2004	3.3	0	CU M/MI	3104.83	CU M
SP6	Day 6	09.24.2004	3.35	0.38754	CU M/MI	3106.47	CU M
SP6	Day 6	09.24.2004	3.4	0	CU M/MI	3108.17	CU M
SP6	Day 6	09.24.2004	3.45	0.39413	CU M/MI	3109.73	CU M
SP6	Day 6	09.24.2004	3.5	0	CU M/MI	3111.09	CU M
SP6	Day 6	09.24.2004	3.55	0.39008	CU M/MI	3113.02	CU M
SP6	Day 6	09.24.2004	4	0.35442	CU M/MI	3114.39	CU M
SP6	Day 6	09.24.2004	4.05	0.38964	CU M/MI	3116.33	CU M
SP6	Day 6	09.24.2004	4.1	0.33964	CU M/MI	3117.66	CU M
SP6	Day 6	09.24.2004	4.15	0.3782	CU M/MI	3119.53	CU M
SP6	Day 6	09.24.2004	4.2	0.37619	CU M/MI	3121.41	CU M
SP6	Day 6	09.24.2004	4.25	0.3832	CU M/MI	3122.72	CU M
SP6	Day 6	09.24.2004	4.3	0	CU M/MI	3124.23	CU M
SP6	Day 6	09.24.2004	4.35	0	CU M/MI	3124.21	CU M
SP6	Day 6	09.24.2004	4.4	0	CU M/MI	3125.58	CU M
SP6	Day 6	09.24.2004	4.45	0	CU M/MI	3125.56	CU M
SP6	Day 6	09.24.2004	4.5	0	CU M/MI	3125.54	CU M
SP6	Day 6	09.24.2004	4.55	0.00315	CU M/MI	3125.9	CU M
SP6	Day 6	09.24.2004	5	0	CU M/MI	3125.89	CU M
SP6	Day 6	09.24.2004	5.05	0	CU M/MI	3125.87	CU M
SP6	Day 6	09.24.2004	5.1	0	CU M/MI	3125.85	CU M
SP6	Day 6	09.24.2004	5.15	0	CU M/MI	3125.84	CU M
SP6	Day 6	09.24.2004	5.2	0.35878	CU M/MI	3126.22	CU M
SP6	Day 6	09.24.2004	5.25	0.35174	CU M/MI	3127.97	CU M
SP6	Day 6	09.24.2004	5.3	0.35057	CU M/MI	3129.72	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 6	09.24.2004	5.35	0.35437	CU M/MI	3131.49	CU M
SP6	Day 6	09.24.2004	5.4	0.35225	CU M/MI	3133.25	CU M
SP6	Day 6	09.24.2004	5.45	0.35235	CU M/MI	3135.01	CU M
SP6	Day 6	09.24.2004	5.5	0.34978	CU M/MI	3136.77	CU M
SP6	Day 6	09.24.2004	5.55	0.35625	CU M/MI	3137.79	CU M
SP6	Day 7	09.24.2004	6	0.35328	CU M/MI	3139.57	CU M
SP6	Day 7	09.24.2004	6.05	0.3521	CU M/MI	3141.33	CU M
SP6	Day 7	09.24.2004	6.1	0.35101	CU M/MI	3143.09	CU M
SP6	Day 7	09.24.2004	6.15	0.35075	CU M/MI	3144.84	CU M
SP6	Day 7	09.24.2004	6.2	0.35083	CU M/MI	3146.6	CU M
SP6	Day 7	09.24.2004	6.25	0	CU M/MI	3147.71	CU M
SP6	Day 7	09.24.2004	6.3	0	CU M/MI	3147.69	CU M
SP6	Day 7	09.24.2004	6.35	0	CU M/MI	3147.67	CU M
SP6	Day 7	09.24.2004	6.4	0	CU M/MI	3147.65	CU M
SP6	Day 7	09.24.2004	6.45	0	CU M/MI	3147.63	CU M
SP6	Day 7	09.24.2004	6.5	0	CU M/MI	3147.62	CU M
SP6	Day 7	09.24.2004	6.55	0	CU M/MI	3147.6	CU M
SP6	Day 7	09.24.2004	7	0	CU M/MI	3147.58	CU M
SP6	Day 7	09.24.2004	7.05	0	CU M/MI	3147.57	CU M
SP6	Day 7	09.24.2004	7.1	0	CU M/MI	3147.55	CU M
SP6	Day 7	09.24.2004	7.15	0	CU M/MI	3147.54	CU M
SP6	Day 7	09.24.2004	7.2	0	CU M/MI	3147.52	CU M
SP6	Day 7	09.24.2004	7.25	0	CU M/MI	3147.5	CU M
SP6	Day 7	09.24.2004	7.3	0	CU M/MI	3147.48	CU M
SP6	Day 7	09.24.2004	7.35	0.35859	CU M/MI	3148.97	CU M
SP6	Day 7	09.24.2004	7.4	0	CU M/MI	3150.58	CU M
SP6	Day 7	09.24.2004	7.45	0.3606	CU M/MI	3151.91	CU M
SP6	Day 7	09.24.2004	7.5	0	CU M/MI	3153.2	CU M
SP6	Day 7	09.24.2004	7.55	0.34341	CU M/MI	3154.8	CU M
SP6	Day 7	09.24.2004	8	0.01332	CU M/MI	3156.44	CU M
SP6	Day 7	09.24.2004	8.05	0.35786	CU M/MI	3157.68	CU M
SP6	Day 7	09.24.2004	8.1	0	CU M/MI	3159.13	CU M
SP6	Day 7	09.24.2004	8.15	0.35722	CU M/MI	3160.64	CU M
SP6	Day 7	09.24.2004	8.2	0.35514	CU M/MI	3161.26	CU M
SP6	Day 7	09.24.2004	8.25	0.3139	CU M/MI	3161.63	CU M
SP6	Day 7	09.24.2004	8.3	0	CU M/MI	3162.36	CU M
SP6	Day 7	09.24.2004	8.35	0	CU M/MI	3163.25	CU M
SP6	Day 7	09.24.2004	8.4	0	CU M/MI	3164.18	CU M
SP6	Day 7	09.24.2004	8.45	0.34084	CU M/MI	3165.05	CU M
SP6	Day 7	09.24.2004	8.5	0.36436	CU M/MI	3165.63	CU M
SP6	Day 7	09.24.2004	8.55	0.35467	CU M/MI	3166.2	CU M
SP6	Day 7	09.24.2004	9	0	CU M/MI	3166.92	CU M
SP6	Day 7	09.24.2004	9.05	0	CU M/MI	3167.83	CU M
SP6	Day 7	09.24.2004	9.1	0	CU M/MI	3168.74	CU M
SP6	Day 7	09.24.2004	9.15	0.01162	CU M/MI	3169.66	CU M
SP6	Day 7	09.24.2004	9.2	0	CU M/MI	3169.65	CU M
SP6	Day 7	09.24.2004	9.25	0.36191	CU M/MI	3170.43	CU M
SP6	Day 7	09.24.2004	9.3	0.36416	CU M/MI	3170.95	CU M
SP6	Day 7	09.24.2004	9.35	0	CU M/MI	3171.55	CU M
SP6	Day 7	09.24.2004	9.4	0	CU M/MI	3172.46	CU M
SP6	Day 7	09.24.2004	9.45	0	CU M/MI	3173.36	CU M

Appendix B
Raw Flow Data from Influent to Graywater Treatment System (SP-6)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP6	Day 7	09.24.2004	9.5	0	CU M/MI	3174.27	CU M
SP6	Day 7	09.24.2004	9.55	0.35808	CU M/MI	3175.44	CU M
SP6	Day 7	09.24.2004	10	0.35913	CU M/MI	3177.13	CU M
SP6	Day 7	09.24.2004	10.05	0.3991	CU M/MI	3179.12	CU M
SP6	Day 7	09.24.2004	10.1	0.40093	CU M/MI	3181.12	CU M
SP6	Day 7	09.24.2004	10.15	0	CU M/MI	3182.7	CU M
SP6	Day 7	09.24.2004	10.2	0	CU M/MI	3184.1	CU M
SP6	Day 7	09.24.2004	10.25	0	CU M/MI	3184.1	CU M
SP6	Day 7	09.24.2004	10.3	0	CU M/MI	3184.1	CU M
SP6	Day 7	09.24.2004	10.35	0	CU M/MI	3184.1	CU M
SP6	Day 7	09.24.2004	10.4	0	CU M/MI	3184.1	CU M
SP6	Day 7	09.24.2004	10.45	0	CU M/MI	3184.1	CU M
SP6	Day 7	09.24.2004	10.5	0	CU M/MI	3184.1	CU M
SP6	Day 7	09.24.2004	10.55	0	CU M/MI	3184.1	CU M
SP6	Day 7	09.24.2004	11	0	CU M/MI	3184.1	CU M
SP6	Day 7	09.24.2004	11.05	0	CU M/MI	3184.1	CU M
SP6	Day 7	09.24.2004	11.1	0	CU M/MI	3184.1	CU M
SP6	Day 7	09.24.2004	11.15	0	CU M/MI	3184.1	CU M
SP6	Day 7	09.24.2004	11.2	0	CU M/MI	3184.1	CU M
SP6	Day 7	09.24.2004	11.25	0	CU M/MI	3184.1	CU M
SP6	Day 7	09.24.2004	11.3	0	CU M/MI	3184.1	CU M
SP6	Day 7	09.24.2004	11.35	0	CU M/MI	3184.1	CU M
SP6	Day 7	09.24.2004	11.4	0	CU M/MI	3184.1	CU M
SP6	Day 7	09.24.2004	11.45	0	CU M/MI	3184.1	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8		09.13.2004	16.3	0.00187	CU M/MI	1.76	CU M
SP8		09.13.2004	16.35	0.02874	CU M/MI	3.34	CU M
SP8		09.13.2004	16.4	0.34467	CU M/MI	4.76	CU M
SP8		09.13.2004	16.45	0.34526	CU M/MI	6.11	CU M
SP8		09.13.2004	16.5	0.34351	CU M/MI	7.49	CU M
SP8		09.13.2004	16.55	0.34281	CU M/MI	8.83	CU M
SP8		09.13.2004	17	0.3369	CU M/MI	10.2	CU M
SP8		09.13.2004	17.05	0.00131	CU M/MI	11.64	CU M
SP8		09.13.2004	17.1	0.01612	CU M/MI	13.34	CU M
SP8		09.13.2004	17.15	0.00185	CU M/MI	13.36	CU M
SP8		09.13.2004	17.2	0.46966	CU M/MI	14.37	CU M
SP8		09.13.2004	17.25	0.00163	CU M/MI	14.68	CU M
SP8		09.13.2004	17.3	0	CU M/MI	14.69	CU M
SP8		09.13.2004	17.35	0	CU M/MI	14.69	CU M
SP8		09.13.2004	17.4	0	CU M/MI	14.69	CU M
SP8		09.13.2004	17.45	0	CU M/MI	14.69	CU M
SP8		09.13.2004	17.5	0	CU M/MI	14.69	CU M
SP8		09.13.2004	17.55	0	CU M/MI	14.69	CU M
SP8		09.13.2004	18	0	CU M/MI	14.69	CU M
SP8		09.13.2004	18.05	0	CU M/MI	14.69	CU M
SP8		09.13.2004	18.1	0.00172	CU M/MI	14.73	CU M
SP8		09.13.2004	18.15	0	CU M/MI	14.72	CU M
SP8		09.13.2004	18.2	0.00134	CU M/MI	14.72	CU M
SP8		09.13.2004	18.25	0.00138	CU M/MI	14.99	CU M
SP8		09.13.2004	18.3	0.00168	CU M/MI	15.14	CU M
SP8		09.13.2004	18.35	0.00757	CU M/MI	15.96	CU M
SP8		09.13.2004	18.4	0.03506	CU M/MI	16.69	CU M
SP8		09.13.2004	18.45	0.3405	CU M/MI	17.38	CU M
SP8		09.13.2004	18.5	0.46133	CU M/MI	18.08	CU M
SP8		09.13.2004	18.55	0.33273	CU M/MI	19.3	CU M
SP8		09.13.2004	19	0.0022	CU M/MI	21.09	CU M
SP8		09.13.2004	19.05	0.46919	CU M/MI	22.61	CU M
SP8		09.13.2004	19.1	0.46868	CU M/MI	23.59	CU M
SP8		09.13.2004	19.15	0.00145	CU M/MI	25.11	CU M
SP8		09.13.2004	19.2	0.00114	CU M/MI	25.83	CU M
SP8		09.13.2004	19.25	0.0044	CU M/MI	26.63	CU M
SP8		09.13.2004	19.3	0.0041	CU M/MI	28.15	CU M
SP8		09.13.2004	19.35	0.02236	CU M/MI	29.61	CU M
SP8		09.13.2004	19.4	0.00495	CU M/MI	30.25	CU M
SP8		09.13.2004	19.45	0	CU M/MI	30.23	CU M
SP8		09.13.2004	19.5	0	CU M/MI	30.23	CU M
SP8		09.13.2004	19.55	0	CU M/MI	30.23	CU M
SP8		09.13.2004	20	0.4683	CU M/MI	30.57	CU M
SP8		09.13.2004	20.05	0.36057	CU M/MI	31.9	CU M
SP8		09.13.2004	20.1	0.3803	CU M/MI	33.27	CU M
SP8		09.13.2004	20.15	0.00248	CU M/MI	34.55	CU M
SP8		09.13.2004	20.2	0	CU M/MI	35.25	CU M
SP8		09.13.2004	20.25	0.32847	CU M/MI	36.21	CU M
SP8		09.13.2004	20.3	0.00195	CU M/MI	37.76	CU M
SP8		09.13.2004	20.35	0.03856	CU M/MI	39.53	CU M
SP8		09.13.2004	20.4	0.47037	CU M/MI	40.85	CU M
SP8		09.13.2004	20.45	0.46687	CU M/MI	41.94	CU M
SP8		09.13.2004	20.5	0.00095	CU M/MI	43.45	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8		09.13.2004	20.55	0.46925	CU M/MI	45.3	CU M
SP8		09.13.2004	21	0.46942	CU M/MI	46.3	CU M
SP8		09.13.2004	21.05	0.01006	CU M/MI	47.63	CU M
SP8		09.13.2004	21.1	0.0122	CU M/MI	49.53	CU M
SP8		09.13.2004	21.15	0.36269	CU M/MI	50.95	CU M
SP8		09.13.2004	21.2	0.466	CU M/MI	52.22	CU M
SP8		09.13.2004	21.25	0.3344	CU M/MI	53.59	CU M
SP8		09.13.2004	21.3	0.33183	CU M/MI	55.11	CU M
SP8		09.13.2004	21.35	0.33367	CU M/MI	56.64	CU M
SP8		09.13.2004	21.4	0.33259	CU M/MI	58.16	CU M
SP8		09.13.2004	21.45	0.33703	CU M/MI	59.68	CU M
SP8		09.13.2004	21.5	0.47048	CU M/MI	61.08	CU M
SP8		09.13.2004	21.55	0.48099	CU M/MI	62.36	CU M
SP8		09.13.2004	22	0.00026	CU M/MI	63.77	CU M
SP8		09.13.2004	22.05	0	CU M/MI	65.65	CU M
SP8		09.13.2004	22.1	0.48691	CU M/MI	67	CU M
SP8		09.13.2004	22.15	0.46953	CU M/MI	68.06	CU M
SP8		09.13.2004	22.2	0.00123	CU M/MI	69.76	CU M
SP8		09.13.2004	22.25	0.46913	CU M/MI	71.43	CU M
SP8		09.13.2004	22.3	0.47003	CU M/MI	72.47	CU M
SP8		09.13.2004	22.35	0.00036	CU M/MI	73.89	CU M
SP8		09.13.2004	22.4	0.00886	CU M/MI	75.8	CU M
SP8		09.13.2004	22.45	0.46597	CU M/MI	77.14	CU M
SP8		09.13.2004	22.5	0.46691	CU M/MI	78.36	CU M
SP8		09.13.2004	22.55	0.33308	CU M/MI	79.74	CU M
SP8		09.13.2004	23	0.34194	CU M/MI	81.13	CU M
SP8		09.13.2004	23.05	0.31953	CU M/MI	82.57	CU M
SP8		09.13.2004	23.1	0.34737	CU M/MI	84.09	CU M
SP8		09.13.2004	23.15	0.34461	CU M/MI	85.64	CU M
SP8		09.13.2004	23.2	0.47337	CU M/MI	87.11	CU M
SP8		09.13.2004	23.25	0.35401	CU M/MI	88.08	CU M
SP8		09.13.2004	23.3	0.44499	CU M/MI	88.74	CU M
SP8		09.13.2004	23.35	0.4764	CU M/MI	89.63	CU M
SP8		09.13.2004	23.4	0.00195	CU M/MI	91.55	CU M
SP8		09.13.2004	23.45	0	CU M/MI	93.19	CU M
SP8		09.13.2004	23.5	0.47122	CU M/MI	94.41	CU M
SP8		09.13.2004	23.55	0.34785	CU M/MI	95.75	CU M
SP8		09.14.2004	0	0.00356	CU M/MI	97.41	CU M
SP8		09.14.2004	0.05	0.05309	CU M/MI	99.11	CU M
SP8		09.14.2004	0.1	0.34195	CU M/MI	100.49	CU M
SP8		09.14.2004	0.15	0.32501	CU M/MI	101.98	CU M
SP8		09.14.2004	0.2	0.33697	CU M/MI	103.38	CU M
SP8		09.14.2004	0.25	0.00049	CU M/MI	104.31	CU M
SP8		09.14.2004	0.3	0.00165	CU M/MI	105.16	CU M
SP8		09.14.2004	0.35	0.46507	CU M/MI	106.45	CU M
SP8		09.14.2004	0.4	0.46864	CU M/MI	107.6	CU M
SP8		09.14.2004	0.45	0.33613	CU M/MI	109.12	CU M
SP8		09.14.2004	0.5	0.31985	CU M/MI	110.57	CU M
SP8		09.14.2004	0.55	0.35712	CU M/MI	112.11	CU M
SP8		09.14.2004	1	0.31853	CU M/MI	113.65	CU M
SP8		09.14.2004	1.05	0.47032	CU M/MI	115.1	CU M
SP8		09.14.2004	1.1	0.40987	CU M/MI	116.5	CU M
SP8		09.14.2004	1.15	0.3272	CU M/MI	117.77	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8		09.14.2004	1.2	0.00086	CU M/MI	119.24	CU M
SP8		09.14.2004	1.25	0.01783	CU M/MI	121.21	CU M
SP8		09.14.2004	1.3	0.46952	CU M/MI	122.5	CU M
SP8		09.14.2004	1.35	0.48441	CU M/MI	123.48	CU M
SP8		09.14.2004	1.4	0	CU M/MI	125.4	CU M
SP8		09.14.2004	1.45	0.47243	CU M/MI	126.97	CU M
SP8		09.14.2004	1.5	0.45396	CU M/MI	128.21	CU M
SP8		09.14.2004	1.55	0.33439	CU M/MI	129.73	CU M
SP8		09.14.2004	2	0.0068	CU M/MI	131.3	CU M
SP8		09.14.2004	2.05	0	CU M/MI	133.03	CU M
SP8		09.14.2004	2.1	0	CU M/MI	134.61	CU M
SP8		09.14.2004	2.15	0.35816	CU M/MI	136.18	CU M
SP8		09.14.2004	2.2	0.35408	CU M/MI	137.64	CU M
SP8		09.14.2004	2.25	1.37929	CU M/MI	139.09	CU M
SP8		09.14.2004	2.3	0.35471	CU M/MI	140.56	CU M
SP8		09.14.2004	2.35	0.00565	CU M/MI	142.47	CU M
SP8		09.14.2004	2.4	0.32923	CU M/MI	144.29	CU M
SP8		09.14.2004	2.45	0.46494	CU M/MI	145.55	CU M
SP8		09.14.2004	2.5	0.01189	CU M/MI	146.88	CU M
SP8		09.14.2004	2.55	0	CU M/MI	149.13	CU M
SP8		09.14.2004	3	0.47315	CU M/MI	150.23	CU M
SP8		09.14.2004	3.05	0.00927	CU M/MI	151.48	CU M
SP8		09.14.2004	3.1	0.00935	CU M/MI	153.6	CU M
SP8		09.14.2004	3.15	1.50869	CU M/MI	155.17	CU M
SP8		09.14.2004	3.2	0.46927	CU M/MI	156.48	CU M
SP8		09.14.2004	3.25	0.33316	CU M/MI	157.91	CU M
SP8		09.14.2004	3.3	0.00168	CU M/MI	159.6	CU M
SP8		09.14.2004	3.35	0.00769	CU M/MI	160.53	CU M
SP8		09.14.2004	3.4	0.34253	CU M/MI	161.63	CU M
SP8		09.14.2004	3.45	0.47999	CU M/MI	163.2	CU M
SP8		09.14.2004	3.5	0.35034	CU M/MI	164.44	CU M
SP8		09.14.2004	3.55	0.01055	CU M/MI	166.05	CU M
SP8		09.14.2004	4	0.34543	CU M/MI	168.04	CU M
SP8		09.14.2004	4.05	0.4756	CU M/MI	169.13	CU M
SP8		09.14.2004	4.1	0.01085	CU M/MI	170.43	CU M
SP8		09.14.2004	4.15	0.34959	CU M/MI	172.64	CU M
SP8		09.14.2004	4.2	0.46663	CU M/MI	173.81	CU M
SP8		09.14.2004	4.25	1.36117	CU M/MI	175.22	CU M
SP8		09.14.2004	4.3	0.00045	CU M/MI	176.78	CU M
SP8		09.14.2004	4.35	0.00852	CU M/MI	177.51	CU M
SP8		09.14.2004	4.4	0.37707	CU M/MI	178.29	CU M
SP8		09.14.2004	4.45	0.39405	CU M/MI	179.84	CU M
SP8		09.14.2004	4.5	0.00181	CU M/MI	180.57	CU M
SP8		09.14.2004	4.55	0.00303	CU M/MI	180.72	CU M
SP8		09.14.2004	5	0.00065	CU M/MI	180.74	CU M
SP8		09.14.2004	5.05	0.00066	CU M/MI	180.74	CU M
SP8		09.14.2004	5.1	0.00075	CU M/MI	180.75	CU M
SP8		09.14.2004	5.15	0.00062	CU M/MI	180.75	CU M
SP8		09.14.2004	5.2	0.0009	CU M/MI	180.75	CU M
SP8		09.14.2004	5.25	0.00086	CU M/MI	180.76	CU M
SP8		09.14.2004	5.3	0.00044	CU M/MI	180.76	CU M
SP8		09.14.2004	5.35	0.00084	CU M/MI	180.76	CU M
SP8		09.14.2004	5.4	0.00018	CU M/MI	181.37	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8		09.14.2004	5.45	0.00008	CU M/MI	182.55	CU M
SP8		09.14.2004	5.5	0.00093	CU M/MI	184.15	CU M
SP8		09.14.2004	5.55	0.01071	CU M/MI	185.69	CU M
SP8		09.14.2004	6	0.39088	CU M/MI	187.14	CU M
SP8		09.14.2004	6.05	0.39213	CU M/MI	188.45	CU M
SP8		09.14.2004	6.1	0.39051	CU M/MI	189.79	CU M
SP8		09.14.2004	6.15	0.38755	CU M/MI	191.16	CU M
SP8		09.14.2004	6.2	0.3875	CU M/MI	192.48	CU M
SP8		09.14.2004	6.25	0.38865	CU M/MI	193.87	CU M
SP8		09.14.2004	6.3	0.38688	CU M/MI	195.22	CU M
SP8		09.14.2004	6.35	0.03001	CU M/MI	196.62	CU M
SP8		09.14.2004	6.4	0.38397	CU M/MI	198.03	CU M
SP8		09.14.2004	6.45	0.45333	CU M/MI	199.36	CU M
SP8		09.14.2004	6.5	0.34032	CU M/MI	200.65	CU M
SP8		09.14.2004	6.55	0.00021	CU M/MI	201.98	CU M
SP8		09.14.2004	7	0.00418	CU M/MI	203.84	CU M
SP8		09.14.2004	7.05	0.46702	CU M/MI	205.21	CU M
SP8		09.14.2004	7.1	0.4696	CU M/MI	206.28	CU M
SP8		09.14.2004	7.15	0.0006	CU M/MI	207.78	CU M
SP8		09.14.2004	7.2	0.00057	CU M/MI	207.78	CU M
SP8		09.14.2004	7.25	0.00066	CU M/MI	207.79	CU M
SP8		09.14.2004	7.3	0.0003	CU M/MI	207.77	CU M
SP8		09.14.2004	7.35	0.00059	CU M/MI	208.28	CU M
SP8		09.14.2004	7.4	0.00064	CU M/MI	208.28	CU M
SP8		09.14.2004	7.45	0.00025	CU M/MI	208.29	CU M
SP8		09.14.2004	7.5	0.00053	CU M/MI	208.29	CU M
SP8		09.14.2004	7.55	0.00048	CU M/MI	208.29	CU M
SP8		09.14.2004	8	0.00081	CU M/MI	208.3	CU M
SP8		09.14.2004	8.05	0.0007	CU M/MI	208.3	CU M
SP8		09.14.2004	8.1	0.00061	CU M/MI	208.3	CU M
SP8		09.14.2004	8.15	0.00069	CU M/MI	208.31	CU M
SP8		09.14.2004	8.2	0.00081	CU M/MI	208.31	CU M
SP8		09.14.2004	8.25	0.0007	CU M/MI	208.31	CU M
SP8		09.14.2004	8.3	0.0008	CU M/MI	208.32	CU M
SP8		09.14.2004	8.35	0.00046	CU M/MI	208.32	CU M
SP8		09.14.2004	8.4	0.00055	CU M/MI	208.32	CU M
SP8		09.14.2004	8.45	0.00066	CU M/MI	208.32	CU M
SP8		09.14.2004	8.5	0.00076	CU M/MI	208.33	CU M
SP8		09.14.2004	8.55	0.00067	CU M/MI	208.33	CU M
SP8		09.14.2004	9	0.00079	CU M/MI	208.33	CU M
SP8		09.14.2004	9.05	0.00069	CU M/MI	208.34	CU M
SP8		09.14.2004	9.1	0.00063	CU M/MI	208.34	CU M
SP8		09.14.2004	9.15	0.00064	CU M/MI	208.34	CU M
SP8		09.14.2004	9.2	0.00051	CU M/MI	208.35	CU M
SP8		09.14.2004	9.25	0.00057	CU M/MI	208.35	CU M
SP8		09.14.2004	9.3	0.00063	CU M/MI	208.35	CU M
SP8		09.14.2004	9.35	0.00071	CU M/MI	208.36	CU M
SP8		09.14.2004	9.4	0.00066	CU M/MI	208.36	CU M
SP8		09.14.2004	9.45	0.00078	CU M/MI	208.36	CU M
SP8		09.14.2004	9.5	0.00076	CU M/MI	208.37	CU M
SP8		09.14.2004	9.55	0.00081	CU M/MI	208.37	CU M
SP8		09.14.2004	10	0.00075	CU M/MI	208.38	CU M
SP8		09.14.2004	10.05	0.0012	CU M/MI	208.38	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8		09.14.2004	10.1	0.00101	CU M/MI	208.38	CU M
SP8		09.14.2004	10.15	0.00066	CU M/MI	208.39	CU M
SP8		09.14.2004	10.2	0.00092	CU M/MI	208.39	CU M
SP8		09.14.2004	10.25	0.00075	CU M/MI	208.4	CU M
SP8		09.14.2004	10.3	0.00081	CU M/MI	208.4	CU M
SP8		09.14.2004	10.35	0.00071	CU M/MI	208.4	CU M
SP8		09.14.2004	10.4	0.00051	CU M/MI	208.41	CU M
SP8		09.14.2004	10.45	0.00057	CU M/MI	208.41	CU M
SP8		09.14.2004	10.5	0.00069	CU M/MI	208.41	CU M
SP8		09.14.2004	10.55	0.00102	CU M/MI	208.5	CU M
SP8		09.14.2004	11	0.00088	CU M/MI	208.5	CU M
SP8		09.14.2004	11.05	0.00079	CU M/MI	208.51	CU M
SP8		09.14.2004	11.1	0.00077	CU M/MI	208.51	CU M
SP8		09.14.2004	11.15	0.00079	CU M/MI	208.52	CU M
SP8		09.14.2004	11.2	0.00052	CU M/MI	209.1	CU M
SP8		09.14.2004	11.25	0.00051	CU M/MI	209.1	CU M
SP8		09.14.2004	11.3	0.33439	CU M/MI	209.31	CU M
SP8		09.14.2004	11.35	0.00036	CU M/MI	209.67	CU M
SP8		09.14.2004	11.4	0.00043	CU M/MI	209.67	CU M
SP8		09.14.2004	11.45	0.32861	CU M/MI	209.88	CU M
SP8		09.14.2004	11.5	0.00048	CU M/MI	210.66	CU M
SP8		09.14.2004	11.55	0.00017	CU M/MI	210.66	CU M
SP8		09.14.2004	12	0.33145	CU M/MI	211.36	CU M
SP8		09.14.2004	12.05	0	CU M/MI	213	CU M
SP8		09.14.2004	12.1	0.00032	CU M/MI	213	CU M
SP8		09.14.2004	12.15	0.00012	CU M/MI	213	CU M
SP8		09.14.2004	12.2	0.26733	CU M/MI	213.02	CU M
SP8		09.14.2004	12.25	0	CU M/MI	214.69	CU M
SP8		09.14.2004	12.3	0.00025	CU M/MI	215.26	CU M
SP8		09.14.2004	12.35	0.4731	CU M/MI	215.37	CU M
SP8		09.14.2004	12.4	0.00257	CU M/MI	215.63	CU M
SP8		09.14.2004	12.45	0.33573	CU M/MI	216.22	CU M
SP8		09.14.2004	12.5	0.33542	CU M/MI	216.93	CU M
SP8		09.14.2004	12.55	0	CU M/MI	218.35	CU M
SP8		09.14.2004	13	0.00013	CU M/MI	219.15	CU M
SP8		09.14.2004	13.05	0.00037	CU M/MI	219.15	CU M
SP8		09.14.2004	13.1	0.00027	CU M/MI	219.15	CU M
SP8		09.14.2004	13.15	0.00044	CU M/MI	219.16	CU M
SP8		09.14.2004	13.2	0.03925	CU M/MI	219.76	CU M
SP8		09.14.2004	13.25	0.39655	CU M/MI	221	CU M
SP8		09.14.2004	13.3	0.01195	CU M/MI	222.21	CU M
SP8		09.14.2004	13.35	0.00019	CU M/MI	222.83	CU M
SP8		09.14.2004	13.4	0.00047	CU M/MI	223.75	CU M
SP8		09.14.2004	13.45	0.00114	CU M/MI	225.12	CU M
SP8		09.14.2004	13.5	0.00041	CU M/MI	225.12	CU M
SP8		09.14.2004	13.55	0.00048	CU M/MI	225.13	CU M
SP8		09.14.2004	14	0.00047	CU M/MI	225.13	CU M
SP8		09.14.2004	14.05	0.48832	CU M/MI	226.58	CU M
SP8		09.14.2004	14.1	0.0244	CU M/MI	228.14	CU M
SP8		09.14.2004	14.15	0.00117	CU M/MI	229.38	CU M
SP8		09.14.2004	14.2	0.00052	CU M/MI	230.69	CU M
SP8		09.14.2004	14.25	0.00057	CU M/MI	232.14	CU M
SP8		09.14.2004	14.3	0.00042	CU M/MI	233.6	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8		09.14.2004	14.35	0.00061	CU M/MI	235.11	CU M
SP8		09.14.2004	14.4	0.0016	CU M/MI	236.51	CU M
SP8		09.14.2004	14.45	0.00089	CU M/MI	237.82	CU M
SP8		09.14.2004	14.5	0.0004	CU M/MI	239.08	CU M
SP8		09.14.2004	14.55	0.48582	CU M/MI	240.58	CU M
SP8		09.14.2004	15	0.09233	CU M/MI	242.2	CU M
SP8		09.14.2004	15.05	0.00066	CU M/MI	242.87	CU M
SP8		09.14.2004	15.1	0.00051	CU M/MI	243.51	CU M
SP8		09.14.2004	15.15	0.00115	CU M/MI	244.78	CU M
SP8		09.15.2004	15.3	0.40333	CU M/MI	362.3	CU M
SP8		09.15.2004	15.35	0.08746	CU M/MI	363.05	CU M
SP8		09.15.2004	15.4	0.00394	CU M/MI	363.69	CU M
SP8		09.15.2004	15.45	0	CU M/MI	364.32	CU M
SP8		09.15.2004	15.5	0	CU M/MI	364.96	CU M
SP8		09.15.2004	15.55	0	CU M/MI	365.61	CU M
SP8		09.15.2004	16	0	CU M/MI	366.25	CU M
SP8		09.15.2004	16.05	0	CU M/MI	366.88	CU M
SP8		09.15.2004	16.1	0	CU M/MI	367.57	CU M
SP8		09.15.2004	16.15	0	CU M/MI	368.27	CU M
SP8		09.15.2004	16.2	0	CU M/MI	368.93	CU M
SP8		09.15.2004	16.25	0.40062	CU M/MI	369.69	CU M
SP8		09.15.2004	16.3	0.40695	CU M/MI	370.46	CU M
SP8		09.15.2004	16.35	0	CU M/MI	370.86	CU M
SP8		09.15.2004	16.4	0	CU M/MI	370.85	CU M
SP8		09.15.2004	16.45	0	CU M/MI	371.49	CU M
SP8		09.15.2004	16.5	0.00131	CU M/MI	372.17	CU M
SP8		09.15.2004	16.55	0.00194	CU M/MI	372.86	CU M
SP8		09.15.2004	17	0	CU M/MI	373.5	CU M
SP8		09.15.2004	17.05	0	CU M/MI	374.15	CU M
SP8		09.15.2004	17.1	0	CU M/MI	374.83	CU M
SP8		09.15.2004	17.15	0	CU M/MI	375.51	CU M
SP8		09.15.2004	17.2	0	CU M/MI	376.18	CU M
SP8		09.15.2004	17.25	0	CU M/MI	376.86	CU M
SP8		09.15.2004	17.3	0	CU M/MI	377.53	CU M
SP8		09.15.2004	17.35	0	CU M/MI	378.21	CU M
SP8		09.15.2004	17.4	0	CU M/MI	378.88	CU M
SP8		09.15.2004	17.45	0	CU M/MI	379.57	CU M
SP8		09.15.2004	17.5	0	CU M/MI	380.24	CU M
SP8		09.15.2004	17.55	0	CU M/MI	380.91	CU M
SP8		09.15.2004	18	0	CU M/MI	381.57	CU M
SP8		09.15.2004	18.05	0	CU M/MI	382.25	CU M
SP8		09.15.2004	18.1	0.3355	CU M/MI	382.91	CU M
SP8		09.15.2004	18.15	0.41114	CU M/MI	383.61	CU M
SP8		09.15.2004	18.2	0.40617	CU M/MI	384.33	CU M
SP8		09.15.2004	18.25	0.40597	CU M/MI	385.08	CU M
SP8		09.15.2004	18.3	0.40668	CU M/MI	385.85	CU M
SP8		09.15.2004	18.35	0.40725	CU M/MI	386.62	CU M
SP8		09.15.2004	18.4	0.40708	CU M/MI	387.41	CU M
SP8		09.15.2004	18.45	0.02112	CU M/MI	388.12	CU M
SP8		09.15.2004	18.5	0.00305	CU M/MI	388.77	CU M
SP8		09.15.2004	18.55	0	CU M/MI	389.41	CU M
SP8		09.15.2004	19	0	CU M/MI	390.05	CU M
SP8		09.15.2004	19.05	0	CU M/MI	390.05	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8		09.15.2004	19.1	0	CU M/MI	390.04	CU M
SP8		09.15.2004	19.15	0	CU M/MI	390.04	CU M
SP8		09.15.2004	19.2	0	CU M/MI	390.04	CU M
SP8		09.15.2004	19.25	0	CU M/MI	390.04	CU M
SP8		09.15.2004	19.3	0.00049	CU M/MI	391.32	CU M
SP8		09.15.2004	19.35	0	CU M/MI	391.4	CU M
SP8		09.15.2004	19.4	0	CU M/MI	392.01	CU M
SP8		09.15.2004	19.45	0.02697	CU M/MI	393.02	CU M
SP8		09.15.2004	19.5	0	CU M/MI	393.71	CU M
SP8		09.15.2004	19.55	0	CU M/MI	393.71	CU M
SP8		09.15.2004	20	0	CU M/MI	393.71	CU M
SP8		09.15.2004	20.05	0	CU M/MI	393.7	CU M
SP8		09.15.2004	20.1	0	CU M/MI	393.7	CU M
SP8		09.15.2004	20.15	0	CU M/MI	393.7	CU M
SP8		09.15.2004	20.2	0	CU M/MI	393.7	CU M
SP8		09.15.2004	20.25	0	CU M/MI	393.7	CU M
SP8		09.15.2004	20.3	0	CU M/MI	393.69	CU M
SP8		09.15.2004	20.35	0	CU M/MI	393.69	CU M
SP8		09.15.2004	20.4	0	CU M/MI	393.69	CU M
SP8		09.15.2004	20.45	0	CU M/MI	393.69	CU M
SP8		09.15.2004	20.5	0	CU M/MI	394.26	CU M
SP8		09.15.2004	20.55	0	CU M/MI	394.92	CU M
SP8		09.15.2004	21	0.3599	CU M/MI	395.61	CU M
SP8		09.15.2004	21.05	0.36853	CU M/MI	397.07	CU M
SP8		09.15.2004	21.1	0.38281	CU M/MI	398.55	CU M
SP8		09.15.2004	21.15	0.39515	CU M/MI	400.02	CU M
SP8		09.15.2004	21.2	0	CU M/MI	401.08	CU M
SP8		09.15.2004	21.25	0	CU M/MI	401.8	CU M
SP8		09.15.2004	21.3	0	CU M/MI	402.51	CU M
SP8		09.15.2004	21.35	0.02274	CU M/MI	403.29	CU M
SP8		09.15.2004	21.4	0.41414	CU M/MI	404.8	CU M
SP8		09.15.2004	21.45	0.48195	CU M/MI	405.91	CU M
SP8		09.15.2004	21.5	0.4762	CU M/MI	407.06	CU M
SP8		09.15.2004	21.55	0.40201	CU M/MI	408.48	CU M
SP8		09.15.2004	22	0.40382	CU M/MI	409.92	CU M
SP8		09.15.2004	22.05	0.40654	CU M/MI	411.4	CU M
SP8		09.15.2004	22.1	0.40774	CU M/MI	412.83	CU M
SP8		09.15.2004	22.15	0.02751	CU M/MI	414.29	CU M
SP8		09.15.2004	22.2	0.40552	CU M/MI	415.82	CU M
SP8		09.15.2004	22.25	0	CU M/MI	416.55	CU M
SP8		09.15.2004	22.3	0.00018	CU M/MI	417.24	CU M
SP8		09.15.2004	22.35	0.33973	CU M/MI	418.67	CU M
SP8		09.15.2004	22.4	0.33966	CU M/MI	419.93	CU M
SP8		09.15.2004	22.45	0.33494	CU M/MI	421.27	CU M
SP8		09.15.2004	22.5	0.32352	CU M/MI	422.58	CU M
SP8		09.15.2004	22.55	0.31621	CU M/MI	423.91	CU M
SP8		09.15.2004	23	0.31347	CU M/MI	425.28	CU M
SP8		09.15.2004	23.05	0.28567	CU M/MI	426.59	CU M
SP8		09.15.2004	23.1	0	CU M/MI	428.06	CU M
SP8		09.15.2004	23.15	0.00696	CU M/MI	429.78	CU M
SP8		09.15.2004	23.2	0.48726	CU M/MI	431.09	CU M
SP8		09.15.2004	23.25	0.48863	CU M/MI	432.14	CU M
SP8		09.15.2004	23.3	0.40621	CU M/MI	433.49	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8		09.15.2004	23.35	0.40888	CU M/MI	434.22	CU M
SP8		09.15.2004	23.4	0.48858	CU M/MI	435.05	CU M
SP8		09.15.2004	23.45	0.39784	CU M/MI	436.44	CU M
SP8		09.15.2004	23.5	0.40681	CU M/MI	437.94	CU M
SP8		09.15.2004	23.55	0.41039	CU M/MI	439.43	CU M
SP8		09.16.2004	0	0.41062	CU M/MI	440.9	CU M
SP8		09.16.2004	0.05	0.428	CU M/MI	442.4	CU M
SP8		09.16.2004	0.1	0.49101	CU M/MI	443.55	CU M
SP8		09.16.2004	0.15	0.38657	CU M/MI	444.58	CU M
SP8		09.16.2004	0.2	0	CU M/MI	446.29	CU M
SP8		09.16.2004	0.25	0	CU M/MI	447.68	CU M
SP8		09.16.2004	0.3	0.39545	CU M/MI	449.15	CU M
SP8		09.16.2004	0.35	0.49053	CU M/MI	450.64	CU M
SP8		09.16.2004	0.4	0.48931	CU M/MI	451.84	CU M
SP8		09.16.2004	0.45	0	CU M/MI	452.98	CU M
SP8		09.16.2004	0.5	0	CU M/MI	454.7	CU M
SP8		09.16.2004	0.55	0.01155	CU M/MI	456.22	CU M
SP8		09.16.2004	1	0.02554	CU M/MI	457.58	CU M
SP8		09.16.2004	1.05	0.32163	CU M/MI	458.94	CU M
SP8		09.16.2004	1.1	0	CU M/MI	459.08	CU M
SP8		09.16.2004	1.15	0.40777	CU M/MI	459.45	CU M
SP8		09.16.2004	1.2	0.40756	CU M/MI	460.61	CU M
SP8		09.16.2004	1.25	0.40867	CU M/MI	461.92	CU M
SP8		09.16.2004	1.3	0.40888	CU M/MI	463.38	CU M
SP8		09.16.2004	1.35	0.40937	CU M/MI	464.81	CU M
SP8		09.16.2004	1.4	0.4889	CU M/MI	466.14	CU M
SP8		09.16.2004	1.45	0.48828	CU M/MI	467.16	CU M
SP8		09.16.2004	1.5	0	CU M/MI	468.5	CU M
SP8		09.16.2004	1.55	0.00286	CU M/MI	470.23	CU M
SP8		09.16.2004	2	0.3325	CU M/MI	471.68	CU M
SP8		09.16.2004	2.05	0.33207	CU M/MI	473.01	CU M
SP8		09.16.2004	2.1	0.33177	CU M/MI	474.35	CU M
SP8		09.16.2004	2.15	0.33215	CU M/MI	475.7	CU M
SP8		09.16.2004	2.2	0.33075	CU M/MI	477.05	CU M
SP8		09.16.2004	2.25	0.33053	CU M/MI	478.32	CU M
SP8		09.16.2004	2.3	0.03529	CU M/MI	479.58	CU M
SP8		09.16.2004	2.35	0.00032	CU M/MI	481.39	CU M
SP8		09.16.2004	2.4	0.00353	CU M/MI	482.31	CU M
SP8		09.16.2004	2.45	0.00551	CU M/MI	483.01	CU M
SP8		09.16.2004	2.5	0.00868	CU M/MI	484.08	CU M
SP8		09.16.2004	2.55	0.01015	CU M/MI	485.42	CU M
SP8		09.16.2004	3	0.01259	CU M/MI	486.74	CU M
SP8		09.16.2004	3.05	0.37978	CU M/MI	488.14	CU M
SP8		09.16.2004	3.1	0.41414	CU M/MI	489.58	CU M
SP8		09.16.2004	3.15	0.48651	CU M/MI	491	CU M
SP8		09.16.2004	3.2	0.48611	CU M/MI	492.27	CU M
SP8		09.16.2004	3.25	0.02628	CU M/MI	493.33	CU M
SP8		09.16.2004	3.3	0	CU M/MI	495.15	CU M
SP8		09.16.2004	3.35	0.33122	CU M/MI	496.66	CU M
SP8		09.16.2004	3.4	0.32999	CU M/MI	497.99	CU M
SP8		09.16.2004	3.45	0	CU M/MI	498.3	CU M
SP8		09.16.2004	3.5	0	CU M/MI	498.3	CU M
SP8		09.16.2004	3.55	0	CU M/MI	499.34	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8		09.16.2004	4	0.00318	CU M/MI	500.93	CU M
SP8		09.16.2004	4.05	0.02376	CU M/MI	502.32	CU M
SP8		09.16.2004	4.1	0.03725	CU M/MI	503.67	CU M
SP8		09.16.2004	4.15	0.05888	CU M/MI	505	CU M
SP8		09.16.2004	4.2	0.06392	CU M/MI	506.34	CU M
SP8		09.16.2004	4.25	0.40822	CU M/MI	507.69	CU M
SP8		09.16.2004	4.3	0.46962	CU M/MI	509.04	CU M
SP8		09.16.2004	4.35	0.3321	CU M/MI	510.26	CU M
SP8		09.16.2004	4.4	0	CU M/MI	511.77	CU M
SP8		09.16.2004	4.45	0.33069	CU M/MI	513.52	CU M
SP8		09.16.2004	4.5	0.33251	CU M/MI	514.8	CU M
SP8		09.16.2004	4.55	0.33105	CU M/MI	516.16	CU M
SP8		09.16.2004	5	0.3314	CU M/MI	517.54	CU M
SP8		09.16.2004	5.05	0.32964	CU M/MI	518.89	CU M
SP8		09.16.2004	5.1	0.32999	CU M/MI	520.24	CU M
SP8		09.16.2004	5.15	0.33054	CU M/MI	521.59	CU M
SP8		09.16.2004	5.2	0.3299	CU M/MI	522.92	CU M
SP8		09.16.2004	5.25	0.33034	CU M/MI	524.27	CU M
SP8		09.16.2004	5.3	0.30873	CU M/MI	525.58	CU M
SP8		09.16.2004	5.35	0	CU M/MI	527.25	CU M
SP8		09.16.2004	5.4	0.34206	CU M/MI	528.86	CU M
SP8		09.16.2004	5.45	0.48867	CU M/MI	530.03	CU M
SP8		09.16.2004	5.5	0.47351	CU M/MI	531.35	CU M
SP8		09.16.2004	5.55	0.02147	CU M/MI	532.78	CU M
SP8		09.16.2004	6	0.00151	CU M/MI	534.14	CU M
SP8		09.16.2004	6.05	0.0006	CU M/MI	535.53	CU M
SP8		09.16.2004	6.1	0.00178	CU M/MI	537.07	CU M
SP8		09.16.2004	6.15	0.48819	CU M/MI	538.65	CU M
SP8		09.16.2004	6.2	0.48854	CU M/MI	539.64	CU M
SP8		09.16.2004	6.25	0.40442	CU M/MI	540.95	CU M
SP8		09.16.2004	6.3	0.40154	CU M/MI	542.36	CU M
SP8		09.16.2004	6.35	0.40442	CU M/MI	543.86	CU M
SP8		09.16.2004	6.4	0.40586	CU M/MI	545.3	CU M
SP8		09.16.2004	6.45	0.40559	CU M/MI	546.66	CU M
SP8		09.16.2004	6.5	0.40799	CU M/MI	548.22	CU M
SP8		09.16.2004	6.55	0	CU M/MI	549.06	CU M
SP8		09.16.2004	7	0	CU M/MI	549.13	CU M
SP8		09.16.2004	7.05	0.00091	CU M/MI	549.13	CU M
SP8		09.16.2004	7.1	0.31869	CU M/MI	549.68	CU M
SP8		09.16.2004	7.15	0	CU M/MI	551.02	CU M
SP8		09.16.2004	7.2	0.00153	CU M/MI	552.6	CU M
SP8		09.16.2004	7.25	0.01887	CU M/MI	554	CU M
SP8		09.16.2004	7.3	0.02659	CU M/MI	555.3	CU M
SP8		09.16.2004	7.35	0.03423	CU M/MI	556.66	CU M
SP8		09.16.2004	7.4	0.42996	CU M/MI	557.99	CU M
SP8		09.16.2004	7.45	0.47737	CU M/MI	559.33	CU M
SP8		09.16.2004	7.5	0.33034	CU M/MI	560.53	CU M
SP8		09.16.2004	7.55	0	CU M/MI	562.13	CU M
SP8		09.16.2004	8	0.33724	CU M/MI	563.83	CU M
SP8		09.16.2004	8.05	0.00029	CU M/MI	564.58	CU M
SP8		09.16.2004	8.1	0.00697	CU M/MI	565.33	CU M
SP8		09.16.2004	8.15	0.46557	CU M/MI	566.29	CU M
SP8		09.16.2004	8.2	0	CU M/MI	567.34	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8		09.16.2004	8.25	0.00442	CU M/MI	569.29	CU M
SP8		09.16.2004	8.3	0.46417	CU M/MI	570.52	CU M
SP8		09.16.2004	8.35	0.44598	CU M/MI	571.59	CU M
SP8		09.16.2004	8.4	0.00117	CU M/MI	572.98	CU M
SP8		09.16.2004	8.45	0.00377	CU M/MI	574.66	CU M
SP8		09.16.2004	8.5	0.33032	CU M/MI	576.12	CU M
SP8		09.16.2004	8.55	0.33169	CU M/MI	577.47	CU M
SP8		09.16.2004	9	0.33036	CU M/MI	578.75	CU M
SP8		09.16.2004	9.05	0.32869	CU M/MI	580.08	CU M
SP8		09.16.2004	9.1	0.32337	CU M/MI	581.4	CU M
SP8		09.16.2004	9.15	0.00001	CU M/MI	582.76	CU M
SP8		09.16.2004	9.2	0.00291	CU M/MI	584.36	CU M
SP8		09.16.2004	9.25	0.33547	CU M/MI	585.91	CU M
SP8		09.16.2004	9.3	0.4619	CU M/MI	587.06	CU M
SP8		09.16.2004	9.35	0.29411	CU M/MI	588.07	CU M
SP8		09.16.2004	9.4	0.00407	CU M/MI	590.1	CU M
SP8		09.16.2004	9.45	0.46406	CU M/MI	591.31	CU M
SP8		09.16.2004	9.5	0.44964	CU M/MI	592.4	CU M
SP8		09.16.2004	9.55	0	CU M/MI	593.91	CU M
SP8		09.16.2004	10	0.32971	CU M/MI	595.68	CU M
SP8		09.16.2004	10.05	0.356	CU M/MI	596.93	CU M
SP8		09.16.2004	10.1	0.45852	CU M/MI	598.19	CU M
SP8		09.16.2004	10.15	0.32875	CU M/MI	599.53	CU M
SP8		09.16.2004	10.2	0.32931	CU M/MI	600.93	CU M
SP8		09.16.2004	10.25	0.32988	CU M/MI	602.36	CU M
SP8		09.16.2004	10.3	0.32902	CU M/MI	603.8	CU M
SP8		09.16.2004	10.35	0.32998	CU M/MI	605.18	CU M
SP8		09.16.2004	10.4	0.33042	CU M/MI	606.62	CU M
SP8		09.16.2004	10.45	0.34763	CU M/MI	608.01	CU M
SP8		09.16.2004	10.5	0.46034	CU M/MI	609.28	CU M
SP8		09.16.2004	10.55	0.32979	CU M/MI	610.49	CU M
SP8		09.16.2004	11	0	CU M/MI	611.93	CU M
SP8		09.16.2004	11.05	0.37757	CU M/MI	613.83	CU M
SP8		09.16.2004	11.1	0.40496	CU M/MI	614.79	CU M
SP8		09.16.2004	11.15	0.32852	CU M/MI	615.5	CU M
SP8		09.16.2004	11.2	0.3279	CU M/MI	616.44	CU M
SP8		09.16.2004	11.25	0.36779	CU M/MI	617.83	CU M
SP8		09.16.2004	11.3	0.45805	CU M/MI	619.09	CU M
SP8		09.16.2004	11.35	0.33285	CU M/MI	620.33	CU M
SP8		09.16.2004	11.4	0.31598	CU M/MI	621.6	CU M
SP8		09.16.2004	11.45	0.00049	CU M/MI	623.3	CU M
SP8		09.16.2004	11.5	0.46238	CU M/MI	624.88	CU M
SP8		09.16.2004	11.55	0.46269	CU M/MI	625.89	CU M
SP8		09.16.2004	12	0	CU M/MI	627.24	CU M
SP8		09.16.2004	12.05	0.35597	CU M/MI	629.11	CU M
SP8		09.16.2004	12.1	0.33284	CU M/MI	630.09	CU M
SP8		09.16.2004	12.15	0.32589	CU M/MI	630.68	CU M
SP8		09.16.2004	12.2	0.3065	CU M/MI	631.5	CU M
SP8		09.16.2004	12.25	0.00025	CU M/MI	633.01	CU M
SP8		09.16.2004	12.3	0.05311	CU M/MI	634.64	CU M
SP8		09.16.2004	12.35	0.46131	CU M/MI	635.9	CU M
SP8		09.16.2004	12.4	0.4594	CU M/MI	636.92	CU M
SP8		09.16.2004	12.45	0	CU M/MI	638.44	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8		09.16.2004	12.5	0.46197	CU M/MI	640.21	CU M
SP8		09.16.2004	12.55	0.46223	CU M/MI	641.19	CU M
SP8		09.16.2004	13	0.31808	CU M/MI	642.43	CU M
SP8		09.16.2004	13.05	0	CU M/MI	644.04	CU M
SP8		09.16.2004	13.1	0.01547	CU M/MI	645.57	CU M
SP8		09.16.2004	13.15	0.33138	CU M/MI	646.99	CU M
SP8		09.16.2004	13.2	0.33156	CU M/MI	648.31	CU M
SP8		09.16.2004	13.25	0.3304	CU M/MI	649.65	CU M
SP8		09.16.2004	13.3	0.3295	CU M/MI	650.99	CU M
SP8		09.16.2004	13.35	0.32904	CU M/MI	652.34	CU M
SP8		09.16.2004	13.4	0.32946	CU M/MI	653.68	CU M
SP8		09.16.2004	13.45	0.32224	CU M/MI	655	CU M
SP8		09.16.2004	13.5	0	CU M/MI	656.44	CU M
SP8		09.16.2004	13.55	0.00701	CU M/MI	658.05	CU M
SP8		09.16.2004	14	0.45754	CU M/MI	659.52	CU M
SP8		09.16.2004	14.05	0.45897	CU M/MI	660.55	CU M
SP8		09.16.2004	14.1	0	CU M/MI	661.85	CU M
SP8		09.16.2004	14.15	0.06165	CU M/MI	663.82	CU M
SP8		09.16.2004	14.2	0.45893	CU M/MI	664.79	CU M
SP8		09.16.2004	14.25	0.24253	CU M/MI	665.83	CU M
SP8		09.16.2004	14.3	0	CU M/MI	666.15	CU M
SP8		09.16.2004	14.35	0	CU M/MI	666.15	CU M
SP8		09.16.2004	14.4	0	CU M/MI	666.15	CU M
SP8		09.16.2004	14.45	0	CU M/MI	666.15	CU M
SP8		09.16.2004	14.5	0	CU M/MI	666.15	CU M
SP8		09.16.2004	14.55	0	CU M/MI	666.14	CU M
SP8		09.16.2004	15	0	CU M/MI	666.14	CU M
SP8		09.16.2004	15.05	0	CU M/MI	666.14	CU M
SP8		09.16.2004	15.1	0	CU M/MI	666.14	CU M
SP8		09.16.2004	15.15	0	CU M/MI	666.14	CU M
SP8		09.16.2004	15.2	0	CU M/MI	666.14	CU M
SP8		09.16.2004	15.25	0	CU M/MI	666.14	CU M
SP8		09.16.2004	15.3	0	CU M/MI	666.13	CU M
SP8		09.16.2004	15.35	0	CU M/MI	666.13	CU M
SP8		09.16.2004	15.4	0	CU M/MI	666.13	CU M
SP8		09.16.2004	15.45	0	CU M/MI	666.13	CU M
SP8		09.16.2004	15.5	0	CU M/MI	666.13	CU M
SP8		09.16.2004	15.55	0	CU M/MI	666.8	CU M
SP8		09.16.2004	16	0	CU M/MI	667.48	CU M
SP8		09.16.2004	16.05	0	CU M/MI	668.16	CU M
SP8		09.16.2004	16.1	0	CU M/MI	668.83	CU M
SP8		09.16.2004	16.15	0.00362	CU M/MI	669.51	CU M
SP8		09.16.2004	16.2	0.00851	CU M/MI	670.2	CU M
SP8		09.16.2004	16.25	0.00818	CU M/MI	670.88	CU M
SP8		09.16.2004	16.3	0.26687	CU M/MI	671.59	CU M
SP8		09.16.2004	16.35	0.30733	CU M/MI	672.31	CU M
SP8		09.16.2004	16.4	0.31832	CU M/MI	673.02	CU M
SP8		09.16.2004	16.45	0.32276	CU M/MI	673.73	CU M
SP8		09.16.2004	16.5	0.31952	CU M/MI	674.41	CU M
SP8		09.16.2004	16.55	0.31447	CU M/MI	675.11	CU M
SP8		09.16.2004	17	0.31066	CU M/MI	675.8	CU M
SP8		09.16.2004	17.05	0.32012	CU M/MI	676.52	CU M
SP8		09.16.2004	17.1	0.32481	CU M/MI	677.24	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8		09.16.2004	17.15	0.32679	CU M/MI	677.95	CU M
SP8		09.16.2004	17.2	0.32796	CU M/MI	678.65	CU M
SP8		09.16.2004	17.25	0.32925	CU M/MI	679.37	CU M
SP8		09.16.2004	17.3	0.33118	CU M/MI	680.08	CU M
SP8		09.16.2004	17.35	0.00247	CU M/MI	680.65	CU M
SP8		09.16.2004	17.4	0	CU M/MI	680.64	CU M
SP8		09.16.2004	17.45	0	CU M/MI	681.14	CU M
SP8		09.16.2004	17.5	0.00054	CU M/MI	681.83	CU M
SP8		09.16.2004	17.55	0.0002	CU M/MI	682.51	CU M
SP8		09.16.2004	18	0.00187	CU M/MI	683.2	CU M
SP8		09.16.2004	18.05	0.00322	CU M/MI	683.91	CU M
SP8		09.16.2004	18.1	0.00534	CU M/MI	684.62	CU M
SP8		09.16.2004	18.15	0.01811	CU M/MI	685.34	CU M
SP8		09.16.2004	18.2	0.03078	CU M/MI	686.06	CU M
SP8		09.16.2004	18.25	0.31933	CU M/MI	686.74	CU M
SP8		09.16.2004	18.3	0.32039	CU M/MI	687.42	CU M
SP8		09.16.2004	18.35	0.31941	CU M/MI	688.11	CU M
SP8		09.16.2004	18.4	0.33524	CU M/MI	688.8	CU M
SP8		09.16.2004	18.45	0.32107	CU M/MI	689.47	CU M
SP8		09.16.2004	18.5	0.32192	CU M/MI	690.15	CU M
SP8		09.16.2004	18.55	0.32785	CU M/MI	690.85	CU M
SP8		09.16.2004	19	0.32079	CU M/MI	691.55	CU M
SP8		09.16.2004	19.05	0.31951	CU M/MI	692.22	CU M
SP8		09.16.2004	19.1	0.31909	CU M/MI	692.89	CU M
SP8		09.16.2004	19.15	0.32027	CU M/MI	693.56	CU M
SP8		09.16.2004	19.2	0.33325	CU M/MI	694.26	CU M
SP8		09.16.2004	19.25	0.31767	CU M/MI	694.95	CU M
SP8		09.16.2004	19.3	0.3217	CU M/MI	695.61	CU M
SP8		09.16.2004	19.35	0.31407	CU M/MI	696.31	CU M
SP8		09.16.2004	19.4	0.3142	CU M/MI	696.99	CU M
SP8		09.16.2004	19.45	0.30917	CU M/MI	697.65	CU M
SP8		09.16.2004	19.5	0	CU M/MI	699.28	CU M
SP8		09.16.2004	19.55	0.43792	CU M/MI	700.87	CU M
SP8		09.16.2004	20	0.43659	CU M/MI	701.8	CU M
SP8		09.16.2004	20.05	0	CU M/MI	703.44	CU M
SP8		09.16.2004	20.1	0.43472	CU M/MI	704.9	CU M
SP8		09.16.2004	20.15	0.43784	CU M/MI	705.83	CU M
SP8		09.16.2004	20.2	0.00072	CU M/MI	707.6	CU M
SP8		09.16.2004	20.25	0.43159	CU M/MI	709.03	CU M
SP8		09.16.2004	20.3	0.43074	CU M/MI	710.09	CU M
SP8		09.16.2004	20.35	0	CU M/MI	711.44	CU M
SP8		09.16.2004	20.4	0	CU M/MI	711.44	CU M
SP8		09.16.2004	20.45	0	CU M/MI	711.44	CU M
SP8		09.16.2004	20.5	0	CU M/MI	711.44	CU M
SP8		09.16.2004	20.55	0	CU M/MI	711.44	CU M
SP8		09.16.2004	21	0	CU M/MI	711.43	CU M
SP8		09.16.2004	21.05	0	CU M/MI	711.43	CU M
SP8		09.16.2004	21.1	0	CU M/MI	711.43	CU M
SP8		09.16.2004	21.15	0	CU M/MI	711.43	CU M
SP8		09.16.2004	21.2	0	CU M/MI	711.43	CU M
SP8		09.16.2004	21.25	0	CU M/MI	711.43	CU M
SP8		09.16.2004	21.3	0	CU M/MI	711.43	CU M
SP8		09.16.2004	21.35	0	CU M/MI	711.43	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8		09.16.2004	21.4	0	CU M/MI	711.43	CU M
SP8		09.16.2004	21.45	0	CU M/MI	711.43	CU M
SP8		09.16.2004	21.5	0	CU M/MI	711.42	CU M
SP8		09.16.2004	21.55	0	CU M/MI	711.42	CU M
SP8		09.16.2004	22	0	CU M/MI	711.42	CU M
SP8		09.16.2004	22.05	0	CU M/MI	711.42	CU M
SP8		09.16.2004	22.1	0	CU M/MI	711.42	CU M
SP8		09.16.2004	22.15	0	CU M/MI	711.42	CU M
SP8		09.16.2004	22.2	0	CU M/MI	711.42	CU M
SP8		09.16.2004	22.25	0	CU M/MI	711.42	CU M
SP8		09.16.2004	22.3	0	CU M/MI	711.41	CU M
SP8		09.16.2004	22.35	0	CU M/MI	711.41	CU M
SP8		09.16.2004	22.4	0	CU M/MI	711.41	CU M
SP8		09.16.2004	22.45	0	CU M/MI	711.41	CU M
SP8		09.16.2004	22.5	0	CU M/MI	711.41	CU M
SP8		09.16.2004	22.55	0	CU M/MI	711.41	CU M
SP8		09.16.2004	23	0	CU M/MI	711.41	CU M
SP8		09.16.2004	23.05	0	CU M/MI	711.41	CU M
SP8		09.16.2004	23.1	0	CU M/MI	711.41	CU M
SP8		09.16.2004	23.15	0	CU M/MI	711.41	CU M
SP8		09.16.2004	23.2	0	CU M/MI	711.4	CU M
SP8		09.16.2004	23.25	0	CU M/MI	711.4	CU M
SP8		09.16.2004	23.3	0	CU M/MI	711.4	CU M
SP8		09.16.2004	23.35	0	CU M/MI	711.4	CU M
SP8		09.16.2004	23.4	0	CU M/MI	711.4	CU M
SP8		09.16.2004	23.45	0	CU M/MI	711.4	CU M
SP8		09.16.2004	23.5	0.05525	CU M/MI	711.86	CU M
SP8		09.16.2004	23.55	0.31169	CU M/MI	712.53	CU M
SP8		09.17.2004	0	0.31117	CU M/MI	713.18	CU M
SP8		09.17.2004	0.05	0.31601	CU M/MI	713.84	CU M
SP8		09.17.2004	0.1	0.31008	CU M/MI	714.48	CU M
SP8		09.17.2004	0.15	0.31091	CU M/MI	715.14	CU M
SP8		09.17.2004	0.2	0.31237	CU M/MI	715.81	CU M
SP8		09.17.2004	0.25	0.31451	CU M/MI	716.51	CU M
SP8		09.17.2004	0.3	0.32684	CU M/MI	717.2	CU M
SP8		09.17.2004	0.35	0.31728	CU M/MI	717.88	CU M
SP8		09.17.2004	0.4	0.3181	CU M/MI	718.55	CU M
SP8		09.17.2004	0.45	0.32291	CU M/MI	719.23	CU M
SP8		09.17.2004	0.5	0	CU M/MI	719.55	CU M
SP8		09.17.2004	0.55	0	CU M/MI	719.55	CU M
SP8		09.17.2004	1	0.01801	CU M/MI	720.18	CU M
SP8		09.17.2004	1.05	0.04194	CU M/MI	720.88	CU M
SP8		09.17.2004	1.1	0.32624	CU M/MI	721.54	CU M
SP8		09.17.2004	1.15	0.32609	CU M/MI	722.2	CU M
SP8		09.17.2004	1.2	0.31836	CU M/MI	722.87	CU M
SP8		09.17.2004	1.25	0.32317	CU M/MI	723.54	CU M
SP8		09.17.2004	1.3	0.31858	CU M/MI	724.2	CU M
SP8		09.17.2004	1.35	0.33289	CU M/MI	724.9	CU M
SP8		09.17.2004	1.4	0.31773	CU M/MI	725.53	CU M
SP8		09.17.2004	1.45	0.32527	CU M/MI	726.17	CU M
SP8		09.17.2004	1.5	0.33066	CU M/MI	726.81	CU M
SP8		09.17.2004	1.55	0.33169	CU M/MI	727.45	CU M
SP8		09.17.2004	2	0.32446	CU M/MI	728.13	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8		09.17.2004	2.05	0.32382	CU M/MI	728.77	CU M
SP8		09.17.2004	2.1	0.32406	CU M/MI	729.39	CU M
SP8		09.17.2004	2.15	0.33153	CU M/MI	730.03	CU M
SP8		09.17.2004	2.2	0.32154	CU M/MI	730.66	CU M
SP8		09.17.2004	2.25	0.32598	CU M/MI	731.29	CU M
SP8		09.17.2004	2.3	0.31887	CU M/MI	731.93	CU M
SP8		09.17.2004	2.35	0.30043	CU M/MI	732.54	CU M
SP8		09.17.2004	2.4	0.00993	CU M/MI	733.18	CU M
SP8		09.17.2004	2.45	0	CU M/MI	733.85	CU M
SP8		09.17.2004	2.5	0	CU M/MI	733.88	CU M
SP8		09.17.2004	2.55	0.33128	CU M/MI	734.21	CU M
SP8		09.17.2004	3	0.33326	CU M/MI	735.36	CU M
SP8		09.17.2004	3.05	0.33309	CU M/MI	736.72	CU M
SP8		09.17.2004	3.1	0.33567	CU M/MI	738.17	CU M
SP8		09.17.2004	3.15	0.46841	CU M/MI	739.44	CU M
SP8		09.17.2004	3.2	0.33592	CU M/MI	740.6	CU M
SP8		09.17.2004	3.25	0.02174	CU M/MI	741.98	CU M
SP8		09.17.2004	3.3	0.0005	CU M/MI	743.47	CU M
SP8		09.17.2004	3.35	0.02548	CU M/MI	745.11	CU M
SP8		09.17.2004	3.4	0.33145	CU M/MI	746.44	CU M
SP8		09.17.2004	3.45	0.46463	CU M/MI	747.73	CU M
SP8		09.17.2004	3.5	0.4648	CU M/MI	748.89	CU M
SP8		09.17.2004	3.55	0.33258	CU M/MI	750.06	CU M
SP8		09.17.2004	4	0.0002	CU M/MI	751.49	CU M
SP8		09.17.2004	4.05	0.00695	CU M/MI	753.19	CU M
SP8		09.17.2004	4.1	0.46453	CU M/MI	754.48	CU M
SP8		09.17.2004	4.15	0.46283	CU M/MI	755.45	CU M
SP8		09.17.2004	4.2	0.00049	CU M/MI	756.92	CU M
SP8		09.17.2004	4.25	0.02994	CU M/MI	758.72	CU M
SP8		09.17.2004	4.3	0.33275	CU M/MI	759.58	CU M
SP8		09.17.2004	4.35	0.33058	CU M/MI	760.26	CU M
SP8		09.17.2004	4.4	0.33091	CU M/MI	760.93	CU M
SP8		09.17.2004	4.45	0.33049	CU M/MI	761.55	CU M
SP8		09.17.2004	4.5	0.33064	CU M/MI	762.61	CU M
SP8		09.17.2004	4.55	0.33345	CU M/MI	763.91	CU M
SP8		09.17.2004	5	0.33352	CU M/MI	765.26	CU M
SP8		09.17.2004	5.05	0.33304	CU M/MI	766.62	CU M
SP8		09.17.2004	5.1	0.33338	CU M/MI	768.08	CU M
SP8		09.17.2004	5.15	0.33415	CU M/MI	769.5	CU M
SP8		09.17.2004	5.2	0.33439	CU M/MI	770.84	CU M
SP8		09.17.2004	5.25	0.33427	CU M/MI	771.79	CU M
SP8		09.17.2004	5.3	0.33403	CU M/MI	772.46	CU M
SP8		09.17.2004	5.35	0.44956	CU M/MI	773.3	CU M
SP8		09.17.2004	5.4	0.00062	CU M/MI	775.09	CU M
SP8		09.17.2004	5.45	0.46455	CU M/MI	776.64	CU M
SP8		09.17.2004	5.5	0.46592	CU M/MI	777.76	CU M
SP8		09.17.2004	5.55	0.3069	CU M/MI	778.81	CU M
SP8		09.17.2004	6	0.00062	CU M/MI	780.65	CU M
SP8		09.17.2004	6.05	0.46713	CU M/MI	782.12	CU M
SP8		09.17.2004	6.1	0.46508	CU M/MI	783.15	CU M
SP8		09.17.2004	6.15	0.21514	CU M/MI	784.37	CU M
SP8		09.17.2004	6.2	0.00108	CU M/MI	786.06	CU M
SP8		09.17.2004	6.25	0.33672	CU M/MI	787.63	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8		09.17.2004	6.3	0.46638	CU M/MI	788.85	CU M
SP8		09.17.2004	6.35	0.46098	CU M/MI	790.03	CU M
SP8		09.17.2004	6.4	0.33301	CU M/MI	791.34	CU M
SP8		09.17.2004	6.45	0.33202	CU M/MI	792.69	CU M
SP8		09.17.2004	6.5	0.32276	CU M/MI	794.05	CU M
SP8		09.17.2004	6.55	0.31717	CU M/MI	795.44	CU M
SP8		09.17.2004	7	0.31555	CU M/MI	796.09	CU M
SP8		09.17.2004	7.05	0.30055	CU M/MI	796.74	CU M
SP8		09.17.2004	7.1	0.00028	CU M/MI	798.09	CU M
SP8		09.17.2004	7.15	0	CU M/MI	798.11	CU M
SP8		09.17.2004	7.2	0	CU M/MI	798.11	CU M
SP8		09.17.2004	7.25	0	CU M/MI	798.11	CU M
SP8		09.17.2004	7.3	0	CU M/MI	798.11	CU M
SP8		09.17.2004	7.35	0	CU M/MI	798.11	CU M
SP8		09.17.2004	7.5	0	CU M/MI	798.33	CU M
SP8		09.17.2004	7.55	0	CU M/MI	798.33	CU M
SP8		09.17.2004	8	0	CU M/MI	798.33	CU M
SP8		09.17.2004	8.05	0	CU M/MI	798.33	CU M
SP8		09.17.2004	8.1	0.30229	CU M/MI	799.27	CU M
SP8		09.17.2004	8.15	0.05412	CU M/MI	800.6	CU M
SP8		09.17.2004	8.2	0.11062	CU M/MI	802	CU M
SP8		09.17.2004	8.25	0.3397	CU M/MI	803.37	CU M
SP8		09.17.2004	8.3	0.3413	CU M/MI	804.73	CU M
SP8		09.17.2004	8.35	0.34196	CU M/MI	806.1	CU M
SP8		09.17.2004	8.4	0.34188	CU M/MI	807.46	CU M
SP8		09.17.2004	8.45	0.00089	CU M/MI	807.53	CU M
SP8		09.17.2004	8.5	0.00101	CU M/MI	807.64	CU M
SP8		09.17.2004	8.55	0.05868	CU M/MI	809.17	CU M
SP8		09.17.2004	9	0.35199	CU M/MI	810.56	CU M
SP8		09.17.2004	9.05	0.47648	CU M/MI	811.79	CU M
SP8		09.17.2004	9.1	0.46093	CU M/MI	812.92	CU M
SP8		09.17.2004	9.15	0.29226	CU M/MI	814.15	CU M
SP8		09.17.2004	9.2	0.00159	CU M/MI	815.88	CU M
SP8		09.17.2004	9.25	0.47772	CU M/MI	817.42	CU M
SP8		09.17.2004	9.3	0.47995	CU M/MI	818.32	CU M
SP8		09.17.2004	9.35	0.00104	CU M/MI	819.7	CU M
SP8		09.17.2004	9.4	0.02139	CU M/MI	821.48	CU M
SP8		09.17.2004	9.45	0.01672	CU M/MI	822.19	CU M
SP8		09.17.2004	9.5	0.01828	CU M/MI	822.93	CU M
SP8		09.17.2004	9.55	0.48184	CU M/MI	824.22	CU M
SP8		09.17.2004	10	0.48086	CU M/MI	825.3	CU M
SP8		09.17.2004	10.05	0.24721	CU M/MI	826.51	CU M
SP8		09.17.2004	10.1	0.00168	CU M/MI	828.19	CU M
SP8		09.17.2004	10.15	0.34564	CU M/MI	829.71	CU M
SP8		09.17.2004	10.2	0.3448	CU M/MI	831.04	CU M
SP8		09.17.2004	10.25	0.35344	CU M/MI	832.32	CU M
SP8		09.17.2004	10.3	0.38257	CU M/MI	833.64	CU M
SP8		09.17.2004	10.35	0.45382	CU M/MI	834.96	CU M
SP8		09.17.2004	10.4	0.34649	CU M/MI	836.26	CU M
SP8		09.17.2004	10.45	0.34856	CU M/MI	837.6	CU M
SP8		09.17.2004	10.5	0.34485	CU M/MI	838.91	CU M
SP8		09.17.2004	10.55	0.01309	CU M/MI	840.19	CU M
SP8		09.17.2004	11	0.00062	CU M/MI	841.72	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8		09.17.2004	11.05	0.01044	CU M/MI	843.3	CU M
SP8		09.17.2004	11.5	0.31689	CU M/MI	853.66	CU M
SP8		09.17.2004	11.55	0.00087	CU M/MI	855.32	CU M
SP8		09.17.2004	12	0.02112	CU M/MI	856.79	CU M
SP8		09.17.2004	12.05	0.34571	CU M/MI	858.13	CU M
SP8		09.17.2004	12.1	0.34337	CU M/MI	859.45	CU M
SP8		09.17.2004	12.15	0.34291	CU M/MI	860.73	CU M
SP8		09.17.2004	12.2	0.34113	CU M/MI	861.98	CU M
SP8		09.17.2004	12.25	0.3216	CU M/MI	863.18	CU M
SP8		09.17.2004	12.3	0.00267	CU M/MI	864.57	CU M
SP8		09.17.2004	12.35	0.00846	CU M/MI	865.94	CU M
SP8		09.17.2004	12.4	0.01582	CU M/MI	867.29	CU M
SP8		09.17.2004	12.45	0.03518	CU M/MI	868.62	CU M
SP8		09.17.2004	12.5	0.34094	CU M/MI	869.92	CU M
SP8		09.17.2004	12.55	0.34102	CU M/MI	871.22	CU M
SP8		09.17.2004	13	0.34074	CU M/MI	872.46	CU M
SP8		09.17.2004	13.05	0.34443	CU M/MI	873.78	CU M
SP8		09.17.2004	13.1	0.47932	CU M/MI	875.03	CU M
SP8		09.17.2004	13.15	0.46641	CU M/MI	876.13	CU M
SP8		09.17.2004	13.2	0.31364	CU M/MI	877.22	CU M
SP8		09.17.2004	13.25	0.00139	CU M/MI	878.97	CU M
SP8		09.17.2004	13.3	0.45844	CU M/MI	880.16	CU M
SP8		09.17.2004	13.35	0.42809	CU M/MI	881.02	CU M
SP8		09.17.2004	13.4	0.00053	CU M/MI	882.67	CU M
SP8		09.17.2004	13.45	0.33031	CU M/MI	884.12	CU M
SP8		09.17.2004	13.5	0.33559	CU M/MI	884.86	CU M
SP8		09.17.2004	13.55	0.3179	CU M/MI	885.42	CU M
SP8		09.17.2004	14	0.00076	CU M/MI	886.48	CU M
SP8		09.17.2004	14.05	0.45997	CU M/MI	888.31	CU M
SP8		09.17.2004	14.1	0.46901	CU M/MI	889.14	CU M
SP8		09.17.2004	14.15	0.26832	CU M/MI	890.17	CU M
SP8		09.17.2004	14.2	0.00103	CU M/MI	891.84	CU M
SP8		09.17.2004	14.25	0.33105	CU M/MI	893.25	CU M
SP8		09.17.2004	14.3	0.46205	CU M/MI	894.31	CU M
SP8		09.17.2004	14.35	0.33319	CU M/MI	895.44	CU M
SP8		09.17.2004	14.4	0.3354	CU M/MI	896.64	CU M
SP8		09.17.2004	14.45	0.00076	CU M/MI	897.89	CU M
SP8		09.17.2004	14.5	0.00158	CU M/MI	899.34	CU M
SP8		09.17.2004	14.55	0.00165	CU M/MI	900.49	CU M
SP8		09.17.2004	15	0.00062	CU M/MI	901.14	CU M
SP8		09.17.2004	15.05	0.0013	CU M/MI	901.79	CU M
SP8		09.17.2004	15.1	0.00053	CU M/MI	902.04	CU M
SP8		09.17.2004	15.15	0.00084	CU M/MI	902.04	CU M
SP8		09.17.2004	15.2	0.00097	CU M/MI	902.05	CU M
SP8		09.17.2004	15.25	0.0011	CU M/MI	902.04	CU M
SP8		09.17.2004	15.3	0.001	CU M/MI	902.04	CU M
SP8		09.17.2004	15.35	0.00093	CU M/MI	902.05	CU M
SP8		09.17.2004	15.4	0.00102	CU M/MI	902.05	CU M
SP8		09.17.2004	15.45	0.00113	CU M/MI	902.06	CU M
SP8		09.17.2004	15.5	0.00114	CU M/MI	902.06	CU M
SP8		09.17.2004	15.55	0.00115	CU M/MI	902.07	CU M
SP8		09.17.2004	16	0.00119	CU M/MI	902.07	CU M
SP8		09.17.2004	16.05	0.00106	CU M/MI	902.08	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8		09.17.2004	16.1	0.00117	CU M/MI	902.09	CU M
SP8		09.17.2004	16.15	0.00137	CU M/MI	902.09	CU M
SP8		09.17.2004	16.2	0.00136	CU M/MI	902.1	CU M
SP8		09.17.2004	16.25	0.00126	CU M/MI	902.11	CU M
SP8		09.17.2004	16.3	0.0016	CU M/MI	902.11	CU M
SP8		09.17.2004	16.35	0.00126	CU M/MI	902.12	CU M
SP8		09.17.2004	16.4	0.00154	CU M/MI	902.13	CU M
SP8		09.17.2004	16.45	0.00124	CU M/MI	902.13	CU M
SP8		09.17.2004	16.5	0.00169	CU M/MI	902.14	CU M
SP8		09.17.2004	16.55	0.00147	CU M/MI	902.15	CU M
SP8		09.17.2004	17	0.01467	CU M/MI	902.94	CU M
SP8		09.17.2004	17.05	0.01596	CU M/MI	903.68	CU M
SP8		09.17.2004	17.1	0.32898	CU M/MI	904.43	CU M
SP8		09.17.2004	17.15	0	CU M/MI	904.13	CU M
SP8		09.17.2004	17.2	0.44283	CU M/MI	904.45	CU M
SP8		09.17.2004	17.25	0.00169	CU M/MI	905.77	CU M
SP8		09.17.2004	17.3	0.34545	CU M/MI	905.7	CU M
SP8		09.17.2004	17.35	0.45693	CU M/MI	906.72	CU M
SP8		09.17.2004	17.4	0.00134	CU M/MI	908.08	CU M
SP8		09.17.2004	17.45	0.00174	CU M/MI	908.85	CU M
SP8		09.17.2004	17.5	0.00148	CU M/MI	909.58	CU M
SP8		09.17.2004	17.55	0.39595	CU M/MI	911.6	CU M
SP8		09.17.2004	18	0.4563	CU M/MI	912.68	CU M
SP8		09.17.2004	18.05	0.32575	CU M/MI	914	CU M
SP8		09.17.2004	18.1	0.00196	CU M/MI	915.55	CU M
SP8		09.17.2004	18.15	0.02599	CU M/MI	917.11	CU M
SP8		09.17.2004	18.2	0.32517	CU M/MI	918.58	CU M
SP8		09.17.2004	18.25	0.32628	CU M/MI	919.91	CU M
SP8		09.17.2004	18.3	0.32548	CU M/MI	921.32	CU M
SP8		09.17.2004	18.35	0.32028	CU M/MI	922.7	CU M
SP8		09.17.2004	18.4	0.00415	CU M/MI	924.32	CU M
SP8		09.17.2004	18.45	0.33069	CU M/MI	925.97	CU M
SP8		09.17.2004	18.5	0.45747	CU M/MI	927.27	CU M
SP8		09.17.2004	18.55	0.43007	CU M/MI	928.47	CU M
SP8		09.17.2004	19	0.00069	CU M/MI	930	CU M
SP8		09.17.2004	19.05	0.35585	CU M/MI	931.87	CU M
SP8		09.17.2004	19.1	0.45621	CU M/MI	932.96	CU M
SP8		09.17.2004	19.15	0.00071	CU M/MI	934.2	CU M
SP8		09.17.2004	19.2	0.45423	CU M/MI	936.25	CU M
SP8		09.17.2004	19.25	0.45503	CU M/MI	937.19	CU M
SP8		09.17.2004	19.3	0.00044	CU M/MI	938.72	CU M
SP8		09.17.2004	19.35	0.45259	CU M/MI	940.49	CU M
SP8		09.17.2004	19.4	0.32309	CU M/MI	941.19	CU M
SP8		09.17.2004	19.45	0.32195	CU M/MI	941.83	CU M
SP8		09.17.2004	19.5	0.44466	CU M/MI	943.19	CU M
SP8		09.17.2004	19.55	0.33341	CU M/MI	944.59	CU M
SP8		09.17.2004	20	0.32631	CU M/MI	946	CU M
SP8		09.17.2004	20.05	0.32625	CU M/MI	947.45	CU M
SP8		09.17.2004	20.1	0.3259	CU M/MI	948.89	CU M
SP8		09.17.2004	20.15	0.32846	CU M/MI	950.36	CU M
SP8		09.17.2004	20.2	0.4515	CU M/MI	951.75	CU M
SP8		09.17.2004	20.25	0.37444	CU M/MI	953.03	CU M
SP8		09.17.2004	20.3	0.31519	CU M/MI	954.4	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8		09.17.2004	20.35	0.00457	CU M/MI	956.11	CU M
SP8		09.17.2004	20.4	0.45292	CU M/MI	957.7	CU M
SP8		09.17.2004	20.45	0.4505	CU M/MI	958.8	CU M
SP8		09.17.2004	20.5	0.00102	CU M/MI	960.15	CU M
SP8		09.17.2004	20.55	0.4615	CU M/MI	962.07	CU M
SP8		09.17.2004	21	0.46248	CU M/MI	963.06	CU M
SP8		09.17.2004	21.05	0.00059	CU M/MI	964.53	CU M
SP8		09.17.2004	21.1	0.33354	CU M/MI	966.34	CU M
SP8		09.17.2004	21.15	0.45386	CU M/MI	967.59	CU M
SP8		09.17.2004	21.2	0.372	CU M/MI	968.81	CU M
SP8		09.17.2004	21.25	0.3217	CU M/MI	970.26	CU M
SP8		09.17.2004	21.3	0.29068	CU M/MI	971.76	CU M
SP8		09.17.2004	21.35	0.35228	CU M/MI	973.26	CU M
SP8		09.17.2004	21.4	0.33647	CU M/MI	974.6	CU M
SP8		09.17.2004	21.45	0.33374	CU M/MI	975.93	CU M
SP8		09.17.2004	21.5	0.0006	CU M/MI	977.51	CU M
SP8		09.17.2004	21.55	0.00103	CU M/MI	978.23	CU M
SP8		09.17.2004	22	0.001	CU M/MI	978.94	CU M
SP8		09.17.2004	22.05	0.01126	CU M/MI	980.65	CU M
SP8		09.17.2004	22.1	0.47507	CU M/MI	982.09	CU M
SP8		09.17.2004	22.15	0.47292	CU M/MI	983.17	CU M
SP8		09.17.2004	22.2	0.00044	CU M/MI	984.51	CU M
SP8		09.17.2004	22.25	0.36543	CU M/MI	986.49	CU M
SP8		09.17.2004	22.3	0.47282	CU M/MI	987.59	CU M
SP8		09.17.2004	22.35	0.33516	CU M/MI	988.77	CU M
SP8		09.17.2004	22.4	0.00109	CU M/MI	990.32	CU M
SP8		09.17.2004	22.45	0.013	CU M/MI	991.99	CU M
SP8		09.17.2004	22.5	0.33504	CU M/MI	993.43	CU M
SP8		09.17.2004	22.55	0.33523	CU M/MI	994.82	CU M
SP8		09.17.2004	23	0.33286	CU M/MI	996.2	CU M
SP8		09.17.2004	23.05	0.33276	CU M/MI	997.52	CU M
SP8		09.17.2004	23.1	0.33254	CU M/MI	998.87	CU M
SP8		09.17.2004	23.15	0.32532	CU M/MI	1000.23	CU M
SP8		09.17.2004	23.2	0.00127	CU M/MI	1001.69	CU M
SP8		09.17.2004	23.25	0.02695	CU M/MI	1003.38	CU M
SP8		09.17.2004	23.3	0.46238	CU M/MI	1004.78	CU M
SP8		09.17.2004	23.35	0.46184	CU M/MI	1005.89	CU M
SP8		09.17.2004	23.4	0.31195	CU M/MI	1007.15	CU M
SP8		09.17.2004	23.45	0.00137	CU M/MI	1008.83	CU M
SP8		09.17.2004	23.5	0.00131	CU M/MI	1009.53	CU M
SP8		09.17.2004	23.55	0.00135	CU M/MI	1010.25	CU M
SP8		09.18.2004	0	0.46344	CU M/MI	1011.85	CU M
SP8		09.18.2004	0.05	0.00127	CU M/MI	1012.24	CU M
SP8		09.18.2004	0.1	0.0012	CU M/MI	1012.25	CU M
SP8		09.18.2004	0.15	0.00111	CU M/MI	1012.26	CU M
SP8		09.18.2004	0.2	0.00111	CU M/MI	1012.26	CU M
SP8		09.18.2004	0.25	0.00089	CU M/MI	1012.27	CU M
SP8		09.18.2004	0.3	0.00126	CU M/MI	1012.99	CU M
SP8		09.18.2004	0.35	0.01556	CU M/MI	1014.61	CU M
SP8		09.18.2004	0.4	0.39556	CU M/MI	1016.09	CU M
SP8		09.18.2004	0.45	0.46376	CU M/MI	1017.24	CU M
SP8		09.18.2004	0.5	0.3008	CU M/MI	1018.28	CU M
SP8		09.18.2004	0.55	0.00252	CU M/MI	1020.25	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8		09.18.2004	1	0.46457	CU M/MI	1021.62	CU M
SP8		09.18.2004	1.05	0.46337	CU M/MI	1022.73	CU M
SP8		09.18.2004	1.1	0.322	CU M/MI	1024.09	CU M
SP8		09.18.2004	1.15	0.01503	CU M/MI	1025.61	CU M
SP8		09.18.2004	1.2	0.01594	CU M/MI	1027.05	CU M
SP8		09.18.2004	1.25	0.19888	CU M/MI	1028.48	CU M
SP8		09.18.2004	1.3	0.30157	CU M/MI	1029.9	CU M
SP8		09.18.2004	1.35	0.34037	CU M/MI	1031.34	CU M
SP8		09.18.2004	1.4	0.45553	CU M/MI	1032.7	CU M
SP8		09.18.2004	1.45	0.00093	CU M/MI	1033.6	CU M
SP8		09.18.2004	1.5	0.0009	CU M/MI	1033.6	CU M
SP8		09.18.2004	1.55	0.00078	CU M/MI	1033.61	CU M
SP8		09.18.2004	2	0.00113	CU M/MI	1033.61	CU M
SP8		09.18.2004	2.05	0.0007	CU M/MI	1033.62	CU M
SP8		09.18.2004	2.1	0.00089	CU M/MI	1034.22	CU M
SP8		09.18.2004	2.15	0.00047	CU M/MI	1034.95	CU M
SP8		09.18.2004	2.2	0.00071	CU M/MI	1035.43	CU M
SP8		09.18.2004	2.25	0.00089	CU M/MI	1035.43	CU M
SP8		09.18.2004	2.3	0.0008	CU M/MI	1035.44	CU M
SP8		09.18.2004	2.35	0.00101	CU M/MI	1035.44	CU M
SP8		09.18.2004	2.4	0.00091	CU M/MI	1035.45	CU M
SP8		09.18.2004	2.45	0.00107	CU M/MI	1035.45	CU M
SP8		09.18.2004	2.5	0.00103	CU M/MI	1036.04	CU M
SP8		09.18.2004	2.55	0.00108	CU M/MI	1036.7	CU M
SP8		09.18.2004	3	0.0009	CU M/MI	1038.21	CU M
SP8		09.18.2004	3.05	0.00087	CU M/MI	1039.71	CU M
SP8		09.18.2004	3.1	0.00091	CU M/MI	1041.18	CU M
SP8		09.18.2004	3.15	0.00077	CU M/MI	1041.82	CU M
SP8		09.18.2004	3.2	0.28083	CU M/MI	1042.46	CU M
SP8		09.18.2004	3.25	0.3191	CU M/MI	1043.88	CU M
SP8		09.18.2004	3.3	0.00072	CU M/MI	1044.01	CU M
SP8		09.18.2004	3.35	0.00089	CU M/MI	1044.01	CU M
SP8		09.18.2004	3.4	0.00117	CU M/MI	1044.02	CU M
SP8		09.18.2004	3.45	0.00114	CU M/MI	1044.02	CU M
SP8		09.18.2004	3.5	0.00124	CU M/MI	1044.03	CU M
SP8		09.18.2004	3.55	0.0011	CU M/MI	1044.03	CU M
SP8		09.18.2004	4	0.00106	CU M/MI	1044.04	CU M
SP8		09.18.2004	4.05	0.001	CU M/MI	1044.04	CU M
SP8		09.18.2004	4.1	0.00117	CU M/MI	1044.05	CU M
SP8		09.18.2004	4.15	0.00131	CU M/MI	1044.06	CU M
SP8		09.18.2004	4.2	0.00132	CU M/MI	1044.06	CU M
SP8		09.18.2004	4.25	0.00123	CU M/MI	1044.07	CU M
SP8		09.18.2004	4.3	0.00157	CU M/MI	1044.08	CU M
SP8		09.18.2004	4.35	0.00149	CU M/MI	1044.08	CU M
SP8		09.18.2004	4.4	0.00156	CU M/MI	1044.09	CU M
SP8		09.18.2004	4.45	0.00146	CU M/MI	1044.1	CU M
SP8		09.18.2004	4.5	0.00162	CU M/MI	1044.11	CU M
SP8		09.18.2004	4.55	0.00132	CU M/MI	1044.11	CU M
SP8		09.18.2004	5	0.00141	CU M/MI	1044.12	CU M
SP8		09.18.2004	5.05	0.00163	CU M/MI	1044.13	CU M
SP8		09.18.2004	5.1	0.00189	CU M/MI	1044.14	CU M
SP8		09.18.2004	5.15	0.00152	CU M/MI	1044.14	CU M
SP8		09.18.2004	5.2	0.00159	CU M/MI	1044.15	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8		09.18.2004	5.25	0.00177	CU M/MI	1044.16	CU M
SP8		09.18.2004	5.3	0.00155	CU M/MI	1044.17	CU M
SP8		09.18.2004	5.35	0.00181	CU M/MI	1044.18	CU M
SP8		09.18.2004	5.4	0.00188	CU M/MI	1044.19	CU M
SP8		09.18.2004	5.45	0.00183	CU M/MI	1044.2	CU M
SP8		09.18.2004	5.5	0.00152	CU M/MI	1044.21	CU M
SP8		09.18.2004	5.55	0.00186	CU M/MI	1044.21	CU M
SP8	Day 1	09.18.2004	6	0.00191	CU M/MI	1044.22	CU M
SP8	Day 1	09.18.2004	6.05	0.00185	CU M/MI	1044.23	CU M
SP8	Day 1	09.18.2004	6.1	0.0019	CU M/MI	1044.24	CU M
SP8	Day 1	09.18.2004	6.15	0.00208	CU M/MI	1044.25	CU M
SP8	Day 1	09.18.2004	6.2	0.00186	CU M/MI	1044.26	CU M
SP8	Day 1	09.18.2004	6.25	0.00172	CU M/MI	1044.27	CU M
SP8	Day 1	09.18.2004	6.3	0.00184	CU M/MI	1044.28	CU M
SP8	Day 1	09.18.2004	6.35	0.0014	CU M/MI	1044.81	CU M
SP8	Day 1	09.18.2004	6.4	0.00201	CU M/MI	1046.13	CU M
SP8	Day 1	09.18.2004	6.45	0.00148	CU M/MI	1047.44	CU M
SP8	Day 1	09.18.2004	6.5	0.00112	CU M/MI	1048.8	CU M
SP8	Day 1	09.18.2004	6.55	0.00116	CU M/MI	1050.26	CU M
SP8	Day 1	09.18.2004	7	0.00157	CU M/MI	1051.73	CU M
SP8	Day 1	09.18.2004	7.05	0.00305	CU M/MI	1053.25	CU M
SP8	Day 1	09.18.2004	7.1	0.01887	CU M/MI	1054.82	CU M
SP8	Day 1	09.18.2004	7.15	0.42846	CU M/MI	1056.28	CU M
SP8	Day 1	09.18.2004	7.2	0.59376	CU M/MI	1057.54	CU M
SP8	Day 1	09.18.2004	7.25	0.59213	CU M/MI	1058.77	CU M
SP8	Day 1	09.18.2004	7.3	0.5914	CU M/MI	1059.97	CU M
SP8	Day 1	09.18.2004	7.35	0.39281	CU M/MI	1061.22	CU M
SP8	Day 1	09.18.2004	7.4	0.00149	CU M/MI	1062.8	CU M
SP8	Day 1	09.18.2004	7.45	0.00148	CU M/MI	1064.37	CU M
SP8	Day 1	09.18.2004	7.5	0.00182	CU M/MI	1065.9	CU M
SP8	Day 1	09.18.2004	7.55	0.00252	CU M/MI	1067.42	CU M
SP8	Day 1	09.18.2004	8	0.00408	CU M/MI	1068.9	CU M
SP8	Day 1	09.18.2004	8.05	0.00953	CU M/MI	1070.36	CU M
SP8	Day 1	09.18.2004	8.1	0.00211	CU M/MI	1071.77	CU M
SP8	Day 1	09.18.2004	8.15	0.00131	CU M/MI	1072.34	CU M
SP8	Day 1	09.18.2004	8.2	0.36545	CU M/MI	1073	CU M
SP8	Day 1	09.18.2004	8.25	0.38642	CU M/MI	1074.26	CU M
SP8	Day 1	09.18.2004	8.3	0.50359	CU M/MI	1075.53	CU M
SP8	Day 1	09.18.2004	8.35	0.4279	CU M/MI	1077	CU M
SP8	Day 1	09.18.2004	8.4	0.50871	CU M/MI	1078.63	CU M
SP8	Day 1	09.18.2004	8.45	0.03632	CU M/MI	1080.2	CU M
SP8	Day 1	09.18.2004	8.5	0.3456	CU M/MI	1081.48	CU M
SP8	Day 1	09.18.2004	8.55	0.37892	CU M/MI	1082.88	CU M
SP8	Day 1	09.18.2004	9	0.3829	CU M/MI	1084.29	CU M
SP8	Day 1	09.18.2004	9.05	0.55571	CU M/MI	1085.7	CU M
SP8	Day 1	09.18.2004	9.1	0.62559	CU M/MI	1087.09	CU M
SP8	Day 1	09.18.2004	9.15	0.62265	CU M/MI	1088.47	CU M
SP8	Day 1	09.18.2004	9.2	0.49555	CU M/MI	1089.94	CU M
SP8	Day 1	09.18.2004	9.25	0.56953	CU M/MI	1091.49	CU M
SP8	Day 1	09.18.2004	9.3	0.36888	CU M/MI	1092.9	CU M
SP8	Day 1	09.18.2004	9.35	0.37807	CU M/MI	1094.29	CU M
SP8	Day 1	09.18.2004	9.4	0.37364	CU M/MI	1095.71	CU M
SP8	Day 1	09.18.2004	9.45	0.37257	CU M/MI	1097.11	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 1	09.18.2004	9.5	0.45849	CU M/MI	1098.53	CU M
SP8	Day 1	09.18.2004	9.55	0.49039	CU M/MI	1100.06	CU M
SP8	Day 1	09.18.2004	10	0.48456	CU M/MI	1101.5	CU M
SP8	Day 1	09.18.2004	10.05	0.48529	CU M/MI	1102.95	CU M
SP8	Day 1	09.18.2004	10.1	0.48984	CU M/MI	1104.39	CU M
SP8	Day 1	09.18.2004	10.15	0.61578	CU M/MI	1105.75	CU M
SP8	Day 1	09.18.2004	10.2	0.61538	CU M/MI	1106.97	CU M
SP8	Day 1	09.18.2004	10.25	0.37025	CU M/MI	1107.85	CU M
SP8	Day 1	09.18.2004	10.3	0.36812	CU M/MI	1108.61	CU M
SP8	Day 1	09.18.2004	10.35	0.37381	CU M/MI	1109.88	CU M
SP8	Day 1	09.18.2004	10.4	0.36895	CU M/MI	1111.19	CU M
SP8	Day 1	09.18.2004	10.45	0.16217	CU M/MI	1112.53	CU M
SP8	Day 1	09.18.2004	10.5	0.00855	CU M/MI	1113.75	CU M
SP8	Day 1	09.18.2004	10.55	0.06095	CU M/MI	1114.96	CU M
SP8	Day 1	09.18.2004	11	0.4781	CU M/MI	1116.5	CU M
SP8	Day 1	09.18.2004	11.05	0.02474	CU M/MI	1118	CU M
SP8	Day 1	09.18.2004	11.1	0.00239	CU M/MI	1119.29	CU M
SP8	Day 1	09.18.2004	11.15	0.00141	CU M/MI	1120.64	CU M
SP8	Day 1	09.18.2004	11.2	0.0014	CU M/MI	1122.07	CU M
SP8	Day 1	09.18.2004	11.25	0.00223	CU M/MI	1123.52	CU M
SP8	Day 1	09.18.2004	11.3	0.03932	CU M/MI	1125.06	CU M
SP8	Day 1	09.18.2004	11.35	0.2293	CU M/MI	1126.4	CU M
SP8	Day 1	09.18.2004	11.4	0.02164	CU M/MI	1127.68	CU M
SP8	Day 1	09.18.2004	11.45	0.00241	CU M/MI	1128.91	CU M
SP8	Day 1	09.18.2004	11.5	0.31455	CU M/MI	1130.21	CU M
SP8	Day 1	09.18.2004	11.55	0.47515	CU M/MI	1131.68	CU M
SP8	Day 1	09.18.2004	12	0.4776	CU M/MI	1133.21	CU M
SP8	Day 1	09.18.2004	12.05	0.01176	CU M/MI	1134.43	CU M
SP8	Day 1	09.18.2004	12.1	0.00154	CU M/MI	1135.7	CU M
SP8	Day 1	09.18.2004	12.15	0.32147	CU M/MI	1136.99	CU M
SP8	Day 1	09.18.2004	12.2	0.0945	CU M/MI	1138.41	CU M
SP8	Day 1	09.18.2004	12.25	0.00124	CU M/MI	1139	CU M
SP8	Day 1	09.18.2004	12.3	0.44195	CU M/MI	1139.74	CU M
SP8	Day 1	09.18.2004	12.35	0.49164	CU M/MI	1141.24	CU M
SP8	Day 1	09.18.2004	12.4	0.5161	CU M/MI	1142.72	CU M
SP8	Day 1	09.18.2004	12.45	0.61333	CU M/MI	1143.39	CU M
SP8	Day 1	09.18.2004	12.5	0.61437	CU M/MI	1142.4	CU M
SP8	Day 1	09.18.2004	12.55	0.61316	CU M/MI	1143.46	CU M
SP8	Day 1	09.18.2004	13	0.615	CU M/MI	1143.98	CU M
SP8	Day 1	09.18.2004	13.05	0.37507	CU M/MI	1145.14	CU M
SP8	Day 1	09.18.2004	13.1	0.36915	CU M/MI	1144.11	CU M
SP8	Day 1	09.18.2004	13.15	0.36859	CU M/MI	1143.81	CU M
SP8	Day 1	09.18.2004	13.2	0.04655	CU M/MI	1144.66	CU M
SP8	Day 1	09.18.2004	13.25	0.06245	CU M/MI	1145.93	CU M
SP8	Day 1	09.18.2004	13.3	0.49083	CU M/MI	1145.48	CU M
SP8	Day 1	09.18.2004	13.35	0.46321	CU M/MI	1147.04	CU M
SP8	Day 1	09.18.2004	13.4	0.01362	CU M/MI	1148.42	CU M
SP8	Day 1	09.18.2004	13.45	0.01988	CU M/MI	1149.88	CU M
SP8	Day 1	09.18.2004	13.5	0.05487	CU M/MI	1151.35	CU M
SP8	Day 1	09.18.2004	13.55	0.37839	CU M/MI	1152.63	CU M
SP8	Day 1	09.18.2004	14	0.3745	CU M/MI	1154	CU M
SP8	Day 1	09.18.2004	14.05	0.37018	CU M/MI	1154.31	CU M
SP8	Day 1	09.18.2004	14.1	0.36935	CU M/MI	1151.94	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 1	09.18.2004	14.15	0.0195	CU M/MI	1150.69	CU M
SP8	Day 1	09.18.2004	14.2	0	CU M/MI	1149.06	CU M
SP8	Day 1	09.18.2004	14.25	0.48449	CU M/MI	1150.01	CU M
SP8	Day 1	09.18.2004	14.3	0.00128	CU M/MI	1149.87	CU M
SP8	Day 1	09.18.2004	14.35	0.00162	CU M/MI	1150.52	CU M
SP8	Day 1	09.18.2004	14.4	0	CU M/MI	1150.43	CU M
SP8	Day 1	09.18.2004	14.45	0	CU M/MI	1151.91	CU M
SP8	Day 1	09.18.2004	14.5	0	CU M/MI	1153.35	CU M
SP8	Day 1	09.18.2004	14.55	0.02017	CU M/MI	1149.41	CU M
SP8	Day 1	09.18.2004	15	0	CU M/MI	1142.42	CU M
SP8	Day 1	09.18.2004	15.05	0.00041	CU M/MI	1142.13	CU M
SP8	Day 1	09.18.2004	15.1	0.00123	CU M/MI	1138.48	CU M
SP8	Day 1	09.18.2004	15.15	0	CU M/MI	1136.3	CU M
SP8	Day 1	09.18.2004	15.2	0.48272	CU M/MI	1135.14	CU M
SP8	Day 1	09.18.2004	15.25	0.00447	CU M/MI	1133.34	CU M
SP8	Day 1	09.18.2004	15.3	0.00143	CU M/MI	1134.02	CU M
SP8	Day 1	09.18.2004	15.35	0.00114	CU M/MI	1135.39	CU M
SP8	Day 1	09.18.2004	15.4	0.00109	CU M/MI	1135.65	CU M
SP8	Day 1	09.18.2004	15.45	0.00036	CU M/MI	1132.4	CU M
SP8	Day 1	09.18.2004	15.5	0.0004	CU M/MI	1130.97	CU M
SP8	Day 1	09.18.2004	16.3	0.0014	CU M/MI	1120.78	CU M
SP8	Day 1	09.18.2004	16.35	0.00124	CU M/MI	1121.35	CU M
SP8	Day 1	09.18.2004	16.4	0.47404	CU M/MI	1122.32	CU M
SP8	Day 1	09.18.2004	16.45	0.48435	CU M/MI	1123.87	CU M
SP8	Day 1	09.18.2004	16.5	0.0129	CU M/MI	1122.75	CU M
SP8	Day 1	09.18.2004	16.55	0	CU M/MI	1120.04	CU M
SP8	Day 1	09.18.2004	17	0.38053	CU M/MI	1118.42	CU M
SP8	Day 1	09.18.2004	17.05	0	CU M/MI	1116.82	CU M
SP8	Day 1	09.18.2004	17.1	0	CU M/MI	1114.81	CU M
SP8	Day 1	09.18.2004	17.15	0.59832	CU M/MI	1113.54	CU M
SP8	Day 1	09.18.2004	17.2	0.61021	CU M/MI	1114.9	CU M
SP8	Day 1	09.18.2004	17.25	0.61202	CU M/MI	1116.19	CU M
SP8	Day 1	09.18.2004	17.3	0.60369	CU M/MI	1117.46	CU M
SP8	Day 1	09.18.2004	17.35	0.58434	CU M/MI	1117.57	CU M
SP8	Day 1	09.18.2004	17.4	0.48456	CU M/MI	1118.38	CU M
SP8	Day 1	09.18.2004	17.45	0.06509	CU M/MI	1119.21	CU M
SP8	Day 1	09.18.2004	17.5	0.37045	CU M/MI	1120.5	CU M
SP8	Day 1	09.18.2004	17.55	0.31973	CU M/MI	1121.86	CU M
SP8	Day 1	09.18.2004	18	0.31939	CU M/MI	1123.13	CU M
SP8	Day 1	09.18.2004	18.05	0.31561	CU M/MI	1124.39	CU M
SP8	Day 1	09.18.2004	18.1	0.27574	CU M/MI	1125.65	CU M
SP8	Day 1	09.18.2004	18.15	0.00165	CU M/MI	1127.22	CU M
SP8	Day 1	09.18.2004	18.2	0.47537	CU M/MI	1128.81	CU M
SP8	Day 1	09.18.2004	18.25	0.47411	CU M/MI	1129.75	CU M
SP8	Day 1	09.18.2004	18.3	0.38658	CU M/MI	1130.87	CU M
SP8	Day 1	09.18.2004	18.35	0.00118	CU M/MI	1132.29	CU M
SP8	Day 1	09.18.2004	18.4	0.00113	CU M/MI	1133.66	CU M
SP8	Day 1	09.18.2004	18.45	0.00214	CU M/MI	1134.35	CU M
SP8	Day 1	09.18.2004	18.5	0.39188	CU M/MI	1135.26	CU M
SP8	Day 1	09.18.2004	18.55	0.39989	CU M/MI	1136.68	CU M
SP8	Day 1	09.18.2004	19	0.47336	CU M/MI	1137.94	CU M
SP8	Day 1	09.18.2004	19.05	0.46305	CU M/MI	1138.96	CU M
SP8	Day 1	09.18.2004	19.1	0.00145	CU M/MI	1140.35	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 1	09.18.2004	19.15	0.02293	CU M/MI	1141.99	CU M
SP8	Day 1	09.18.2004	19.2	0.00158	CU M/MI	1142	CU M
SP8	Day 1	09.18.2004	19.25	0.00155	CU M/MI	1142.01	CU M
SP8	Day 1	09.18.2004	19.3	0.00162	CU M/MI	1142.01	CU M
SP8	Day 1	09.18.2004	19.35	0.00137	CU M/MI	1142.02	CU M
SP8	Day 1	09.18.2004	19.4	0.0017	CU M/MI	1142.03	CU M
SP8	Day 1	09.18.2004	19.45	0.00132	CU M/MI	1142.04	CU M
SP8	Day 1	09.18.2004	19.5	0.01709	CU M/MI	1142.6	CU M
SP8	Day 1	09.18.2004	19.55	0.00886	CU M/MI	1143.28	CU M
SP8	Day 1	09.18.2004	20	0.48618	CU M/MI	1144.62	CU M
SP8	Day 1	09.18.2004	20.05	0.48377	CU M/MI	1145.66	CU M
SP8	Day 1	09.18.2004	20.1	0.38684	CU M/MI	1146.91	CU M
SP8	Day 1	09.18.2004	20.15	0.31737	CU M/MI	1148.26	CU M
SP8	Day 1	09.18.2004	20.2	0.36267	CU M/MI	1149.63	CU M
SP8	Day 1	09.18.2004	20.25	0.39139	CU M/MI	1150.96	CU M
SP8	Day 1	09.18.2004	20.3	0.3914	CU M/MI	1152.27	CU M
SP8	Day 1	09.18.2004	20.35	0.39858	CU M/MI	1153.55	CU M
SP8	Day 1	09.18.2004	20.4	0.40758	CU M/MI	1154.82	CU M
SP8	Day 1	09.18.2004	20.45	0.47137	CU M/MI	1156.06	CU M
SP8	Day 1	09.18.2004	20.5	0.00163	CU M/MI	1156.3	CU M
SP8	Day 1	09.18.2004	20.55	0.00121	CU M/MI	1156.31	CU M
SP8	Day 1	09.18.2004	21	0.00136	CU M/MI	1156.32	CU M
SP8	Day 1	09.18.2004	21.05	0.00166	CU M/MI	1156.33	CU M
SP8	Day 1	09.18.2004	21.1	0.00144	CU M/MI	1156.33	CU M
SP8	Day 1	09.18.2004	21.15	0.00154	CU M/MI	1156.34	CU M
SP8	Day 1	09.18.2004	21.2	0.00154	CU M/MI	1156.35	CU M
SP8	Day 1	09.18.2004	21.25	0.00179	CU M/MI	1156.36	CU M
SP8	Day 1	09.18.2004	21.3	0.00146	CU M/MI	1156.36	CU M
SP8	Day 1	09.18.2004	21.35	0.00139	CU M/MI	1156.37	CU M
SP8	Day 1	09.18.2004	21.4	0.0016	CU M/MI	1156.38	CU M
SP8	Day 1	09.18.2004	21.45	0.00155	CU M/MI	1156.39	CU M
SP8	Day 1	09.18.2004	21.5	0.00145	CU M/MI	1156.39	CU M
SP8	Day 1	09.18.2004	21.55	0.00145	CU M/MI	1156.4	CU M
SP8	Day 1	09.18.2004	22	0.00156	CU M/MI	1156.41	CU M
SP8	Day 1	09.18.2004	22.05	0.00151	CU M/MI	1156.42	CU M
SP8	Day 1	09.18.2004	22.1	0.00133	CU M/MI	1156.42	CU M
SP8	Day 1	09.18.2004	22.15	0.00095	CU M/MI	1156.43	CU M
SP8	Day 1	09.18.2004	22.2	0.00174	CU M/MI	1156.44	CU M
SP8	Day 1	09.18.2004	22.25	0.0013	CU M/MI	1156.45	CU M
SP8	Day 1	09.18.2004	22.3	0.0015	CU M/MI	1156.45	CU M
SP8	Day 1	09.18.2004	22.35	0.00179	CU M/MI	1156.46	CU M
SP8	Day 1	09.18.2004	22.4	0.00174	CU M/MI	1156.47	CU M
SP8	Day 1	09.18.2004	22.45	0.00165	CU M/MI	1156.48	CU M
SP8	Day 1	09.18.2004	22.5	0.00162	CU M/MI	1156.49	CU M
SP8	Day 1	09.18.2004	22.55	0.00174	CU M/MI	1156.5	CU M
SP8	Day 1	09.18.2004	23	0.00191	CU M/MI	1156.5	CU M
SP8	Day 1	09.18.2004	23.05	0.0018	CU M/MI	1156.48	CU M
SP8	Day 1	09.18.2004	23.1	0.39542	CU M/MI	1157.05	CU M
SP8	Day 1	09.18.2004	23.15	0	CU M/MI	1158.25	CU M
SP8	Day 1	09.18.2004	23.2	0.41054	CU M/MI	1158.83	CU M
SP8	Day 1	09.18.2004	23.25	0.41571	CU M/MI	1159.87	CU M
SP8	Day 1	09.18.2004	23.3	0.41635	CU M/MI	1160.52	CU M
SP8	Day 1	09.18.2004	23.35	0.41467	CU M/MI	1161.12	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 1	09.18.2004	23.4	0.41555	CU M/MI	1161.89	CU M
SP8	Day 1	09.18.2004	23.45	0.41411	CU M/MI	1162.91	CU M
SP8	Day 1	09.18.2004	23.5	0.4087	CU M/MI	1164.07	CU M
SP8	Day 1	09.18.2004	23.55	0.00154	CU M/MI	1165.03	CU M
SP8	Day 1	09.19.2004	0	0.00141	CU M/MI	1165.58	CU M
SP8	Day 1	09.19.2004	0.05	0.00165	CU M/MI	1166.17	CU M
SP8	Day 1	09.19.2004	0.1	0.00112	CU M/MI	1166.77	CU M
SP8	Day 1	09.19.2004	0.15	0.00304	CU M/MI	1167.38	CU M
SP8	Day 1	09.19.2004	0.2	0.01503	CU M/MI	1167.85	CU M
SP8	Day 1	09.19.2004	0.25	0.21769	CU M/MI	1168.41	CU M
SP8	Day 1	09.19.2004	0.3	0.34103	CU M/MI	1168.91	CU M
SP8	Day 1	09.19.2004	0.35	0.3409	CU M/MI	1169.43	CU M
SP8	Day 1	09.19.2004	0.4	0.33927	CU M/MI	1169.87	CU M
SP8	Day 1	09.19.2004	0.45	0.34158	CU M/MI	1170.32	CU M
SP8	Day 1	09.19.2004	0.5	0.27676	CU M/MI	1170.79	CU M
SP8	Day 1	09.19.2004	0.55	0.00129	CU M/MI	1171.39	CU M
SP8	Day 1	09.19.2004	1	0.00148	CU M/MI	1171.98	CU M
SP8	Day 1	09.19.2004	1.05	0.00154	CU M/MI	1172.53	CU M
SP8	Day 1	09.19.2004	1.1	0.00148	CU M/MI	1173.1	CU M
SP8	Day 1	09.19.2004	1.15	0.00166	CU M/MI	1173.7	CU M
SP8	Day 1	09.19.2004	1.2	0.00163	CU M/MI	1174.28	CU M
SP8	Day 1	09.19.2004	1.25	0.00143	CU M/MI	1174.52	CU M
SP8	Day 1	09.19.2004	1.3	0.00144	CU M/MI	1174.53	CU M
SP8	Day 1	09.19.2004	1.35	0.00152	CU M/MI	1174.54	CU M
SP8	Day 1	09.19.2004	1.4	0.00147	CU M/MI	1174.55	CU M
SP8	Day 1	09.19.2004	1.45	0.00164	CU M/MI	1174.55	CU M
SP8	Day 1	09.19.2004	1.45	0.00164	CU M/MI	1174.55	CU M
SP8	Day 1	09.19.2004	1.55	0.00155	CU M/MI	1174.57	CU M
SP8	Day 1	09.19.2004	2	0.00201	CU M/MI	1174.58	CU M
SP8	Day 1	09.19.2004	2.05	0.00166	CU M/MI	1174.59	CU M
SP8	Day 1	09.19.2004	2.1	0.00112	CU M/MI	1175.27	CU M
SP8	Day 1	09.19.2004	2.15	0.00186	CU M/MI	1175.93	CU M
SP8	Day 1	09.19.2004	2.2	0	CU M/MI	1176.56	CU M
SP8	Day 1	09.19.2004	2.25	0.42233	CU M/MI	1177.38	CU M
SP8	Day 1	09.19.2004	2.3	0.41997	CU M/MI	1178.21	CU M
SP8	Day 1	09.19.2004	2.35	0.0403	CU M/MI	1178.95	CU M
SP8	Day 1	09.19.2004	2.4	0.00297	CU M/MI	1179.52	CU M
SP8	Day 1	09.19.2004	2.45	0.00156	CU M/MI	1180.14	CU M
SP8	Day 1	09.19.2004	2.5	0.00105	CU M/MI	1180.76	CU M
SP8	Day 1	09.19.2004	2.55	0.00135	CU M/MI	1181.38	CU M
SP8	Day 1	09.19.2004	3	0.41836	CU M/MI	1182.14	CU M
SP8	Day 1	09.19.2004	3.05	0.41896	CU M/MI	1183.02	CU M
SP8	Day 1	09.19.2004	3.1	0.03162	CU M/MI	1183.87	CU M
SP8	Day 1	09.19.2004	3.15	0.00764	CU M/MI	1184.55	CU M
SP8	Day 1	09.19.2004	3.2	0.00152	CU M/MI	1185.2	CU M
SP8	Day 1	09.19.2004	3.25	0.00106	CU M/MI	1185.87	CU M
SP8	Day 1	09.19.2004	3.3	0.00143	CU M/MI	1186.58	CU M
SP8	Day 1	09.19.2004	3.35	0.00152	CU M/MI	1187.32	CU M
SP8	Day 1	09.19.2004	3.4	0.00112	CU M/MI	1188	CU M
SP8	Day 1	09.19.2004	4	0.0007	CU M/MI	1191.94	CU M
SP8	Day 1	09.19.2004	4.05	0.33369	CU M/MI	1193.69	CU M
SP8	Day 1	09.19.2004	4.1	0.35469	CU M/MI	1195.03	CU M
SP8	Day 1	09.19.2004	4.15	0.49801	CU M/MI	1196.4	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 1	09.19.2004	4.2	0.00108	CU M/MI	1197.02	CU M
SP8	Day 1	09.19.2004	4.25	0.00088	CU M/MI	1197.03	CU M
SP8	Day 1	09.19.2004	4.3	0.00114	CU M/MI	1197.03	CU M
SP8	Day 1	09.19.2004	4.35	0.00068	CU M/MI	1197.03	CU M
SP8	Day 1	09.19.2004	4.4	0.00101	CU M/MI	1197.04	CU M
SP8	Day 1	09.19.2004	4.45	0.00069	CU M/MI	1197.04	CU M
SP8	Day 1	09.19.2004	4.5	0.00085	CU M/MI	1197.05	CU M
SP8	Day 1	09.19.2004	4.55	0.00089	CU M/MI	1197.05	CU M
SP8	Day 1	09.19.2004	5	0.00084	CU M/MI	1197.05	CU M
SP8	Day 1	09.19.2004	5.05	0.00098	CU M/MI	1197.06	CU M
SP8	Day 1	09.19.2004	5.1	0.00067	CU M/MI	1197.06	CU M
SP8	Day 1	09.19.2004	5.15	0.00136	CU M/MI	1197.69	CU M
SP8	Day 1	09.19.2004	5.2	0.00128	CU M/MI	1198.41	CU M
SP8	Day 1	09.19.2004	5.25	0.02706	CU M/MI	1200.33	CU M
SP8	Day 1	09.19.2004	5.3	0.49498	CU M/MI	1201.46	CU M
SP8	Day 1	09.19.2004	5.35	0.47029	CU M/MI	1202.72	CU M
SP8	Day 1	09.19.2004	5.4	0.40793	CU M/MI	1204.23	CU M
SP8	Day 1	09.19.2004	5.45	0.40967	CU M/MI	1205.72	CU M
SP8	Day 1	09.19.2004	5.5	0.41319	CU M/MI	1207.25	CU M
SP8	Day 1	09.19.2004	5.55	0.41411	CU M/MI	1208.83	CU M
SP8	Day 2	09.19.2004	6	0.41462	CU M/MI	1210.37	CU M
SP8	Day 2	09.19.2004	6.05	0.4118	CU M/MI	1211.94	CU M
SP8	Day 2	09.19.2004	6.1	0.4174	CU M/MI	1213.49	CU M
SP8	Day 2	09.19.2004	6.15	0.49769	CU M/MI	1214.79	CU M
SP8	Day 2	09.19.2004	6.2	0.49094	CU M/MI	1215.93	CU M
SP8	Day 2	09.19.2004	6.25	0.0016	CU M/MI	1217.45	CU M
SP8	Day 2	09.19.2004	6.3	0.00318	CU M/MI	1219.12	CU M
SP8	Day 2	09.19.2004	6.35	0.00431	CU M/MI	1220.55	CU M
SP8	Day 2	09.19.2004	6.4	0.40103	CU M/MI	1221.86	CU M
SP8	Day 2	09.19.2004	6.45	0.40533	CU M/MI	1222.64	CU M
SP8	Day 2	09.19.2004	6.5	0.41209	CU M/MI	1223.58	CU M
SP8	Day 2	09.19.2004	6.55	0.41463	CU M/MI	1225.14	CU M
SP8	Day 2	09.19.2004	7	0.41452	CU M/MI	1226.66	CU M
SP8	Day 2	09.19.2004	7.05	0.41353	CU M/MI	1228.26	CU M
SP8	Day 2	09.19.2004	7.1	0.41582	CU M/MI	1229.81	CU M
SP8	Day 2	09.19.2004	7.15	0.49824	CU M/MI	1231.18	CU M
SP8	Day 2	09.19.2004	7.2	0.49238	CU M/MI	1232.26	CU M
SP8	Day 2	09.19.2004	7.25	0.00198	CU M/MI	1233.87	CU M
SP8	Day 2	09.19.2004	7.3	0.00232	CU M/MI	1235.47	CU M
SP8	Day 2	09.19.2004	7.35	0.0045	CU M/MI	1236.89	CU M
SP8	Day 2	09.19.2004	7.4	0.39469	CU M/MI	1238.44	CU M
SP8	Day 2	09.19.2004	7.45	0.49622	CU M/MI	1239.98	CU M
SP8	Day 2	09.19.2004	7.5	0.49362	CU M/MI	1241.26	CU M
SP8	Day 2	09.19.2004	7.55	0.00152	CU M/MI	1242.63	CU M
SP8	Day 2	09.19.2004	8	0.0073	CU M/MI	1244.5	CU M
SP8	Day 2	09.19.2004	8.05	0.34487	CU M/MI	1246	CU M
SP8	Day 2	09.19.2004	8.1	0.34498	CU M/MI	1247.36	CU M
SP8	Day 2	09.19.2004	8.15	0.34296	CU M/MI	1248.79	CU M
SP8	Day 2	09.19.2004	8.2	0.34348	CU M/MI	1250.25	CU M
SP8	Day 2	09.19.2004	8.25	0.46426	CU M/MI	1251.65	CU M
SP8	Day 2	09.19.2004	8.3	0.43315	CU M/MI	1252.92	CU M
SP8	Day 2	09.19.2004	8.35	0.00154	CU M/MI	1254.52	CU M
SP8	Day 2	09.19.2004	8.4	0.34345	CU M/MI	1256.31	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 2	09.19.2004	8.45	0.33885	CU M/MI	1257.65	CU M
SP8	Day 2	09.19.2004	8.5	0.33665	CU M/MI	1258.37	CU M
SP8	Day 2	09.19.2004	8.55	0.34888	CU M/MI	1259.1	CU M
SP8	Day 2	09.19.2004	9	0.32387	CU M/MI	1260.15	CU M
SP8	Day 2	09.19.2004	9.05	0.00129	CU M/MI	1261.92	CU M
SP8	Day 2	09.19.2004	9.1	0.3396	CU M/MI	1263.52	CU M
SP8	Day 2	09.19.2004	9.15	0.34087	CU M/MI	1264.87	CU M
SP8	Day 2	09.19.2004	9.2	0.33616	CU M/MI	1266.28	CU M
SP8	Day 2	09.19.2004	9.25	0.33525	CU M/MI	1267.66	CU M
SP8	Day 2	09.19.2004	9.3	0.33446	CU M/MI	1269.05	CU M
SP8	Day 2	09.19.2004	9.35	0.34433	CU M/MI	1270.42	CU M
SP8	Day 2	09.19.2004	9.4	0.00191	CU M/MI	1271.91	CU M
SP8	Day 2	09.19.2004	9.45	0.04957	CU M/MI	1273.81	CU M
SP8	Day 2	09.19.2004	9.5	0.49257	CU M/MI	1274.81	CU M
SP8	Day 2	09.19.2004	9.55	0.40307	CU M/MI	1276.03	CU M
SP8	Day 2	09.19.2004	10	0.33903	CU M/MI	1277.55	CU M
SP8	Day 2	09.19.2004	10.05	0.3864	CU M/MI	1279.09	CU M
SP8	Day 2	09.19.2004	10.1	0.40284	CU M/MI	1280.63	CU M
SP8	Day 2	09.19.2004	10.15	0.40465	CU M/MI	1282.07	CU M
SP8	Day 2	09.19.2004	10.2	0.41382	CU M/MI	1283.58	CU M
SP8	Day 2	09.19.2004	10.25	0.48518	CU M/MI	1284.93	CU M
SP8	Day 2	09.19.2004	10.3	0.45863	CU M/MI	1286.11	CU M
SP8	Day 2	09.19.2004	10.35	0.00129	CU M/MI	1287.57	CU M
SP8	Day 2	09.19.2004	10.4	0.33949	CU M/MI	1289.42	CU M
SP8	Day 2	09.19.2004	10.45	0.33417	CU M/MI	1290.68	CU M
SP8	Day 2	09.19.2004	10.5	0.00271	CU M/MI	1291.74	CU M
SP8	Day 2	09.19.2004	10.55	0.00145	CU M/MI	1292.08	CU M
SP8	Day 2	09.19.2004	11	0.33216	CU M/MI	1292.93	CU M
SP8	Day 2	09.19.2004	11.05	0.36234	CU M/MI	1294.17	CU M
SP8	Day 2	09.19.2004	11.1	0.36613	CU M/MI	1295.47	CU M
SP8	Day 2	09.19.2004	11.15	0.36731	CU M/MI	1296.85	CU M
SP8	Day 2	09.19.2004	11.2	0.36588	CU M/MI	1298.28	CU M
SP8	Day 2	09.19.2004	11.25	0.50382	CU M/MI	1299.69	CU M
SP8	Day 2	09.19.2004	11.3	0.56086	CU M/MI	1301.06	CU M
SP8	Day 2	09.19.2004	11.35	0.54371	CU M/MI	1302.37	CU M
SP8	Day 2	09.19.2004	11.4	0.41361	CU M/MI	1303.49	CU M
SP8	Day 2	09.19.2004	11.45	0.00137	CU M/MI	1304.89	CU M
SP8	Day 2	09.19.2004	11.5	0.00172	CU M/MI	1306.49	CU M
SP8	Day 2	09.19.2004	11.55	0.00274	CU M/MI	1307.95	CU M
SP8	Day 2	09.19.2004	12	0.00599	CU M/MI	1309.33	CU M
SP8	Day 2	09.19.2004	12.05	0.00434	CU M/MI	1310.64	CU M
SP8	Day 2	09.19.2004	12.1	0.00151	CU M/MI	1311.9	CU M
SP8	Day 2	09.19.2004	12.15	0.00174	CU M/MI	1313.16	CU M
SP8	Day 2	09.19.2004	12.2	0.41962	CU M/MI	1314.49	CU M
SP8	Day 2	09.19.2004	12.25	0.4467	CU M/MI	1315.89	CU M
SP8	Day 2	09.19.2004	12.3	0.4498	CU M/MI	1317.35	CU M
SP8	Day 2	09.19.2004	12.35	0.4514	CU M/MI	1318.7	CU M
SP8	Day 2	09.19.2004	12.4	0.05915	CU M/MI	1320.07	CU M
SP8	Day 2	09.19.2004	12.45	0.03926	CU M/MI	1321.34	CU M
SP8	Day 2	09.19.2004	12.5	0.33989	CU M/MI	1322.66	CU M
SP8	Day 2	09.19.2004	12.55	0.3163	CU M/MI	1324	CU M
SP8	Day 2	09.19.2004	13	0.32275	CU M/MI	1324.67	CU M
SP8	Day 2	09.19.2004	13.05	0.30905	CU M/MI	1325.36	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 2	09.19.2004	13.1	0.0017	CU M/MI	1326.72	CU M
SP8	Day 2	09.19.2004	13.15	0.00421	CU M/MI	1328.41	CU M
SP8	Day 2	09.19.2004	13.2	0.47963	CU M/MI	1329.65	CU M
SP8	Day 2	09.19.2004	13.25	0.47859	CU M/MI	1330.67	CU M
SP8	Day 2	09.19.2004	13.3	0.391	CU M/MI	1331.93	CU M
SP8	Day 2	09.19.2004	13.35	0.38204	CU M/MI	1333.3	CU M
SP8	Day 2	09.19.2004	13.4	0.39514	CU M/MI	1334.69	CU M
SP8	Day 2	09.19.2004	13.45	0.39553	CU M/MI	1336	CU M
SP8	Day 2	09.19.2004	13.5	0.39556	CU M/MI	1337.34	CU M
SP8	Day 2	09.19.2004	13.55	0.39407	CU M/MI	1338.62	CU M
SP8	Day 2	09.19.2004	14	0.3945	CU M/MI	1339.96	CU M
SP8	Day 2	09.19.2004	14.05	0.39162	CU M/MI	1341.23	CU M
SP8	Day 2	09.19.2004	14.1	0.39356	CU M/MI	1342.55	CU M
SP8	Day 2	09.19.2004	14.15	0.00755	CU M/MI	1343.66	CU M
SP8	Day 2	09.19.2004	14.2	0.0119	CU M/MI	1344.34	CU M
SP8	Day 2	09.19.2004	14.25	0.04606	CU M/MI	1345.02	CU M
SP8	Day 2	09.19.2004	14.3	0.33573	CU M/MI	1345.66	CU M
SP8	Day 2	09.19.2004	14.35	0.3317	CU M/MI	1346.29	CU M
SP8	Day 2	09.19.2004	14.4	0.33084	CU M/MI	1346.91	CU M
SP8	Day 2	09.19.2004	14.45	0.33088	CU M/MI	1347.52	CU M
SP8	Day 2	09.19.2004	14.5	0	CU M/MI	1347.79	CU M
SP8	Day 2	09.19.2004	14.55	0	CU M/MI	1347.8	CU M
SP8	Day 2	09.19.2004	15	0.00139	CU M/MI	1347.81	CU M
SP8	Day 2	09.19.2004	15.05	0.00163	CU M/MI	1347.81	CU M
SP8	Day 2	09.19.2004	15.1	0.00131	CU M/MI	1348.22	CU M
SP8	Day 2	09.19.2004	15.15	0.00162	CU M/MI	1348.22	CU M
SP8	Day 2	09.19.2004	15.2	0.32361	CU M/MI	1348.38	CU M
SP8	Day 2	09.19.2004	15.25	0.30606	CU M/MI	1349.01	CU M
SP8	Day 2	09.19.2004	15.3	0.25221	CU M/MI	1349.66	CU M
SP8	Day 2	09.19.2004	15.35	0.00155	CU M/MI	1350.37	CU M
SP8	Day 2	09.19.2004	15.4	0.00163	CU M/MI	1351.07	CU M
SP8	Day 2	09.19.2004	15.5	0.00188	CU M/MI	1352.45	CU M
SP8	Day 2	09.19.2004	15.55	0.00146	CU M/MI	1353.14	CU M
SP8	Day 2	09.19.2004	16	0.00135	CU M/MI	1353.84	CU M
SP8	Day 2	09.19.2004	16.05	0.00189	CU M/MI	1354.52	CU M
SP8	Day 2	09.19.2004	16.1	0.00149	CU M/MI	1355.2	CU M
SP8	Day 2	09.19.2004	16.15	0.0014	CU M/MI	1355.88	CU M
SP8	Day 2	09.19.2004	16.2	0.00154	CU M/MI	1356.57	CU M
SP8	Day 2	09.19.2004	16.25	0.00158	CU M/MI	1357.25	CU M
SP8	Day 2	09.19.2004	16.3	0.00179	CU M/MI	1357.94	CU M
SP8	Day 2	09.19.2004	16.35	0.00176	CU M/MI	1358.6	CU M
SP8	Day 2	09.19.2004	16.4	0.01107	CU M/MI	1360.15	CU M
SP8	Day 2	09.19.2004	16.45	0.02319	CU M/MI	1361.53	CU M
SP8	Day 2	09.19.2004	16.5	0.0623	CU M/MI	1362.91	CU M
SP8	Day 2	09.19.2004	16.55	0.3264	CU M/MI	1364.2	CU M
SP8	Day 2	09.19.2004	17	0.32887	CU M/MI	1365.53	CU M
SP8	Day 2	09.19.2004	17.05	0.32863	CU M/MI	1366.83	CU M
SP8	Day 2	09.19.2004	17.1	0.32609	CU M/MI	1368.09	CU M
SP8	Day 2	09.19.2004	17.15	0.00159	CU M/MI	1369.4	CU M
SP8	Day 2	09.19.2004	17.2	0.00459	CU M/MI	1371.15	CU M
SP8	Day 2	09.19.2004	17.25	0.34011	CU M/MI	1372.48	CU M
SP8	Day 2	09.19.2004	17.3	0.33998	CU M/MI	1373.72	CU M
SP8	Day 2	09.19.2004	17.35	0.33651	CU M/MI	1374.98	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 2	09.19.2004	17.4	0.33398	CU M/MI	1376.22	CU M
SP8	Day 2	09.19.2004	17.45	0.00179	CU M/MI	1377.5	CU M
SP8	Day 2	09.19.2004	17.5	0.00367	CU M/MI	1379.27	CU M
SP8	Day 2	09.19.2004	17.55	0.33405	CU M/MI	1380.68	CU M
SP8	Day 2	09.19.2004	18	0.33357	CU M/MI	1381.93	CU M
SP8	Day 2	09.19.2004	18.05	0.33158	CU M/MI	1383.19	CU M
SP8	Day 2	09.19.2004	18.1	0.3335	CU M/MI	1384.44	CU M
SP8	Day 2	09.19.2004	18.15	0.00182	CU M/MI	1385.72	CU M
SP8	Day 2	09.19.2004	18.2	0.0029	CU M/MI	1387.51	CU M
SP8	Day 2	09.19.2004	18.25	0.48921	CU M/MI	1388.81	CU M
SP8	Day 2	09.19.2004	18.3	0.48635	CU M/MI	1389.98	CU M
SP8	Day 2	09.19.2004	18.35	0.4091	CU M/MI	1391.3	CU M
SP8	Day 2	09.19.2004	18.4	0.40879	CU M/MI	1392.76	CU M
SP8	Day 2	09.19.2004	18.45	0.40981	CU M/MI	1394.23	CU M
SP8	Day 2	09.19.2004	18.5	0.4077	CU M/MI	1395.66	CU M
SP8	Day 2	09.19.2004	18.55	0.4105	CU M/MI	1397.06	CU M
SP8	Day 2	09.19.2004	19	0.48825	CU M/MI	1398.24	CU M
SP8	Day 2	09.19.2004	19.05	0.478	CU M/MI	1399.22	CU M
SP8	Day 2	09.19.2004	19.1	0.002	CU M/MI	1400.9	CU M
SP8	Day 2	09.19.2004	19.15	0.02196	CU M/MI	1402.5	CU M
SP8	Day 2	09.19.2004	19.2	0.00178	CU M/MI	1403.22	CU M
SP8	Day 2	09.19.2004	19.25	0.0015	CU M/MI	1403.89	CU M
SP8	Day 2	09.19.2004	19.3	0.00456	CU M/MI	1404.62	CU M
SP8	Day 2	09.19.2004	19.35	0.00717	CU M/MI	1405.28	CU M
SP8	Day 2	09.19.2004	19.4	0.33209	CU M/MI	1406.64	CU M
SP8	Day 2	09.19.2004	19.45	0.33243	CU M/MI	1407.89	CU M
SP8	Day 2	09.19.2004	19.5	0.33071	CU M/MI	1409.15	CU M
SP8	Day 2	09.19.2004	19.55	0.33008	CU M/MI	1410.4	CU M
SP8	Day 2	09.19.2004	20	0.33053	CU M/MI	1411.66	CU M
SP8	Day 2	09.19.2004	20.05	0.00195	CU M/MI	1413.06	CU M
SP8	Day 2	09.19.2004	20.1	0.01361	CU M/MI	1414.88	CU M
SP8	Day 2	09.19.2004	20.15	0.48644	CU M/MI	1415.97	CU M
SP8	Day 2	09.19.2004	20.2	0.44984	CU M/MI	1417.04	CU M
SP8	Day 2	09.19.2004	20.25	0.38146	CU M/MI	1418.43	CU M
SP8	Day 2	09.19.2004	20.3	0.38746	CU M/MI	1419.85	CU M
SP8	Day 2	09.19.2004	20.35	0.39631	CU M/MI	1421.31	CU M
SP8	Day 2	09.19.2004	20.4	0.41276	CU M/MI	1422.78	CU M
SP8	Day 2	09.19.2004	20.45	0.41316	CU M/MI	1424.17	CU M
SP8	Day 2	09.19.2004	20.5	0.48717	CU M/MI	1425.38	CU M
SP8	Day 2	09.19.2004	20.55	0.47954	CU M/MI	1426.45	CU M
SP8	Day 2	09.19.2004	21	0.00153	CU M/MI	1427.96	CU M
SP8	Day 2	09.19.2004	21.05	0.00203	CU M/MI	1429.39	CU M
SP8	Day 2	09.19.2004	21.1	0.00241	CU M/MI	1430.73	CU M
SP8	Day 2	09.19.2004	21.15	0.00203	CU M/MI	1432.08	CU M
SP8	Day 2	09.19.2004	21.2	0.35454	CU M/MI	1433.41	CU M
SP8	Day 2	09.19.2004	21.25	0.40561	CU M/MI	1434.85	CU M
SP8	Day 2	09.19.2004	21.3	0.42221	CU M/MI	1436.3	CU M
SP8	Day 2	09.19.2004	21.35	0.50751	CU M/MI	1437.68	CU M
SP8	Day 2	09.19.2004	21.4	0.50876	CU M/MI	1438.83	CU M
SP8	Day 2	09.19.2004	21.45	0.0025	CU M/MI	1439.87	CU M
SP8	Day 2	09.19.2004	21.5	0.00246	CU M/MI	1441.09	CU M
SP8	Day 2	09.19.2004	21.55	0	CU M/MI	1441.1	CU M
SP8	Day 2	09.19.2004	22	0	CU M/MI	1441.1	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 2	09.19.2004	22.05	0	CU M/MI	1441.1	CU M
SP8	Day 2	09.19.2004	22.1	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.19.2004	22.15	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.19.2004	22.2	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.19.2004	22.25	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.19.2004	22.3	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.19.2004	22.35	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.19.2004	22.4	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.19.2004	22.45	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.19.2004	22.5	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.19.2004	22.55	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.19.2004	23	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.19.2004	23.05	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.19.2004	23.1	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.19.2004	23.15	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.19.2004	23.2	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.19.2004	23.25	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.19.2004	23.3	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.19.2004	23.35	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.19.2004	23.4	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.19.2004	23.45	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.19.2004	23.5	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.19.2004	23.55	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	0	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	0.05	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	0.1	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	0.15	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	0.2	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	0.25	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	0.3	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	0.35	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	0.4	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	0.45	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	0.5	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	0.55	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	1	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	1.05	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	1.1	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	1.15	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	1.2	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	1.25	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	1.3	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	1.35	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	1.4	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	1.45	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	1.5	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	1.55	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	2	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	2.05	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	2.1	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	2.15	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	2.2	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	2.25	0	CU M/MI	1441.12	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 2	09.20.2004	2.3	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	2.35	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	2.4	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	2.45	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	2.5	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	2.55	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	3	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	3.05	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	3.1	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	3.15	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	3.2	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	3.25	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	3.3	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	3.35	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	3.4	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	3.45	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	3.5	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	3.55	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	4	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	4.05	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	4.1	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	4.2	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	4.25	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	4.3	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	4.35	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	4.4	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	4.45	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	4.5	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	4.55	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	5	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	5.05	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	5.1	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	5.15	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	5.2	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	5.25	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	5.3	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	5.35	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	5.4	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	5.45	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	5.5	0	CU M/MI	1441.12	CU M
SP8	Day 2	09.20.2004	5.55	0	CU M/MI	1441.12	CU M
SP8	Day 3	09.20.2004	6	0	CU M/MI	1441.12	CU M
SP8	Day 3	09.20.2004	6.05	0	CU M/MI	1441.12	CU M
SP8	Day 3	09.20.2004	6.1	0	CU M/MI	1441.12	CU M
SP8	Day 3	09.20.2004	6.15	0	CU M/MI	1441.12	CU M
SP8	Day 3	09.20.2004	6.2	0	CU M/MI	1441.12	CU M
SP8	Day 3	09.20.2004	6.25	0	CU M/MI	1441.12	CU M
SP8	Day 3	09.20.2004	6.3	0	CU M/MI	1441.12	CU M
SP8	Day 3	09.20.2004	6.35	0	CU M/MI	1441.12	CU M
SP8	Day 3	09.20.2004	6.4	0	CU M/MI	1441.12	CU M
SP8	Day 3	09.20.2004	6.45	0	CU M/MI	1441.12	CU M
SP8	Day 3	09.20.2004	6.5	0	CU M/MI	1441.12	CU M
SP8	Day 3	09.20.2004	6.55	0	CU M/MI	1441.12	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 3	09.20.2004	7	0	CU M/MI	1441.12	CU M
SP8	Day 3	09.20.2004	7.05	0	CU M/MI	1441.12	CU M
SP8	Day 3	09.20.2004	7.1	0	CU M/MI	1441.12	CU M
SP8	Day 3	09.20.2004	7.15	0	CU M/MI	1441.12	CU M
SP8	Day 3	09.20.2004	7.2	0	CU M/MI	1441.12	CU M
SP8	Day 3	09.20.2004	7.25	0	CU M/MI	1441.12	CU M
SP8	Day 3	09.20.2004	7.3	0	CU M/MI	1441.12	CU M
SP8	Day 3	09.20.2004	7.35	0.00393	CU M/MI	1441.27	CU M
SP8	Day 3	09.20.2004	7.4	0.03615	CU M/MI	1441.95	CU M
SP8	Day 3	09.20.2004	7.45	0.34172	CU M/MI	1442.52	CU M
SP8	Day 3	09.20.2004	7.5	0.34819	CU M/MI	1443.03	CU M
SP8	Day 3	09.20.2004	7.55	0.34059	CU M/MI	1443.55	CU M
SP8	Day 3	09.20.2004	8	0.28313	CU M/MI	1444.03	CU M
SP8	Day 3	09.20.2004	8.05	0.00298	CU M/MI	1444.73	CU M
SP8	Day 3	09.20.2004	8.1	0.00289	CU M/MI	1445.4	CU M
SP8	Day 3	09.20.2004	8.15	0.00277	CU M/MI	1446.09	CU M
SP8	Day 3	09.20.2004	8.2	0.00279	CU M/MI	1446.76	CU M
SP8	Day 3	09.20.2004	8.25	0.00329	CU M/MI	1447.44	CU M
SP8	Day 3	09.20.2004	8.3	0.0121	CU M/MI	1448.12	CU M
SP8	Day 3	09.20.2004	8.35	0.22903	CU M/MI	1448.79	CU M
SP8	Day 3	09.20.2004	8.4	0.34864	CU M/MI	1449.33	CU M
SP8	Day 3	09.20.2004	8.45	0.33975	CU M/MI	1449.82	CU M
SP8	Day 3	09.20.2004	8.5	0.33629	CU M/MI	1450.32	CU M
SP8	Day 3	09.20.2004	8.55	0.32409	CU M/MI	1450.95	CU M
SP8	Day 3	09.20.2004	9	0.00266	CU M/MI	1452.71	CU M
SP8	Day 3	09.20.2004	9.05	0.45142	CU M/MI	1454	CU M
SP8	Day 3	09.20.2004	9.1	0.0032	CU M/MI	1455.46	CU M
SP8	Day 3	09.20.2004	9.15	0.31935	CU M/MI	1456.25	CU M
SP8	Day 3	09.20.2004	9.2	0.00286	CU M/MI	1457.07	CU M
SP8	Day 3	09.20.2004	9.25	0.0027	CU M/MI	1457.09	CU M
SP8	Day 3	09.20.2004	9.3	0.0029	CU M/MI	1457.1	CU M
SP8	Day 3	09.20.2004	9.35	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	9.4	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	9.45	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	9.5	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	9.55	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	10	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	10.05	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	10.1	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	10.15	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	10.2	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	10.25	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	10.3	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	10.35	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	10.4	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	10.45	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	10.5	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	10.55	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	11	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	11.05	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	11.1	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	11.15	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	11.2	0	CU M/MI	1457.49	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 3	09.20.2004	11.25	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	11.3	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	11.35	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	11.4	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	11.45	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	11.5	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	11.55	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	12	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	12.1	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	12.15	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	12.2	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	12.25	0	CU M/MI	1457.49	CU M
SP8	Day 3	09.20.2004	12.3	0.00344	CU M/MI	1457.91	CU M
SP8	Day 3	09.20.2004	12.35	0.04221	CU M/MI	1458.75	CU M
SP8	Day 3	09.20.2004	12.4	0.34349	CU M/MI	1459.42	CU M
SP8	Day 3	09.20.2004	12.45	0.34438	CU M/MI	1460.1	CU M
SP8	Day 3	09.20.2004	12.5	0.33548	CU M/MI	1460.73	CU M
SP8	Day 3	09.20.2004	12.55	0.33096	CU M/MI	1461.41	CU M
SP8	Day 3	09.20.2004	13	0.00246	CU M/MI	1462.1	CU M
SP8	Day 3	09.20.2004	13.05	0.00228	CU M/MI	1462.94	CU M
SP8	Day 3	09.20.2004	13.1	0.00267	CU M/MI	1463.76	CU M
SP8	Day 3	09.20.2004	13.15	0.00264	CU M/MI	1464.31	CU M
SP8	Day 3	09.20.2004	13.2	0.00233	CU M/MI	1464.32	CU M
SP8	Day 3	09.20.2004	13.25	0.32784	CU M/MI	1464.6	CU M
SP8	Day 3	09.20.2004	13.3	0.00233	CU M/MI	1465.3	CU M
SP8	Day 3	09.20.2004	13.35	0.00219	CU M/MI	1466.1	CU M
SP8	Day 3	09.20.2004	13.4	0.00251	CU M/MI	1466.95	CU M
SP8	Day 3	09.20.2004	13.45	0.00286	CU M/MI	1467.79	CU M
SP8	Day 3	09.20.2004	13.5	0.00631	CU M/MI	1468.62	CU M
SP8	Day 3	09.20.2004	13.55	0.02443	CU M/MI	1469.43	CU M
SP8	Day 3	09.20.2004	14	0.34	CU M/MI	1470.15	CU M
SP8	Day 3	09.20.2004	14.05	0.3412	CU M/MI	1470.81	CU M
SP8	Day 3	09.20.2004	14.1	0.33986	CU M/MI	1471.44	CU M
SP8	Day 3	09.20.2004	14.15	0.33173	CU M/MI	1472.08	CU M
SP8	Day 3	09.20.2004	14.2	0.00261	CU M/MI	1472.85	CU M
SP8	Day 3	09.20.2004	14.25	0	CU M/MI	1472.87	CU M
SP8	Day 3	09.20.2004	14.3	0.00315	CU M/MI	1471.29	CU M
SP8	Day 3	09.20.2004	14.35	0.00404	CU M/MI	1472.16	CU M
SP8	Day 3	09.20.2004	14.4	0.0573	CU M/MI	1473.02	CU M
SP8	Day 3	09.20.2004	14.45	0.34102	CU M/MI	1473.73	CU M
SP8	Day 3	09.20.2004	14.5	0.35037	CU M/MI	1474.39	CU M
SP8	Day 3	09.20.2004	14.55	0.34071	CU M/MI	1475.06	CU M
SP8	Day 3	09.20.2004	15	0.3487	CU M/MI	1475.7	CU M
SP8	Day 3	09.20.2004	15.05	0.00274	CU M/MI	1476.4	CU M
SP8	Day 3	09.20.2004	15.1	0.00303	CU M/MI	1477.13	CU M
SP8	Day 3	09.20.2004	15.15	0.00288	CU M/MI	1477.96	CU M
SP8	Day 3	09.20.2004	15.2	0.00315	CU M/MI	1478.59	CU M
SP8	Day 3	09.20.2004	15.25	0.00887	CU M/MI	1479.44	CU M
SP8	Day 3	09.20.2004	15.3	0.34114	CU M/MI	1480.2	CU M
SP8	Day 3	09.20.2004	15.35	0.34819	CU M/MI	1480.85	CU M
SP8	Day 3	09.20.2004	15.4	0.34843	CU M/MI	1481.47	CU M
SP8	Day 3	09.20.2004	15.45	0.35046	CU M/MI	1482.1	CU M
SP8	Day 3	09.20.2004	15.5	0.00279	CU M/MI	1482.8	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 3	09.20.2004	15.55	0.00303	CU M/MI	1483.61	CU M
SP8	Day 3	09.20.2004	16	0.00278	CU M/MI	1484.4	CU M
SP8	Day 3	09.20.2004	16.05	0.00733	CU M/MI	1484.81	CU M
SP8	Day 3	09.20.2004	16.1	0.02472	CU M/MI	1485.62	CU M
SP8	Day 3	09.20.2004	16.15	0.34135	CU M/MI	1486.39	CU M
SP8	Day 3	09.20.2004	16.2	0.3484	CU M/MI	1487.02	CU M
SP8	Day 3	09.20.2004	16.25	0.33891	CU M/MI	1487.66	CU M
SP8	Day 3	09.20.2004	16.3	0.33781	CU M/MI	1488.34	CU M
SP8	Day 3	09.20.2004	16.35	0.00344	CU M/MI	1490.03	CU M
SP8	Day 3	09.20.2004	16.4	0.46683	CU M/MI	1491.73	CU M
SP8	Day 3	09.20.2004	16.45	0.45728	CU M/MI	1492.63	CU M
SP8	Day 3	09.20.2004	16.5	0.00273	CU M/MI	1494.02	CU M
SP8	Day 3	09.20.2004	16.55	0.35446	CU M/MI	1495.87	CU M
SP8	Day 3	09.20.2004	17	0.45203	CU M/MI	1496.74	CU M
SP8	Day 3	09.20.2004	17.05	0.33438	CU M/MI	1498.09	CU M
SP8	Day 3	09.20.2004	17.1	0.3288	CU M/MI	1499.62	CU M
SP8	Day 3	09.20.2004	17.15	0.33483	CU M/MI	1501.14	CU M
SP8	Day 3	09.20.2004	17.2	0.3508	CU M/MI	1502.61	CU M
SP8	Day 3	09.20.2004	17.25	0.32953	CU M/MI	1503.34	CU M
SP8	Day 3	09.20.2004	17.3	0.32524	CU M/MI	1504.05	CU M
SP8	Day 3	09.20.2004	17.35	0.01668	CU M/MI	1505.38	CU M
SP8	Day 3	09.20.2004	17.4	0.32786	CU M/MI	1506.1	CU M
SP8	Day 3	09.20.2004	17.45	0.46336	CU M/MI	1506.9	CU M
SP8	Day 3	09.20.2004	17.5	0.00223	CU M/MI	1508.25	CU M
SP8	Day 3	09.20.2004	17.55	0.39641	CU M/MI	1510.17	CU M
SP8	Day 3	09.20.2004	18	0.45664	CU M/MI	1511.17	CU M
SP8	Day 3	09.20.2004	18.05	0.00218	CU M/MI	1512.43	CU M
SP8	Day 3	09.20.2004	18.1	0.06657	CU M/MI	1514.4	CU M
SP8	Day 3	09.20.2004	18.15	0.45337	CU M/MI	1515.67	CU M
SP8	Day 3	09.20.2004	18.2	0.33667	CU M/MI	1516.87	CU M
SP8	Day 3	09.20.2004	18.25	0.33031	CU M/MI	1518.37	CU M
SP8	Day 3	09.20.2004	18.3	0.33246	CU M/MI	1519.85	CU M
SP8	Day 3	09.20.2004	18.35	0.32453	CU M/MI	1521.32	CU M
SP8	Day 3	09.20.2004	18.4	0.32496	CU M/MI	1522.79	CU M
SP8	Day 3	09.20.2004	18.45	0.43639	CU M/MI	1523.75	CU M
SP8	Day 3	09.20.2004	18.5	0	CU M/MI	1524.77	CU M
SP8	Day 3	09.20.2004	18.55	0.00252	CU M/MI	1526.3	CU M
SP8	Day 3	09.20.2004	19	0.45331	CU M/MI	1527.87	CU M
SP8	Day 3	09.20.2004	19.05	0.45267	CU M/MI	1528.84	CU M
SP8	Day 3	09.20.2004	19.1	0.00313	CU M/MI	1530.64	CU M
SP8	Day 3	09.20.2004	19.15	0.33032	CU M/MI	1532.17	CU M
SP8	Day 3	09.20.2004	19.2	0.37014	CU M/MI	1533.45	CU M
SP8	Day 3	09.20.2004	19.25	0.05789	CU M/MI	1534.87	CU M
SP8	Day 3	09.20.2004	19.3	0.32676	CU M/MI	1536.37	CU M
SP8	Day 3	09.20.2004	19.35	0.32715	CU M/MI	1537.85	CU M
SP8	Day 3	09.20.2004	19.4	0.37907	CU M/MI	1539.3	CU M
SP8	Day 3	09.20.2004	19.45	0.4498	CU M/MI	1540.48	CU M
SP8	Day 3	09.20.2004	19.5	0.00216	CU M/MI	1541.76	CU M
SP8	Day 3	09.20.2004	19.55	0.44899	CU M/MI	1543.76	CU M
SP8	Day 3	09.20.2004	20	0.45124	CU M/MI	1544.69	CU M
SP8	Day 3	09.20.2004	20.05	0.00247	CU M/MI	1546.08	CU M
SP8	Day 3	09.20.2004	20.1	0.32288	CU M/MI	1547.95	CU M
SP8	Day 3	09.20.2004	20.15	0.45881	CU M/MI	1549.21	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 3	09.20.2004	20.2	0.43123	CU M/MI	1550.45	CU M
SP8	Day 3	09.20.2004	20.25	0.3343	CU M/MI	1551.88	CU M
SP8	Day 3	09.20.2004	20.3	0.32758	CU M/MI	1553.36	CU M
SP8	Day 3	09.20.2004	20.35	0.32902	CU M/MI	1554.82	CU M
SP8	Day 3	09.20.2004	20.4	0.44712	CU M/MI	1556.28	CU M
SP8	Day 3	09.20.2004	20.45	0.43046	CU M/MI	1557.55	CU M
SP8	Day 3	09.20.2004	20.5	0.31044	CU M/MI	1558.83	CU M
SP8	Day 3	09.20.2004	20.55	0.00552	CU M/MI	1560.64	CU M
SP8	Day 3	09.20.2004	21	0.45967	CU M/MI	1562.15	CU M
SP8	Day 3	09.20.2004	21.05	0.45223	CU M/MI	1563.17	CU M
SP8	Day 3	09.20.2004	21.1	0.00242	CU M/MI	1564.79	CU M
SP8	Day 3	09.20.2004	21.15	0.45281	CU M/MI	1566.42	CU M
SP8	Day 3	09.20.2004	21.2	0.44634	CU M/MI	1567.48	CU M
SP8	Day 3	09.20.2004	21.25	0.33281	CU M/MI	1568.94	CU M
SP8	Day 3	09.20.2004	21.3	0.31497	CU M/MI	1570.26	CU M
SP8	Day 3	09.20.2004	21.35	0.28396	CU M/MI	1570.95	CU M
SP8	Day 3	09.20.2004	21.4	0.00249	CU M/MI	1571.79	CU M
SP8	Day 3	09.20.2004	21.45	0.00221	CU M/MI	1572.56	CU M
SP8	Day 3	09.20.2004	21.5	0.32719	CU M/MI	1573.3	CU M
SP8	Day 3	09.20.2004	21.55	0	CU M/MI	1574.34	CU M
SP8	Day 3	09.20.2004	22	0	CU M/MI	1574.34	CU M
SP8	Day 3	09.20.2004	22.05	0.451	CU M/MI	1575.23	CU M
SP8	Day 3	09.20.2004	22.1	0.32405	CU M/MI	1576.49	CU M
SP8	Day 3	09.20.2004	22.15	0.23772	CU M/MI	1577.8	CU M
SP8	Day 3	09.20.2004	22.2	0.03115	CU M/MI	1579.77	CU M
SP8	Day 3	09.20.2004	22.25	0.45543	CU M/MI	1581.01	CU M
SP8	Day 3	09.20.2004	22.3	0.42112	CU M/MI	1581.96	CU M
SP8	Day 3	09.20.2004	22.35	0.03938	CU M/MI	1584.14	CU M
SP8	Day 3	09.20.2004	22.4	0.45494	CU M/MI	1585.25	CU M
SP8	Day 3	09.20.2004	22.45	0.32751	CU M/MI	1586.43	CU M
SP8	Day 3	09.20.2004	22.5	0.00332	CU M/MI	1588.14	CU M
SP8	Day 3	09.20.2004	22.55	0.32543	CU M/MI	1589.67	CU M
SP8	Day 3	09.20.2004	23	0.32581	CU M/MI	1591.06	CU M
SP8	Day 3	09.20.2004	23.05	0.32656	CU M/MI	1592.34	CU M
SP8	Day 3	09.20.2004	23.1	0.3164	CU M/MI	1593.61	CU M
SP8	Day 3	09.20.2004	23.15	0.00532	CU M/MI	1595.08	CU M
SP8	Day 3	09.20.2004	23.2	0.14081	CU M/MI	1596.77	CU M
SP8	Day 3	09.20.2004	23.25	0.45669	CU M/MI	1598.12	CU M
SP8	Day 3	09.20.2004	23.3	0.44827	CU M/MI	1599.25	CU M
SP8	Day 3	09.20.2004	23.35	0.00259	CU M/MI	1600.91	CU M
SP8	Day 3	09.20.2004	23.4	0.45442	CU M/MI	1602.55	CU M
SP8	Day 3	09.20.2004	23.45	0.4555	CU M/MI	1603.54	CU M
SP8	Day 3	09.20.2004	23.5	0.00262	CU M/MI	1605.25	CU M
SP8	Day 3	09.20.2004	23.55	0.45483	CU M/MI	1606.87	CU M
SP8	Day 3	09.21.2004	0	0.46396	CU M/MI	1608	CU M
SP8	Day 3	09.21.2004	0.05	0.3271	CU M/MI	1609.31	CU M
SP8	Day 3	09.21.2004	0.1	0.00343	CU M/MI	1610.96	CU M
SP8	Day 3	09.21.2004	0.15	0.36592	CU M/MI	1612.57	CU M
SP8	Day 3	09.21.2004	0.2	0.38756	CU M/MI	1613.91	CU M
SP8	Day 3	09.21.2004	0.25	0.0487	CU M/MI	1615.31	CU M
SP8	Day 3	09.21.2004	0.3	0.33591	CU M/MI	1616.65	CU M
SP8	Day 3	09.21.2004	0.35	0.38666	CU M/MI	1618.17	CU M
SP8	Day 3	09.21.2004	0.4	0.40116	CU M/MI	1619.68	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 3	09.21.2004	0.45	0.59344	CU M/MI	1621.1	CU M
SP8	Day 3	09.21.2004	0.5	0.59091	CU M/MI	1622.46	CU M
SP8	Day 3	09.21.2004	0.55	0.59282	CU M/MI	1623.77	CU M
SP8	Day 3	09.21.2004	1	0.58825	CU M/MI	1624.99	CU M
SP8	Day 3	09.21.2004	1.05	0.3795	CU M/MI	1626.39	CU M
SP8	Day 3	09.21.2004	1.1	0.37662	CU M/MI	1627.85	CU M
SP8	Day 3	09.21.2004	1.15	0.38498	CU M/MI	1629.38	CU M
SP8	Day 3	09.21.2004	1.2	0.38916	CU M/MI	1630.9	CU M
SP8	Day 3	09.21.2004	1.25	0.39036	CU M/MI	1632.41	CU M
SP8	Day 3	09.21.2004	1.3	0.02768	CU M/MI	1633.77	CU M
SP8	Day 3	09.21.2004	1.35	0	CU M/MI	1635.12	CU M
SP8	Day 3	09.21.2004	1.4	0	CU M/MI	1635.12	CU M
SP8	Day 3	09.21.2004	1.45	0	CU M/MI	1635.12	CU M
SP8	Day 3	09.21.2004	1.5	0	CU M/MI	1635.12	CU M
SP8	Day 3	09.21.2004	1.55	0	CU M/MI	1635.12	CU M
SP8	Day 3	09.21.2004	2	0	CU M/MI	1635.12	CU M
SP8	Day 3	09.21.2004	2.05	0	CU M/MI	1635.12	CU M
SP8	Day 3	09.21.2004	2.1	0	CU M/MI	1635.12	CU M
SP8	Day 3	09.21.2004	2.15	0	CU M/MI	1635.12	CU M
SP8	Day 3	09.21.2004	2.2	0	CU M/MI	1635.12	CU M
SP8	Day 3	09.21.2004	2.25	0	CU M/MI	1635.12	CU M
SP8	Day 3	09.21.2004	2.3	0	CU M/MI	1635.12	CU M
SP8	Day 3	09.21.2004	2.35	0	CU M/MI	1635.3	CU M
SP8	Day 3	09.21.2004	2.4	0	CU M/MI	1635.3	CU M
SP8	Day 3	09.21.2004	2.45	0.37695	CU M/MI	1635.84	CU M
SP8	Day 3	09.21.2004	2.5	0.36858	CU M/MI	1637.44	CU M
SP8	Day 3	09.21.2004	2.55	0.33935	CU M/MI	1638.93	CU M
SP8	Day 3	09.21.2004	3	0.34104	CU M/MI	1640.47	CU M
SP8	Day 3	09.21.2004	3.05	0.3454	CU M/MI	1642.03	CU M
SP8	Day 3	09.21.2004	3.1	0.47727	CU M/MI	1643.48	CU M
SP8	Day 3	09.21.2004	3.15	0.44552	CU M/MI	1644.71	CU M
SP8	Day 3	09.21.2004	3.2	0.00238	CU M/MI	1646.26	CU M
SP8	Day 3	09.21.2004	3.25	0.46806	CU M/MI	1648.22	CU M
SP8	Day 3	09.21.2004	3.3	0.46946	CU M/MI	1649.23	CU M
SP8	Day 3	09.21.2004	3.35	0.00264	CU M/MI	1650.66	CU M
SP8	Day 3	09.21.2004	3.4	0.02194	CU M/MI	1652.51	CU M
SP8	Day 3	09.21.2004	3.45	0.00279	CU M/MI	1653.42	CU M
SP8	Day 4	09.21.2004	18	0	CU M/MI	-223.26	CU M
SP8	Day 4	09.21.2004	18.05	0	CU M/MI	-236.42	CU M
SP8	Day 4	09.21.2004	18.1	0	CU M/MI	-251.91	CU M
SP8	Day 4	09.21.2004	18.15	0	CU M/MI	-266.78	CU M
SP8	Day 4	09.21.2004	18.2	0	CU M/MI	-281.38	CU M
SP8	Day 4	09.21.2004	18.25	0	CU M/MI	-296.6	CU M
SP8	Day 4	09.21.2004	18.3	0	CU M/MI	-311.84	CU M
SP8	Day 4	09.21.2004	18.35	0	CU M/MI	-326.67	CU M
SP8	Day 4	09.21.2004	18.4	0	CU M/MI	-341.6	CU M
SP8	Day 4	09.21.2004	18.45	0	CU M/MI	-356.48	CU M
SP8	Day 4	09.21.2004	18.5	0	CU M/MI	-371.52	CU M
SP8	Day 4	09.21.2004	18.55	0	CU M/MI	-386.75	CU M
SP8	Day 4	09.21.2004	19	0	CU M/MI	-401.67	CU M
SP8	Day 4	09.21.2004	19.05	0	CU M/MI	-416.36	CU M
SP8	Day 4	09.21.2004	19.1	0	CU M/MI	-431.17	CU M
SP8	Day 4	09.21.2004	19.15	0	CU M/MI	-446.83	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 4	09.21.2004	19.2	0	CU M/MI	-461.41	CU M
SP8	Day 4	09.21.2004	19.25	0	CU M/MI	-476.12	CU M
SP8	Day 4	09.21.2004	19.3	0	CU M/MI	-491.35	CU M
SP8	Day 4	09.21.2004	19.35	0	CU M/MI	-506.58	CU M
SP8	Day 4	09.21.2004	19.4	0	CU M/MI	-521.48	CU M
SP8	Day 4	09.21.2004	19.45	0	CU M/MI	-535.85	CU M
SP8	Day 4	09.21.2004	19.5	0	CU M/MI	-549.96	CU M
SP8	Day 4	09.21.2004	19.55	0	CU M/MI	-564.45	CU M
SP8	Day 4	09.21.2004	20	0	CU M/MI	-580.09	CU M
SP8	Day 4	09.21.2004	20.05	0	CU M/MI	-594.7	CU M
SP8	Day 4	09.21.2004	20.1	0	CU M/MI	-609.43	CU M
SP8	Day 4	09.21.2004	20.15	0	CU M/MI	-624.39	CU M
SP8	Day 4	09.21.2004	20.2	0	CU M/MI	-638.55	CU M
SP8	Day 4	09.21.2004	20.25	0	CU M/MI	-652.05	CU M
SP8	Day 4	09.21.2004	20.3	0	CU M/MI	-666.02	CU M
SP8	Day 4	09.21.2004	20.35	0	CU M/MI	-680.87	CU M
SP8	Day 4	09.21.2004	20.4	0	CU M/MI	-695.6	CU M
SP8	Day 4	09.21.2004	20.45	0	CU M/MI	-710.44	CU M
SP8	Day 4	09.21.2004	20.5	0	CU M/MI	-725.4	CU M
SP8	Day 4	09.21.2004	20.55	0	CU M/MI	-740.42	CU M
SP8	Day 4	09.21.2004	21	0	CU M/MI	-755.44	CU M
SP8	Day 4	09.21.2004	21.05	0	CU M/MI	-770.4	CU M
SP8	Day 4	09.21.2004	21.1	0	CU M/MI	-785.41	CU M
SP8	Day 4	09.21.2004	21.15	0	CU M/MI	-800.34	CU M
SP8	Day 4	09.21.2004	21.2	0	CU M/MI	-814.93	CU M
SP8	Day 4	09.21.2004	21.25	0	CU M/MI	-830.02	CU M
SP8	Day 4	09.21.2004	21.3	0	CU M/MI	-845.39	CU M
SP8	Day 4	09.21.2004	21.35	0	CU M/MI	-860.04	CU M
SP8	Day 4	09.21.2004	21.4	0	CU M/MI	-874.45	CU M
SP8	Day 4	09.21.2004	21.45	0	CU M/MI	-888.72	CU M
SP8	Day 4	09.21.2004	21.5	0	CU M/MI	-902.79	CU M
SP8	Day 4	09.21.2004	21.55	0	CU M/MI	-917.87	CU M
SP8	Day 4	09.21.2004	22	0	CU M/MI	-933.25	CU M
SP8	Day 4	09.21.2004	22.05	0	CU M/MI	-947.83	CU M
SP8	Day 4	09.21.2004	22.1	0	CU M/MI	-962.35	CU M
SP8	Day 4	09.21.2004	22.15	0	CU M/MI	-977.94	CU M
SP8	Day 4	09.21.2004	22.2	0	CU M/MI	-992.81	CU M
SP8	Day 4	09.21.2004	22.25	0	CU M/MI	-1007.61	CU M
SP8	Day 4	09.21.2004	22.3	0	CU M/MI	-1022.48	CU M
SP8	Day 4	09.21.2004	22.35	0	CU M/MI	-1037.47	CU M
SP8	Day 4	09.21.2004	22.4	0	CU M/MI	-1052.44	CU M
SP8	Day 4	09.21.2004	22.45	0	CU M/MI	-1067.45	CU M
SP8	Day 4	09.21.2004	22.5	0	CU M/MI	-1082.48	CU M
SP8	Day 4	09.21.2004	22.55	0	CU M/MI	-1097.53	CU M
SP8	Day 4	09.21.2004	23	0	CU M/MI	-1112.17	CU M
SP8	Day 4	09.21.2004	23.05	0	CU M/MI	-1126.42	CU M
SP8	Day 4	09.21.2004	23.1	0	CU M/MI	-1140.64	CU M
SP8	Day 4	09.21.2004	23.15	0	CU M/MI	-1154.85	CU M
SP8	Day 4	09.21.2004	23.2	0	CU M/MI	-1169.06	CU M
SP8	Day 4	09.21.2004	23.25	0	CU M/MI	-1183.25	CU M
SP8	Day 4	09.21.2004	23.3	0	CU M/MI	-1197.43	CU M
SP8	Day 4	09.21.2004	23.35	0	CU M/MI	-1211.62	CU M
SP8	Day 4	09.21.2004	23.4	0	CU M/MI	-1225.81	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 4	09.21.2004	23.45	0	CU M/MI	-1240.01	CU M
SP8	Day 4	09.21.2004	23.5	0	CU M/MI	-1254.15	CU M
SP8	Day 4	09.21.2004	23.55	0	CU M/MI	-1268.35	CU M
SP8	Day 4	09.22.2004	0	0	CU M/MI	-1282.54	CU M
SP8	Day 4	09.22.2004	0.05	0	CU M/MI	-1296.44	CU M
SP8	Day 4	09.22.2004	0.1	0	CU M/MI	-1309.93	CU M
SP8	Day 4	09.22.2004	0.15	0	CU M/MI	-1323.73	CU M
SP8	Day 4	09.22.2004	0.2	0	CU M/MI	-1337.95	CU M
SP8	Day 4	09.22.2004	0.25	0	CU M/MI	-1352.17	CU M
SP8	Day 4	09.22.2004	0.3	0	CU M/MI	-1366.39	CU M
SP8	Day 4	09.22.2004	0.35	0	CU M/MI	-1380.57	CU M
SP8	Day 4	09.22.2004	0.4	0	CU M/MI	-1394.77	CU M
SP8	Day 4	09.22.2004	0.45	0	CU M/MI	-1409	CU M
SP8	Day 4	09.22.2004	0.5	0	CU M/MI	-1423.3	CU M
SP8	Day 4	09.22.2004	0.55	0	CU M/MI	-1437.6	CU M
SP8	Day 4	09.22.2004	1	0	CU M/MI	-1451.87	CU M
SP8	Day 4	09.22.2004	1.05	0	CU M/MI	-1466.1	CU M
SP8	Day 4	09.22.2004	1.1	0	CU M/MI	-1480.33	CU M
SP8	Day 4	09.22.2004	1.15	0	CU M/MI	-1494.56	CU M
SP8	Day 4	09.22.2004	1.2	0	CU M/MI	-1508.75	CU M
SP8	Day 4	09.22.2004	1.25	0	CU M/MI	-1522.94	CU M
SP8	Day 4	09.22.2004	1.3	0	CU M/MI	-1537.67	CU M
SP8	Day 4	09.22.2004	1.35	0	CU M/MI	-1552.59	CU M
SP8	Day 4	09.22.2004	1.4	0	CU M/MI	-1567.25	CU M
SP8	Day 4	09.22.2004	1.45	0	CU M/MI	-1583.09	CU M
SP8	Day 4	09.22.2004	1.5	0	CU M/MI	-1597.74	CU M
SP8	Day 4	09.22.2004	1.55	0	CU M/MI	-1612.57	CU M
SP8	Day 4	09.22.2004	2	0	CU M/MI	-1627.65	CU M
SP8	Day 4	09.22.2004	2.05	0	CU M/MI	-1642.8	CU M
SP8	Day 4	09.22.2004	2.1	0	CU M/MI	-1657.88	CU M
SP8	Day 4	09.22.2004	2.15	0	CU M/MI	-1672.31	CU M
SP8	Day 4	09.22.2004	2.2	0	CU M/MI	-1686.44	CU M
SP8	Day 4	09.22.2004	2.25	0	CU M/MI	-1700.93	CU M
SP8	Day 4	09.22.2004	2.3	0	CU M/MI	-1715.9	CU M
SP8	Day 4	09.22.2004	2.35	0	CU M/MI	-1731.35	CU M
SP8	Day 4	09.22.2004	2.4	0	CU M/MI	-1745.99	CU M
SP8	Day 4	09.22.2004	2.45	0	CU M/MI	-1760.45	CU M
SP8	Day 4	09.22.2004	2.5	0	CU M/MI	-1775.76	CU M
SP8	Day 4	09.22.2004	2.55	0	CU M/MI	-1790.81	CU M
SP8	Day 4	09.22.2004	3	0	CU M/MI	-1805.33	CU M
SP8	Day 4	09.22.2004	3.05	0	CU M/MI	-1820.57	CU M
SP8	Day 4	09.22.2004	3.1	0	CU M/MI	-1835.67	CU M
SP8	Day 4	09.22.2004	3.15	0	CU M/MI	-1850.13	CU M
SP8	Day 4	09.22.2004	3.3	0	CU M/MI	-1893.8	CU M
SP8	Day 4	09.22.2004	3.35	0	CU M/MI	-1908.89	CU M
SP8	Day 4	09.22.2004	3.4	0	CU M/MI	-1923.79	CU M
SP8	Day 4	09.22.2004	3.45	0	CU M/MI	-1938.71	CU M
SP8	Day 4	09.22.2004	3.5	0	CU M/MI	-1953.33	CU M
SP8	Day 4	09.22.2004	3.55	0	CU M/MI	-1968.09	CU M
SP8	Day 4	09.22.2004	4	0	CU M/MI	-1982.99	CU M
SP8	Day 4	09.22.2004	4.05	0	CU M/MI	-1997.15	CU M
SP8	Day 4	09.22.2004	4.1	0	CU M/MI	-2010.65	CU M
SP8	Day 4	09.22.2004	4.15	0	CU M/MI	-2024.79	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 4	09.22.2004	4.2	0	CU M/MI	-2038.37	CU M
SP8	Day 4	09.22.2004	4.25	0	CU M/MI	-2051.85	CU M
SP8	Day 4	09.22.2004	4.3	0	CU M/MI	-2066.42	CU M
SP8	Day 4	09.22.2004	4.35	0	CU M/MI	-2080.4	CU M
SP8	Day 4	09.22.2004	4.4	0	CU M/MI	-2094.55	CU M
SP8	Day 4	09.22.2004	4.45	0	CU M/MI	-2109.98	CU M
SP8	Day 4	09.22.2004	4.5	0	CU M/MI	-2123.62	CU M
SP8	Day 4	09.22.2004	4.55	0	CU M/MI	-2136.34	CU M
SP8	Day 4	09.22.2004	5	0	CU M/MI	-2150.74	CU M
SP8	Day 4	09.22.2004	5.05	0	CU M/MI	-2165.29	CU M
SP8	Day 4	09.22.2004	5.1	0	CU M/MI	-2179.03	CU M
SP8	Day 4	09.22.2004	5.15	0	CU M/MI	-2192.4	CU M
SP8	Day 4	09.22.2004	5.2	0	CU M/MI	-2206.62	CU M
SP8	Day 4	09.22.2004	5.25	0	CU M/MI	-2220.98	CU M
SP8	Day 4	09.22.2004	5.3	0	CU M/MI	-2233.85	CU M
SP8	Day 4	09.22.2004	5.35	0	CU M/MI	-2246.4	CU M
SP8	Day 4	09.22.2004	5.4	0	CU M/MI	-2258.58	CU M
SP8	Day 4	09.22.2004	5.45	0	CU M/MI	-2271.72	CU M
SP8	Day 4	09.22.2004	5.5	0	CU M/MI	-2285.19	CU M
SP8	Day 4	09.22.2004	5.55	0	CU M/MI	-2298.61	CU M
SP8	Day 5	09.22.2004	6	0	CU M/MI	-2312.09	CU M
SP8	Day 5	09.22.2004	6.05	0	CU M/MI	-2325.77	CU M
SP8	Day 5	09.22.2004	6.1	0	CU M/MI	-2338.83	CU M
SP8	Day 5	09.22.2004	6.15	0	CU M/MI	-2352.71	CU M
SP8	Day 5	09.22.2004	6.2	0	CU M/MI	-2367.22	CU M
SP8	Day 5	09.22.2004	6.25	0	CU M/MI	-2382.21	CU M
SP8	Day 5	09.22.2004	6.3	0	CU M/MI	-2397.54	CU M
SP8	Day 5	09.22.2004	6.35	0	CU M/MI	-2411.71	CU M
SP8	Day 5	09.22.2004	6.4	0	CU M/MI	-2426.5	CU M
SP8	Day 5	09.22.2004	6.45	0	CU M/MI	-2441.39	CU M
SP8	Day 5	09.22.2004	6.5	0	CU M/MI	-2455.92	CU M
SP8	Day 5	09.22.2004	6.55	0	CU M/MI	-2469.37	CU M
SP8	Day 5	09.22.2004	7	0	CU M/MI	-2482.97	CU M
SP8	Day 5	09.22.2004	7.05	0	CU M/MI	-2498.08	CU M
SP8	Day 5	09.22.2004	7.1	0	CU M/MI	-2512.46	CU M
SP8	Day 5	09.22.2004	7.15	0	CU M/MI	-2527.63	CU M
SP8	Day 5	09.22.2004	7.2	0	CU M/MI	-2542.71	CU M
SP8	Day 5	09.22.2004	7.25	0	CU M/MI	-2557.29	CU M
SP8	Day 5	09.22.2004	7.3	0	CU M/MI	-2572.06	CU M
SP8	Day 5	09.22.2004	7.35	0	CU M/MI	-2586.99	CU M
SP8	Day 5	09.22.2004	7.4	0	CU M/MI	-2601.36	CU M
SP8	Day 5	09.22.2004	7.45	0	CU M/MI	-2615.56	CU M
SP8	Day 5	09.22.2004	7.5	0	CU M/MI	-2629.96	CU M
SP8	Day 5	09.22.2004	7.55	0	CU M/MI	-2645.21	CU M
SP8	Day 5	09.22.2004	8	0	CU M/MI	-2660.18	CU M
SP8	Day 5	09.22.2004	8.05	0	CU M/MI	-2674.79	CU M
SP8	Day 5	09.22.2004	8.1	0	CU M/MI	-2689.49	CU M
SP8	Day 5	09.22.2004	8.15	0	CU M/MI	-2704.77	CU M
SP8	Day 5	09.22.2004	8.2	0	CU M/MI	-2719.69	CU M
SP8	Day 5	09.22.2004	8.25	0	CU M/MI	-2734.39	CU M
SP8	Day 5	09.22.2004	8.3	0	CU M/MI	-2749.25	CU M
SP8	Day 5	09.22.2004	8.35	0	CU M/MI	-2764.21	CU M
SP8	Day 5	09.22.2004	8.4	0	CU M/MI	-2779.18	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 5	09.22.2004	8.45	0	CU M/MI	-2794.13	CU M
SP8	Day 5	09.22.2004	8.5	0	CU M/MI	-2809.1	CU M
SP8	Day 5	09.22.2004	8.55	0	CU M/MI	-2824.03	CU M
SP8	Day 5	09.22.2004	9	0	CU M/MI	-2838.97	CU M
SP8	Day 5	09.22.2004	9.05	0	CU M/MI	-2853.82	CU M
SP8	Day 5	09.22.2004	9.1	0	CU M/MI	-2868.58	CU M
SP8	Day 5	09.22.2004	9.15	0	CU M/MI	-2883.19	CU M
SP8	Day 5	09.22.2004	9.2	0	CU M/MI	-2898.57	CU M
SP8	Day 5	09.22.2004	9.25	0	CU M/MI	-2913.56	CU M
SP8	Day 5	09.22.2004	9.3	0	CU M/MI	-2927.93	CU M
SP8	Day 5	09.22.2004	9.35	0	CU M/MI	-2942.8	CU M
SP8	Day 5	09.22.2004	9.4	0	CU M/MI	-2957.73	CU M
SP8	Day 5	09.22.2004	9.45	0	CU M/MI	-2972.54	CU M
SP8	Day 5	09.22.2004	9.5	0	CU M/MI	-2986.74	CU M
SP8	Day 5	09.22.2004	9.55	0	CU M/MI	-3000.99	CU M
SP8	Day 5	09.22.2004	10	0	CU M/MI	-3016.21	CU M
SP8	Day 5	09.22.2004	10.05	0	CU M/MI	-3030.35	CU M
SP8	Day 5	09.22.2004	10.1	0	CU M/MI	-3043.98	CU M
SP8	Day 5	09.22.2004	10.15	0	CU M/MI	-3059.13	CU M
SP8	Day 5	09.22.2004	10.2	0	CU M/MI	-3073.63	CU M
SP8	Day 5	09.22.2004	10.25	0	CU M/MI	-3088.26	CU M
SP8	Day 5	09.22.2004	10.3	0	CU M/MI	-3103.74	CU M
SP8	Day 5	09.22.2004	10.35	0	CU M/MI	-3118.61	CU M
SP8	Day 5	09.22.2004	10.4	0	CU M/MI	-3133.47	CU M
SP8	Day 5	09.22.2004	10.45	0	CU M/MI	-3148.33	CU M
SP8	Day 5	09.22.2004	10.5	0	CU M/MI	-3163.21	CU M
SP8	Day 5	09.22.2004	10.55	0	CU M/MI	-3178.09	CU M
SP8	Day 5	09.22.2004	11	0	CU M/MI	-3192.95	CU M
SP8	Day 5	09.22.2004	11.05	0	CU M/MI	-3208.3	CU M
SP8	Day 5	09.22.2004	11.1	0	CU M/MI	-3223.28	CU M
SP8	Day 5	09.22.2004	11.15	0	CU M/MI	-3237.98	CU M
SP8	Day 5	09.22.2004	11.2	0	CU M/MI	-3252.94	CU M
SP8	Day 5	09.22.2004	11.25	0	CU M/MI	-3267.98	CU M
SP8	Day 5	09.22.2004	11.3	0	CU M/MI	-3283.02	CU M
SP8	Day 5	09.22.2004	11.35	0	CU M/MI	-3298.06	CU M
SP8	Day 5	09.22.2004	11.4	0	CU M/MI	-3313.09	CU M
SP8	Day 5	09.22.2004	11.45	0	CU M/MI	-3328.11	CU M
SP8	Day 5	09.22.2004	11.5	0	CU M/MI	-3343.11	CU M
SP8	Day 5	09.22.2004	11.55	0	CU M/MI	-3358.11	CU M
SP8	Day 5	09.22.2004	12	0	CU M/MI	-3372.88	CU M
SP8	Day 5	09.22.2004	12.05	0	CU M/MI	-3387.57	CU M
SP8	Day 5	09.22.2004	12.1	0	CU M/MI	-3403.08	CU M
SP8	Day 5	09.22.2004	12.15	0	CU M/MI	-3418.1	CU M
SP8	Day 5	09.22.2004	12.2	0	CU M/MI	-3432.98	CU M
SP8	Day 5	09.22.2004	12.25	0	CU M/MI	-3447.95	CU M
SP8	Day 5	09.22.2004	12.3	0	CU M/MI	-3462.91	CU M
SP8	Day 5	09.22.2004	12.35	0	CU M/MI	-3477.9	CU M
SP8	Day 5	09.22.2004	12.4	0	CU M/MI	-3492.88	CU M
SP8	Day 5	09.22.2004	12.45	0	CU M/MI	-3507.86	CU M
SP8	Day 5	09.22.2004	12.5	0	CU M/MI	-3522.86	CU M
SP8	Day 5	09.22.2004	12.55	0	CU M/MI	-3538.11	CU M
SP8	Day 5	09.22.2004	13	0	CU M/MI	-3553.14	CU M
SP8	Day 5	09.22.2004	13.05	0	CU M/MI	-3566.78	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 5	09.22.2004	13.1	0	CU M/MI	-3580.29	CU M
SP8	Day 5	09.22.2004	13.15	0	CU M/MI	-3593.8	CU M
SP8	Day 5	09.22.2004	13.2	0	CU M/MI	-3607.3	CU M
SP8	Day 5	09.22.2004	13.25	0	CU M/MI	-3620.8	CU M
SP8	Day 5	09.22.2004	13.3	0	CU M/MI	-3634.29	CU M
SP8	Day 5	09.22.2004	13.35	0	CU M/MI	-3647.79	CU M
SP8	Day 5	09.22.2004	13.4	0	CU M/MI	-3661.28	CU M
SP8	Day 5	09.22.2004	13.45	0	CU M/MI	-3675.18	CU M
SP8	Day 5	09.22.2004	13.5	0	CU M/MI	-3689.46	CU M
SP8	Day 5	09.22.2004	13.55	0	CU M/MI	-3704.48	CU M
SP8	Day 5	09.22.2004	14	0	CU M/MI	-3719.51	CU M
SP8	Day 5	09.22.2004	14.05	0	CU M/MI	-3734.56	CU M
SP8	Day 5	09.22.2004	14.05	0	CU M/MI	-3734.56	CU M
SP8	Day 5	09.22.2004	14.15	0	CU M/MI	-3764.67	CU M
SP8	Day 5	09.22.2004	14.2	0	CU M/MI	-3779.73	CU M
SP8	Day 5	09.22.2004	14.25	0	CU M/MI	-3794.78	CU M
SP8	Day 5	09.22.2004	14.3	0	CU M/MI	-3808.95	CU M
SP8	Day 5	09.22.2004	14.35	0	CU M/MI	-3823.43	CU M
SP8	Day 5	09.22.2004	14.4	0	CU M/MI	-3837.65	CU M
SP8	Day 5	09.22.2004	14.45	0	CU M/MI	-3852.32	CU M
SP8	Day 5	09.22.2004	14.5	0	CU M/MI	-3866.63	CU M
SP8	Day 5	09.22.2004	14.55	0	CU M/MI	-3880.13	CU M
SP8	Day 5	09.22.2004	15	0	CU M/MI	-3893.62	CU M
SP8	Day 5	09.22.2004	15.05	0	CU M/MI	-3907.11	CU M
SP8	Day 5	09.22.2004	15.1	0	CU M/MI	-3920.6	CU M
SP8	Day 5	09.22.2004	15.15	0	CU M/MI	-3934.08	CU M
SP8	Day 5	09.22.2004	15.2	0	CU M/MI	-3947.57	CU M
SP8	Day 5	09.22.2004	15.25	0	CU M/MI	-3961.29	CU M
SP8	Day 5	09.22.2004	15.3	0	CU M/MI	-3975.57	CU M
SP8	Day 5	09.22.2004	15.35	0	CU M/MI	-3989.93	CU M
SP8	Day 5	09.22.2004	15.4	0	CU M/MI	-4004.4	CU M
SP8	Day 5	09.22.2004	15.45	0	CU M/MI	-4019.28	CU M
SP8	Day 5	09.22.2004	15.5	0	CU M/MI	-4034.35	CU M
SP8	Day 5	09.22.2004	15.55	0	CU M/MI	-4049.32	CU M
SP8	Day 5	09.22.2004	16	0	CU M/MI	-4064.41	CU M
SP8	Day 5	09.22.2004	16.15	0	CU M/MI	-4109.44	CU M
SP8	Day 5	09.22.2004	16.2	0	CU M/MI	-4123.92	CU M
SP8	Day 5	09.22.2004	16.25	0	CU M/MI	-4139.17	CU M
SP8	Day 5	09.22.2004	16.3	0	CU M/MI	-4154.41	CU M
SP8	Day 5	09.22.2004	16.35	0	CU M/MI	-4169.33	CU M
SP8	Day 5	09.22.2004	16.4	0	CU M/MI	-4184.31	CU M
SP8	Day 5	09.22.2004	16.45	0	CU M/MI	-4199.21	CU M
SP8	Day 5	09.22.2004	16.5	0	CU M/MI	-4214.17	CU M
SP8	Day 5	09.22.2004	16.55	0	CU M/MI	-4229.14	CU M
SP8	Day 5	09.22.2004	17	0	CU M/MI	-4244.07	CU M
SP8	Day 5	09.22.2004	17.05	0	CU M/MI	-4259.03	CU M
SP8	Day 5	09.22.2004	17.1	0	CU M/MI	-4274.48	CU M
SP8	Day 5	09.22.2004	17.15	0	CU M/MI	-4289.24	CU M
SP8	Day 5	09.22.2004	17.2	0	CU M/MI	-4303.83	CU M
SP8	Day 5	09.22.2004	17.25	0	CU M/MI	-4319.07	CU M
SP8	Day 5	09.22.2004	17.3	0	CU M/MI	-4334.22	CU M
SP8	Day 5	09.22.2004	17.35	0	CU M/MI	-4349.21	CU M
SP8	Day 5	09.22.2004	17.4	0	CU M/MI	-4364.21	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 5	09.22.2004	17.45	0	CU M/MI	-4379.19	CU M
SP8	Day 5	09.22.2004	17.5	0	CU M/MI	-4394.14	CU M
SP8	Day 5	09.22.2004	17.55	0	CU M/MI	-4409.11	CU M
SP8	Day 5	09.22.2004	18	0	CU M/MI	-4424.02	CU M
SP8	Day 5	09.22.2004	18.05	0	CU M/MI	-4438.98	CU M
SP8	Day 5	09.22.2004	18.1	0	CU M/MI	-4454.54	CU M
SP8	Day 5	09.22.2004	18.15	0	CU M/MI	-4469.2	CU M
SP8	Day 5	09.22.2004	18.2	0	CU M/MI	-4484.1	CU M
SP8	Day 5	09.22.2004	18.25	0	CU M/MI	-4499.12	CU M
SP8	Day 5	09.22.2004	18.3	0	CU M/MI	-4514.25	CU M
SP8	Day 5	09.22.2004	18.35	0	CU M/MI	-4529.31	CU M
SP8	Day 5	09.22.2004	18.4	0	CU M/MI	-4544.35	CU M
SP8	Day 5	09.22.2004	18.45	0	CU M/MI	-4559.39	CU M
SP8	Day 5	09.22.2004	18.5	0	CU M/MI	-4574.23	CU M
SP8	Day 5	09.22.2004	18.55	0	CU M/MI	-4588.86	CU M
SP8	Day 5	09.22.2004	19	0	CU M/MI	-4604.1	CU M
SP8	Day 5	09.22.2004	19.05	0	CU M/MI	-4619.35	CU M
SP8	Day 5	09.22.2004	19.1	0	CU M/MI	-4634.26	CU M
SP8	Day 5	09.22.2004	19.15	0	CU M/MI	-4649.22	CU M
SP8	Day 5	09.22.2004	19.2	0	CU M/MI	-4663.48	CU M
SP8	Day 5	09.22.2004	19.25	0	CU M/MI	-4677.71	CU M
SP8	Day 5	09.22.2004	19.3	0	CU M/MI	-4692.76	CU M
SP8	Day 5	09.22.2004	19.35	0	CU M/MI	-4707.15	CU M
SP8	Day 5	09.22.2004	19.4	0	CU M/MI	-4721.42	CU M
SP8	Day 5	09.22.2004	19.45	0	CU M/MI	-4736.34	CU M
SP8	Day 5	09.22.2004	19.5	0	CU M/MI	-4751.29	CU M
SP8	Day 5	09.22.2004	19.55	0	CU M/MI	-4766.23	CU M
SP8	Day 5	09.22.2004	20	0	CU M/MI	-4781.2	CU M
SP8	Day 5	09.22.2004	20.05	0	CU M/MI	-4796.15	CU M
SP8	Day 5	09.22.2004	20.1	0	CU M/MI	-4811.09	CU M
SP8	Day 5	09.22.2004	20.15	0	CU M/MI	-4825.99	CU M
SP8	Day 5	09.22.2004	20.2	0	CU M/MI	-4840.13	CU M
SP8	Day 5	09.22.2004	20.25	0	CU M/MI	-4853.63	CU M
SP8	Day 5	09.22.2004	20.3	0	CU M/MI	-4867.14	CU M
SP8	Day 5	09.22.2004	20.35	0	CU M/MI	-4880.65	CU M
SP8	Day 5	09.22.2004	20.4	0	CU M/MI	-4894.17	CU M
SP8	Day 5	09.22.2004	20.45	0	CU M/MI	-4907.69	CU M
SP8	Day 5	09.22.2004	20.5	0	CU M/MI	-4921.21	CU M
SP8	Day 5	09.22.2004	20.55	0	CU M/MI	-4934.73	CU M
SP8	Day 5	09.22.2004	21	0	CU M/MI	-4948.39	CU M
SP8	Day 5	09.22.2004	21.05	0	CU M/MI	-4962.58	CU M
SP8	Day 5	09.22.2004	21.1	0	CU M/MI	-4976.95	CU M
SP8	Day 5	09.22.2004	21.15	0	CU M/MI	-4991.85	CU M
SP8	Day 5	09.22.2004	21.2	0	CU M/MI	-5007.06	CU M
SP8	Day 5	09.22.2004	21.25	0	CU M/MI	-5022.03	CU M
SP8	Day 5	09.22.2004	21.3	0	CU M/MI	-5037.02	CU M
SP8	Day 5	09.22.2004	21.35	0	CU M/MI	-5052.03	CU M
SP8	Day 5	09.22.2004	21.4	0	CU M/MI	-5066.37	CU M
SP8	Day 5	09.22.2004	21.45	0	CU M/MI	-5079.89	CU M
SP8	Day 5	09.22.2004	21.5	0	CU M/MI	-5093.41	CU M
SP8	Day 5	09.22.2004	21.55	0	CU M/MI	-5106.95	CU M
SP8	Day 5	09.22.2004	22	0	CU M/MI	-5120.47	CU M
SP8	Day 5	09.22.2004	22.05	0	CU M/MI	-5134	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 5	09.22.2004	22.1	0	CU M/MI	-5147.53	CU M
SP8	Day 5	09.22.2004	22.15	0	CU M/MI	-5161.06	CU M
SP8	Day 5	09.22.2004	22.2	0	CU M/MI	-5175.29	CU M
SP8	Day 5	09.22.2004	22.25	0	CU M/MI	-5190.33	CU M
SP8	Day 5	09.22.2004	22.3	0	CU M/MI	-5205.1	CU M
SP8	Day 5	09.22.2004	22.35	0	CU M/MI	-5220.03	CU M
SP8	Day 5	09.22.2004	22.4	0	CU M/MI	-5234.96	CU M
SP8	Day 5	09.22.2004	22.45	0	CU M/MI	-5249.77	CU M
SP8	Day 5	09.22.2004	22.5	0	CU M/MI	-5264.6	CU M
SP8	Day 5	09.22.2004	22.55	0	CU M/MI	-5279.61	CU M
SP8	Day 5	09.22.2004	23	0	CU M/MI	-5290.2	CU M
SP8	Day 5	09.22.2004	23.05	0	CU M/MI	-5305.36	CU M
SP8	Day 5	09.22.2004	23.1	0	CU M/MI	-5320.71	CU M
SP8	Day 5	09.22.2004	23.15	0	CU M/MI	-5334.58	CU M
SP8	Day 5	09.22.2004	23.2	0	CU M/MI	-5349.37	CU M
SP8	Day 5	09.22.2004	23.25	0	CU M/MI	-5364.37	CU M
SP8	Day 5	09.22.2004	23.3	0	CU M/MI	-5379.28	CU M
SP8	Day 5	09.22.2004	23.35	0	CU M/MI	-5393.96	CU M
SP8	Day 5	09.22.2004	23.4	0	CU M/MI	-5408.57	CU M
SP8	Day 5	09.22.2004	23.45	0	CU M/MI	-5423.44	CU M
SP8	Day 5	09.22.2004	23.5	0	CU M/MI	-5438.32	CU M
SP8	Day 5	09.22.2004	23.55	0	CU M/MI	-5453.03	CU M
SP8	Day 5	09.23.2004	0	0	CU M/MI	-5467.95	CU M
SP8	Day 5	09.23.2004	0.05	0	CU M/MI	-5483.3	CU M
SP8	Day 5	09.23.2004	0.1	0	CU M/MI	-5498.09	CU M
SP8	Day 5	09.23.2004	0.15	0	CU M/MI	-5513.03	CU M
SP8	Day 5	09.23.2004	0.2	0	CU M/MI	-5527.96	CU M
SP8	Day 5	09.23.2004	0.25	0	CU M/MI	-5542.9	CU M
SP8	Day 5	09.23.2004	0.3	0	CU M/MI	-5557.87	CU M
SP8	Day 5	09.23.2004	0.35	0	CU M/MI	-5573.04	CU M
SP8	Day 5	09.23.2004	0.4	0	CU M/MI	-5586.93	CU M
SP8	Day 5	09.23.2004	0.45	0	CU M/MI	-5600.36	CU M
SP8	Day 5	09.23.2004	0.5	0	CU M/MI	-5614.63	CU M
SP8	Day 5	09.23.2004	0.55	0	CU M/MI	-5628.79	CU M
SP8	Day 5	09.23.2004	1	0	CU M/MI	-5642.23	CU M
SP8	Day 5	09.23.2004	1.05	0	CU M/MI	-5656.13	CU M
SP8	Day 5	09.23.2004	1.1	0	CU M/MI	-5670.37	CU M
SP8	Day 5	09.23.2004	1.15	0	CU M/MI	-5684.45	CU M
SP8	Day 5	09.23.2004	1.2	0	CU M/MI	-5698.61	CU M
SP8	Day 5	09.23.2004	1.25	0	CU M/MI	-5712.72	CU M
SP8	Day 5	09.23.2004	1.3	0	CU M/MI	-5726.96	CU M
SP8	Day 5	09.23.2004	1.35	0	CU M/MI	-5741.76	CU M
SP8	Day 5	09.23.2004	1.4	0	CU M/MI	-5756.09	CU M
SP8	Day 5	09.23.2004	1.45	0	CU M/MI	-5770.44	CU M
SP8	Day 5	09.23.2004	1.5	0	CU M/MI	-5784.96	CU M
SP8	Day 5	09.23.2004	1.55	0	CU M/MI	-5799.61	CU M
SP8	Day 5	09.23.2004	2	0	CU M/MI	-5813.83	CU M
SP8	Day 5	09.23.2004	2.05	0	CU M/MI	-5827.41	CU M
SP8	Day 5	09.23.2004	2.1	0	CU M/MI	-5841.34	CU M
SP8	Day 5	09.23.2004	2.15	0	CU M/MI	-5856.27	CU M
SP8	Day 5	09.23.2004	2.2	0	CU M/MI	-5871.27	CU M
SP8	Day 5	09.23.2004	2.25	0	CU M/MI	-5886.17	CU M
SP8	Day 5	09.23.2004	2.3	0	CU M/MI	-5901	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 5	09.23.2004	2.35	0	CU M/MI	-5916.02	CU M
SP8	Day 5	09.23.2004	2.4	0	CU M/MI	-5931.02	CU M
SP8	Day 5	09.23.2004	2.45	0	CU M/MI	-5945.75	CU M
SP8	Day 5	09.23.2004	2.5	0	CU M/MI	-5960.96	CU M
SP8	Day 5	09.23.2004	2.55	0	CU M/MI	-5976.14	CU M
SP8	Day 5	09.23.2004	3	0	CU M/MI	-5990.82	CU M
SP8	Day 5	09.23.2004	3.05	0	CU M/MI	-6005.83	CU M
SP8	Day 5	09.23.2004	3.1	0	CU M/MI	-6020.72	CU M
SP8	Day 5	09.23.2004	3.15	0	CU M/MI	-6035.62	CU M
SP8	Day 5	09.23.2004	3.2	0	CU M/MI	-6050.72	CU M
SP8	Day 5	09.23.2004	3.25	0	CU M/MI	-6065.84	CU M
SP8	Day 5	09.23.2004	3.3	0	CU M/MI	-6080.4	CU M
SP8	Day 5	09.23.2004	3.35	0	CU M/MI	-6095.13	CU M
SP8	Day 5	09.23.2004	3.4	0	CU M/MI	-6107.27	CU M
SP8	Day 5	09.23.2004	4	0	CU M/MI	-6159.13	CU M
SP8	Day 5	09.23.2004	4.05	0	CU M/MI	-6169.53	CU M
SP8	Day 5	09.23.2004	4.1	0	CU M/MI	-6179.09	CU M
SP8	Day 5	09.23.2004	4.15	0	CU M/MI	-6189.98	CU M
SP8	Day 5	09.23.2004	4.2	0	CU M/MI	-6203.93	CU M
SP8	Day 5	09.23.2004	4.25	0	CU M/MI	-6216.07	CU M
SP8	Day 5	09.23.2004	4.3	0	CU M/MI	-6225.29	CU M
SP8	Day 5	09.23.2004	4.35	0	CU M/MI	-6233.06	CU M
SP8	Day 5	09.23.2004	4.4	0	CU M/MI	-6242.43	CU M
SP8	Day 5	09.23.2004	4.45	0	CU M/MI	-6253.21	CU M
SP8	Day 5	09.23.2004	4.5	0	CU M/MI	-6264.69	CU M
SP8	Day 5	09.23.2004	4.55	0	CU M/MI	-6277.4	CU M
SP8	Day 5	09.23.2004	5	0	CU M/MI	-6289.97	CU M
SP8	Day 5	09.23.2004	5.05	0	CU M/MI	-6303.22	CU M
SP8	Day 5	09.23.2004	5.1	0	CU M/MI	-6316.55	CU M
SP8	Day 5	09.23.2004	5.15	0	CU M/MI	-6329.96	CU M
SP8	Day 5	09.23.2004	5.2	0	CU M/MI	-6343.49	CU M
SP8	Day 5	09.23.2004	5.25	0	CU M/MI	-6356.97	CU M
SP8	Day 5	09.23.2004	5.3	0	CU M/MI	-6370.5	CU M
SP8	Day 5	09.23.2004	5.35	0	CU M/MI	-6384.04	CU M
SP8	Day 5	09.23.2004	5.4	0	CU M/MI	-6397.58	CU M
SP8	Day 5	09.23.2004	5.45	0	CU M/MI	-6411.12	CU M
SP8	Day 5	09.23.2004	5.5	0	CU M/MI	-6424.66	CU M
SP8	Day 5	09.23.2004	5.55	0	CU M/MI	-6438.1	CU M
SP8	Day 6	09.23.2004	6	0	CU M/MI	-6451.62	CU M
SP8	Day 6	09.23.2004	6.05	0	CU M/MI	-6465.15	CU M
SP8	Day 6	09.23.2004	6.1	0	CU M/MI	-6478.69	CU M
SP8	Day 6	09.23.2004	6.15	0	CU M/MI	-6492.24	CU M
SP8	Day 6	09.23.2004	6.2	0	CU M/MI	-6505.72	CU M
SP8	Day 6	09.23.2004	6.25	0	CU M/MI	-6519.24	CU M
SP8	Day 6	09.23.2004	6.3	0	CU M/MI	-6532.77	CU M
SP8	Day 6	09.23.2004	6.35	0	CU M/MI	-6546.32	CU M
SP8	Day 6	09.23.2004	6.4	0	CU M/MI	-6559.88	CU M
SP8	Day 6	09.23.2004	6.45	0	CU M/MI	-6564.79	CU M
SP8	Day 6	09.23.2004	6.5	0	CU M/MI	-6576.42	CU M
SP8	Day 6	09.23.2004	6.55	0	CU M/MI	-6591.13	CU M
SP8	Day 6	09.23.2004	7	0	CU M/MI	-6606.09	CU M
SP8	Day 6	09.23.2004	7.05	0	CU M/MI	-6620.92	CU M
SP8	Day 6	09.23.2004	7.1	0	CU M/MI	-6634.44	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 6	09.23.2004	7.15	0	CU M/MI	-6647.98	CU M
SP8	Day 6	09.23.2004	7.2	0	CU M/MI	-6661.52	CU M
SP8	Day 6	09.23.2004	7.25	0	CU M/MI	-6675.02	CU M
SP8	Day 6	09.23.2004	7.3	0	CU M/MI	-6688.94	CU M
SP8	Day 6	09.23.2004	7.35	0	CU M/MI	-6703.5	CU M
SP8	Day 6	09.23.2004	7.4	0	CU M/MI	-6718.26	CU M
SP8	Day 6	09.23.2004	7.45	0	CU M/MI	-6733.29	CU M
SP8	Day 6	09.23.2004	7.5	0	CU M/MI	-6748.32	CU M
SP8	Day 6	09.23.2004	7.55	0	CU M/MI	-6763.26	CU M
SP8	Day 6	09.23.2004	8	0	CU M/MI	-6778.24	CU M
SP8	Day 6	09.23.2004	8.05	0	CU M/MI	-6793.21	CU M
SP8	Day 6	09.23.2004	8.1	0	CU M/MI	-6807.91	CU M
SP8	Day 6	09.23.2004	8.15	0	CU M/MI	-6822.63	CU M
SP8	Day 6	09.23.2004	8.2	0	CU M/MI	-6838.08	CU M
SP8	Day 6	09.23.2004	8.25	0	CU M/MI	-6852.25	CU M
SP8	Day 6	09.23.2004	8.3	0	CU M/MI	-6866.07	CU M
SP8	Day 6	09.23.2004	8.35	0	CU M/MI	-6874.82	CU M
SP8	Day 6	09.23.2004	8.4	0	CU M/MI	-6882.23	CU M
SP8	Day 6	09.23.2004	8.45	0	CU M/MI	-6896.52	CU M
SP8	Day 6	09.23.2004	8.5	0	CU M/MI	-6908.65	CU M
SP8	Day 6	09.23.2004	8.55	0	CU M/MI	-6922.15	CU M
SP8	Day 6	09.23.2004	9	0	CU M/MI	-6932	CU M
SP8	Day 6	09.23.2004	9.05	0	CU M/MI	-6946.95	CU M
SP8	Day 6	09.23.2004	9.1	0	CU M/MI	-6961.56	CU M
SP8	Day 6	09.23.2004	9.15	0	CU M/MI	-6975.74	CU M
SP8	Day 6	09.23.2004	9.2	0	CU M/MI	-6989.93	CU M
SP8	Day 6	09.23.2004	9.25	0	CU M/MI	-7004.65	CU M
SP8	Day 6	09.23.2004	9.3	0	CU M/MI	-7019.26	CU M
SP8	Day 6	09.23.2004	9.35	0	CU M/MI	-7034.18	CU M
SP8	Day 6	09.23.2004	9.4	0	CU M/MI	-7049.48	CU M
SP8	Day 6	09.23.2004	9.45	0	CU M/MI	-7064.19	CU M
SP8	Day 6	09.23.2004	9.5	0	CU M/MI	-7079.06	CU M
SP8	Day 6	09.23.2004	9.55	0	CU M/MI	-7094.06	CU M
SP8	Day 6	09.23.2004	10	0	CU M/MI	-7109.07	CU M
SP8	Day 6	09.23.2004	10.05	0	CU M/MI	-7124.01	CU M
SP8	Day 6	09.23.2004	10.1	0	CU M/MI	-7139.03	CU M
SP8	Day 6	09.23.2004	10.15	0	CU M/MI	-7154.08	CU M
SP8	Day 6	09.23.2004	10.2	0	CU M/MI	-7169.09	CU M
SP8	Day 6	09.23.2004	10.25	0	CU M/MI	-7183.86	CU M
SP8	Day 6	09.23.2004	10.3	0	CU M/MI	-7198.25	CU M
SP8	Day 6	09.23.2004	10.35	0	CU M/MI	-7211.77	CU M
SP8	Day 6	09.23.2004	10.35	0	CU M/MI	-7211.77	CU M
SP8	Day 6	09.23.2004	10.45	0	CU M/MI	-7228.91	CU M
SP8	Day 6	09.23.2004	10.5	0	CU M/MI	-7234.5	CU M
SP8	Day 6	09.23.2004	10.55	0	CU M/MI	-7246.01	CU M
SP8	Day 6	09.23.2004	11	0	CU M/MI	-7260.21	CU M
SP8	Day 6	09.23.2004	11.05	0	CU M/MI	-7267.23	CU M
SP8	Day 6	09.23.2004	11.1	0	CU M/MI	-7276.65	CU M
SP8	Day 6	09.23.2004	11.15	0	CU M/MI	-7287.01	CU M
SP8	Day 6	09.23.2004	11.2	0	CU M/MI	-7296.49	CU M
SP8	Day 6	09.23.2004	11.25	0	CU M/MI	-7307.04	CU M
SP8	Day 6	09.23.2004	11.3	0	CU M/MI	-7318.19	CU M
SP8	Day 6	09.23.2004	11.35	0	CU M/MI	-7329.58	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 6	09.23.2004	11.4	0	CU M/MI	-7339.59	CU M
SP8	Day 6	09.23.2004	11.45	0	CU M/MI	-7349.25	CU M
SP8	Day 6	09.23.2004	11.5	0	CU M/MI	-7358.18	CU M
SP8	Day 6	09.23.2004	11.55	0	CU M/MI	-7368.36	CU M
SP8	Day 6	09.23.2004	12	0	CU M/MI	-7378.92	CU M
SP8	Day 6	09.23.2004	12.05	0	CU M/MI	-7390.07	CU M
SP8	Day 6	09.23.2004	12.1	0	CU M/MI	-7399.59	CU M
SP8	Day 6	09.23.2004	12.15	0	CU M/MI	-7409.09	CU M
SP8	Day 6	09.23.2004	12.2	0	CU M/MI	-7418.46	CU M
SP8	Day 6	09.23.2004	12.25	0	CU M/MI	-7427.97	CU M
SP8	Day 6	09.23.2004	12.3	0	CU M/MI	-7439.29	CU M
SP8	Day 6	09.23.2004	12.4	0	CU M/MI	-7466.25	CU M
SP8	Day 6	09.23.2004	12.45	0	CU M/MI	-7479.78	CU M
SP8	Day 6	09.23.2004	12.5	0	CU M/MI	-7493.26	CU M
SP8	Day 6	09.23.2004	12.55	0	CU M/MI	-7506.79	CU M
SP8	Day 6	09.23.2004	13	0	CU M/MI	-7520.33	CU M
SP8	Day 6	09.23.2004	13.05	0	CU M/MI	-7533.8	CU M
SP8	Day 6	09.23.2004	13.1	0	CU M/MI	-7547.35	CU M
SP8	Day 6	09.23.2004	13.15	0	CU M/MI	-7560.83	CU M
SP8	Day 6	09.23.2004	13.2	0	CU M/MI	-7574.35	CU M
SP8	Day 6	09.23.2004	13.25	0	CU M/MI	-7585.8	CU M
SP8	Day 6	09.23.2004	13.3	0	CU M/MI	-7600.75	CU M
SP8	Day 6	09.23.2004	13.35	0	CU M/MI	-7612.85	CU M
SP8	Day 6	09.23.2004	13.4	0	CU M/MI	-7620.07	CU M
SP8	Day 6	09.23.2004	13.45	0	CU M/MI	-7635.05	CU M
SP8	Day 6	09.23.2004	13.5	0	CU M/MI	-7651.01	CU M
SP8	Day 6	09.23.2004	13.55	0	CU M/MI	-7666.91	CU M
SP8	Day 6	09.23.2004	14	0	CU M/MI	-7682.88	CU M
SP8	Day 6	09.23.2004	14.05	0	CU M/MI	-7698.83	CU M
SP8	Day 6	09.23.2004	14.1	0	CU M/MI	-7714.6	CU M
SP8	Day 6	09.23.2004	14.15	0	CU M/MI	-7730.28	CU M
SP8	Day 6	09.23.2004	14.2	0	CU M/MI	-7742.87	CU M
SP8	Day 6	09.23.2004	14.25	0	CU M/MI	-7748.31	CU M
SP8	Day 6	09.23.2004	14.3	0	CU M/MI	-7757.47	CU M
SP8	Day 6	09.23.2004	14.35	0	CU M/MI	-7762.09	CU M
SP8	Day 6	09.23.2004	14.4	0	CU M/MI	-7773.77	CU M
SP8	Day 6	09.23.2004	14.45	0	CU M/MI	-7785.12	CU M
SP8	Day 6	09.23.2004	14.5	0	CU M/MI	-7798.45	CU M
SP8	Day 6	09.23.2004	14.55	0	CU M/MI	-7813.21	CU M
SP8	Day 6	09.23.2004	15	0	CU M/MI	-7826.74	CU M
SP8	Day 6	09.23.2004	15.05	0	CU M/MI	-7839.86	CU M
SP8	Day 6	09.23.2004	15.1	0	CU M/MI	-7854.63	CU M
SP8	Day 6	09.23.2004	15.15	0	CU M/MI	-7868.16	CU M
SP8	Day 6	09.23.2004	15.2	0	CU M/MI	-7881.51	CU M
SP8	Day 6	09.23.2004	15.25	0	CU M/MI	-7895.28	CU M
SP8	Day 6	09.23.2004	15.3	0	CU M/MI	-7909.59	CU M
SP8	Day 6	09.23.2004	15.35	0	CU M/MI	-7923.12	CU M
SP8	Day 6	09.23.2004	15.4	0	CU M/MI	-7936.66	CU M
SP8	Day 6	09.23.2004	15.45	0	CU M/MI	-7950.2	CU M
SP8	Day 6	09.23.2004	15.5	0	CU M/MI	-7964.96	CU M
SP8	Day 6	09.23.2004	15.55	0	CU M/MI	-7979.96	CU M
SP8	Day 6	09.23.2004	16	0	CU M/MI	-7994.92	CU M
SP8	Day 6	09.23.2004	16.05	0	CU M/MI	-8009.56	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 6	09.23.2004	16.1	0	CU M/MI	-8023.83	CU M
SP8	Day 6	09.23.2004	16.15	0	CU M/MI	-8038.54	CU M
SP8	Day 6	09.23.2004	16.2	0	CU M/MI	-8053.82	CU M
SP8	Day 6	09.23.2004	16.25	0	CU M/MI	-8068.71	CU M
SP8	Day 6	09.23.2004	16.3	0	CU M/MI	-8083.61	CU M
SP8	Day 6	09.23.2004	16.35	0	CU M/MI	-8098.54	CU M
SP8	Day 6	09.23.2004	16.4	0	CU M/MI	-8113.53	CU M
SP8	Day 6	09.23.2004	16.45	0	CU M/MI	-8128.48	CU M
SP8	Day 6	09.23.2004	16.5	0	CU M/MI	-8143.51	CU M
SP8	Day 6	09.23.2004	16.55	0	CU M/MI	-8158.64	CU M
SP8	Day 6	09.23.2004	17	0	CU M/MI	-8172.84	CU M
SP8	Day 6	09.23.2004	17.05	0	CU M/MI	-8187.19	CU M
SP8	Day 6	09.23.2004	17.1	0	CU M/MI	-8202.53	CU M
SP8	Day 6	09.23.2004	17.15	0	CU M/MI	-8217.49	CU M
SP8	Day 6	09.23.2004	17.2	0	CU M/MI	-8232.19	CU M
SP8	Day 6	09.23.2004	17.25	0	CU M/MI	-8247.13	CU M
SP8	Day 6	09.23.2004	17.3	0	CU M/MI	-8262.2	CU M
SP8	Day 6	09.23.2004	17.35	0	CU M/MI	-8277.27	CU M
SP8	Day 6	09.23.2004	17.4	0	CU M/MI	-8292.3	CU M
SP8	Day 6	09.23.2004	17.45	0	CU M/MI	-8307.31	CU M
SP8	Day 6	09.23.2004	17.5	0	CU M/MI	-8322.37	CU M
SP8	Day 6	09.23.2004	17.55	0	CU M/MI	-8337.37	CU M
SP8	Day 6	09.23.2004	18	0	CU M/MI	-8352.44	CU M
SP8	Day 6	09.23.2004	18.05	0	CU M/MI	-8367.46	CU M
SP8	Day 6	09.23.2004	18.1	0	CU M/MI	-8382.4	CU M
SP8	Day 6	09.23.2004	18.15	0	CU M/MI	-8397.29	CU M
SP8	Day 6	09.23.2004	18.2	0	CU M/MI	-8412.56	CU M
SP8	Day 6	09.23.2004	18.25	0	CU M/MI	-8427.75	CU M
SP8	Day 6	09.23.2004	18.3	0	CU M/MI	-8442.45	CU M
SP8	Day 6	09.23.2004	18.35	0	CU M/MI	-8457.36	CU M
SP8	Day 6	09.23.2004	18.4	0	CU M/MI	-8472.43	CU M
SP8	Day 6	09.23.2004	18.45	0	CU M/MI	-8487.48	CU M
SP8	Day 6	09.23.2004	18.5	0	CU M/MI	-8502.57	CU M
SP8	Day 6	09.23.2004	18.55	0	CU M/MI	-8517.11	CU M
SP8	Day 6	09.23.2004	19	0	CU M/MI	-8531.38	CU M
SP8	Day 6	09.23.2004	19.05	0	CU M/MI	-8545.74	CU M
SP8	Day 6	09.23.2004	19.1	0	CU M/MI	-8560.02	CU M
SP8	Day 6	09.23.2004	19.15	0	CU M/MI	-8574.31	CU M
SP8	Day 6	09.23.2004	19.2	0	CU M/MI	-8588.6	CU M
SP8	Day 6	09.23.2004	19.25	0	CU M/MI	-8602.88	CU M
SP8	Day 6	09.23.2004	19.3	0	CU M/MI	-8617.11	CU M
SP8	Day 6	09.23.2004	19.35	0	CU M/MI	-8631.33	CU M
SP8	Day 6	09.23.2004	19.4	0	CU M/MI	-8645.53	CU M
SP8	Day 6	09.23.2004	19.45	0	CU M/MI	-8659.74	CU M
SP8	Day 6	09.23.2004	19.5	0	CU M/MI	-8673.97	CU M
SP8	Day 6	09.23.2004	19.55	0	CU M/MI	-8688.2	CU M
SP8	Day 6	09.23.2004	20	0	CU M/MI	-8702.42	CU M
SP8	Day 6	09.23.2004	20.05	0	CU M/MI	-8716.64	CU M
SP8	Day 6	09.23.2004	20.1	0	CU M/MI	-8730.88	CU M
SP8	Day 6	09.23.2004	20.15	0	CU M/MI	-8744.41	CU M
SP8	Day 6	09.23.2004	20.2	0	CU M/MI	-8758.27	CU M
SP8	Day 6	09.23.2004	20.25	0	CU M/MI	-8772.45	CU M
SP8	Day 6	09.23.2004	20.3	0	CU M/MI	-8786.66	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 6	09.23.2004	20.35	0	CU M/MI	-8800.91	CU M
SP8	Day 6	09.23.2004	20.4	0	CU M/MI	-8815.67	CU M
SP8	Day 6	09.23.2004	20.45	0	CU M/MI	-8830.17	CU M
SP8	Day 6	09.23.2004	20.5	0	CU M/MI	-8844.97	CU M
SP8	Day 6	09.23.2004	20.55	0	CU M/MI	-8859.7	CU M
SP8	Day 6	09.23.2004	21	0	CU M/MI	-8873.25	CU M
SP8	Day 6	09.23.2004	21.05	0	CU M/MI	-8886.6	CU M
SP8	Day 6	09.23.2004	21.1	0	CU M/MI	-8901.51	CU M
SP8	Day 6	09.23.2004	21.15	0	CU M/MI	-8916.5	CU M
SP8	Day 6	09.23.2004	21.2	0	CU M/MI	-8931.5	CU M
SP8	Day 6	09.23.2004	21.25	0	CU M/MI	-8946.45	CU M
SP8	Day 6	09.23.2004	21.3	0	CU M/MI	-8961.39	CU M
SP8	Day 6	09.23.2004	21.35	0	CU M/MI	-8976.36	CU M
SP8	Day 6	09.23.2004	21.4	0	CU M/MI	-8991.93	CU M
SP8	Day 6	09.23.2004	21.45	0	CU M/MI	-9006.56	CU M
SP8	Day 6	09.23.2004	21.5	0	CU M/MI	-9021.41	CU M
SP8	Day 6	09.23.2004	21.55	0	CU M/MI	-9036.49	CU M
SP8	Day 6	09.23.2004	22	0	CU M/MI	-9051.53	CU M
SP8	Day 6	09.23.2004	22.05	0	CU M/MI	-9066.59	CU M
SP8	Day 6	09.23.2004	22.1	0	CU M/MI	-9081.65	CU M
SP8	Day 6	09.23.2004	22.15	0	CU M/MI	-9096.68	CU M
SP8	Day 6	09.23.2004	22.2	0	CU M/MI	-9111.54	CU M
SP8	Day 6	09.23.2004	22.25	0	CU M/MI	-9126.08	CU M
SP8	Day 6	09.23.2004	22.3	0	CU M/MI	-9141.63	CU M
SP8	Day 6	09.23.2004	22.35	0	CU M/MI	-9156.66	CU M
SP8	Day 6	09.23.2004	22.4	0	CU M/MI	-9171.13	CU M
SP8	Day 6	09.23.2004	22.45	0	CU M/MI	-9185.37	CU M
SP8	Day 6	09.23.2004	22.5	0	CU M/MI	-9199.97	CU M
SP8	Day 6	09.23.2004	22.55	0	CU M/MI	-9214.94	CU M
SP8	Day 6	09.23.2004	23	0	CU M/MI	-9229.87	CU M
SP8	Day 6	09.23.2004	23.05	0	CU M/MI	-9244.79	CU M
SP8	Day 6	09.23.2004	23.1	0	CU M/MI	-9259.71	CU M
SP8	Day 6	09.23.2004	23.15	0	CU M/MI	-9274.59	CU M
SP8	Day 6	09.23.2004	23.2	0	CU M/MI	-9289.95	CU M
SP8	Day 6	09.23.2004	23.25	0	CU M/MI	-9305.1	CU M
SP8	Day 6	09.23.2004	23.3	0	CU M/MI	-9319.73	CU M
SP8	Day 6	09.23.2004	23.35	0	CU M/MI	-9334.64	CU M
SP8	Day 6	09.23.2004	23.4	0	CU M/MI	-9349.71	CU M
SP8	Day 6	09.23.2004	23.45	0	CU M/MI	-9364.74	CU M
SP8	Day 6	09.23.2004	23.5	0	CU M/MI	-9379.81	CU M
SP8	Day 6	09.23.2004	23.55	0	CU M/MI	-9394.89	CU M
SP8	Day 6	09.24.2004	0	0	CU M/MI	-9409.89	CU M
SP8	Day 6	09.24.2004	0.05	0	CU M/MI	-9424.87	CU M
SP8	Day 6	09.24.2004	0.1	0	CU M/MI	-9439.95	CU M
SP8	Day 6	09.24.2004	0.15	0	CU M/MI	-9455	CU M
SP8	Day 6	09.24.2004	0.2	0	CU M/MI	-9469.69	CU M
SP8	Day 6	09.24.2004	0.25	0	CU M/MI	-9483.94	CU M
SP8	Day 6	09.24.2004	0.3	0	CU M/MI	-9498.38	CU M
SP8	Day 6	09.24.2004	0.35	0	CU M/MI	-9512.33	CU M
SP8	Day 6	09.24.2004	0.4	0	CU M/MI	-9525.85	CU M
SP8	Day 6	09.24.2004	0.45	0	CU M/MI	-9540.38	CU M
SP8	Day 6	09.24.2004	0.5	0	CU M/MI	-9555.35	CU M
SP8	Day 6	09.24.2004	0.55	0	CU M/MI	-9570.28	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 6	09.24.2004	1	0	CU M/MI	-9583.55	CU M
SP8	Day 6	09.24.2004	1.05	0	CU M/MI	-9597.01	CU M
SP8	Day 6	09.24.2004	1.1	0	CU M/MI	-9610.37	CU M
SP8	Day 6	09.24.2004	1.15	0	CU M/MI	-9619.66	CU M
SP8	Day 6	09.24.2004	1.2	0	CU M/MI	-9631.22	CU M
SP8	Day 6	09.24.2004	1.25	0	CU M/MI	-9635.05	CU M
SP8	Day 6	09.24.2004	1.3	0	CU M/MI	-9650.1	CU M
SP8	Day 6	09.24.2004	1.35	0	CU M/MI	-9655.59	CU M
SP8	Day 6	09.24.2004	1.4	0	CU M/MI	-9671.59	CU M
SP8	Day 6	09.24.2004	1.45	0	CU M/MI	-9687.53	CU M
SP8	Day 6	09.24.2004	1.5	0	CU M/MI	-9703.48	CU M
SP8	Day 6	09.24.2004	1.55	0	CU M/MI	-9719.5	CU M
SP8	Day 6	09.24.2004	2	0	CU M/MI	-9735.43	CU M
SP8	Day 6	09.24.2004	2.05	0	CU M/MI	-9751.25	CU M
SP8	Day 6	09.24.2004	2.1	0	CU M/MI	-9766.96	CU M
SP8	Day 6	09.24.2004	2.15	0	CU M/MI	-9782.34	CU M
SP8	Day 6	09.24.2004	2.2	0	CU M/MI	-9796.66	CU M
SP8	Day 6	09.24.2004	2.25	0	CU M/MI	-9810.42	CU M
SP8	Day 6	09.24.2004	2.3	0	CU M/MI	-9816.29	CU M
SP8	Day 6	09.24.2004	2.35	0	CU M/MI	-9824.72	CU M
SP8	Day 6	09.24.2004	2.4	0	CU M/MI	-9839.01	CU M
SP8	Day 6	09.24.2004	2.45	0	CU M/MI	-9852.98	CU M
SP8	Day 6	09.24.2004	2.5	0	CU M/MI	-9867.52	CU M
SP8	Day 6	09.24.2004	2.55	0	CU M/MI	-9882.1	CU M
SP8	Day 6	09.24.2004	3	0	CU M/MI	-9896.83	CU M
SP8	Day 6	09.24.2004	3.05	0	CU M/MI	-9911.56	CU M
SP8	Day 6	09.24.2004	3.1	0	CU M/MI	-9926.2	CU M
SP8	Day 6	09.24.2004	3.15	0	CU M/MI	-9941.56	CU M
SP8	Day 6	09.24.2004	3.2	0	CU M/MI	-9956.49	CU M
SP8	Day 6	09.24.2004	3.25	0	CU M/MI	-9970.83	CU M
SP8	Day 6	09.24.2004	3.3	0	CU M/MI	-9984.91	CU M
SP8	Day 6	09.24.2004	3.35	0	CU M/MI	-9999.58	CU M
SP8	Day 6	09.24.2004	3.4	0	CU M/MI	-10014.38	CU M
SP8	Day 6	09.24.2004	3.45	0	CU M/MI	-10029.14	CU M
SP8	Day 6	09.24.2004	3.5	0	CU M/MI	-10043.91	CU M
SP8	Day 6	09.24.2004	3.55	0	CU M/MI	-10058.62	CU M
SP8	Day 6	09.24.2004	4	0	CU M/MI	-10073.38	CU M
SP8	Day 6	09.24.2004	4.05	0	CU M/MI	-10088.16	CU M
SP8	Day 6	09.24.2004	4.1	0	CU M/MI	-10103.42	CU M
SP8	Day 6	09.24.2004	4.15	0	CU M/MI	-10118.34	CU M
SP8	Day 6	09.24.2004	4.2	0	CU M/MI	-10133.17	CU M
SP8	Day 6	09.24.2004	4.25	0	CU M/MI	-10148.09	CU M
SP8	Day 6	09.24.2004	4.3	0	CU M/MI	-10163.02	CU M
SP8	Day 6	09.24.2004	4.35	0	CU M/MI	-10177.6	CU M
SP8	Day 6	09.24.2004	4.4	0	CU M/MI	-10191.09	CU M
SP8	Day 6	09.24.2004	4.45	0	CU M/MI	-10205.12	CU M
SP8	Day 6	09.24.2004	4.5	0	CU M/MI	-10218.5	CU M
SP8	Day 6	09.24.2004	4.55	0	CU M/MI	-10231.93	CU M
SP8	Day 6	09.24.2004	5	0	CU M/MI	-10245.41	CU M
SP8	Day 6	09.24.2004	5.05	0	CU M/MI	-10258.82	CU M
SP8	Day 6	09.24.2004	5.1	0	CU M/MI	-10271.98	CU M
SP8	Day 6	09.24.2004	5.15	0	CU M/MI	-10279.4	CU M
SP8	Day 6	09.24.2004	5.2	0	CU M/MI	-10281.54	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 6	09.24.2004	5.25	0	CU M/MI	-10282.47	CU M
SP8	Day 6	09.24.2004	5.3	0	CU M/MI	-10297.36	CU M
SP8	Day 6	09.24.2004	5.35	0	CU M/MI	-10312.3	CU M
SP8	Day 6	09.24.2004	5.4	0	CU M/MI	-10327.21	CU M
SP8	Day 6	09.24.2004	5.45	0	CU M/MI	-10342.11	CU M
SP8	Day 6	09.24.2004	5.5	0	CU M/MI	-10357.07	CU M
SP8	Day 6	09.24.2004	5.55	0	CU M/MI	-10371.56	CU M
SP8	Day 7	09.24.2004	6	0	CU M/MI	-10385.71	CU M
SP8	Day 7	09.24.2004	6.05	0	CU M/MI	-10400.65	CU M
SP8	Day 7	09.24.2004	6.1	0	CU M/MI	-10415.01	CU M
SP8	Day 7	09.24.2004	6.15	0	CU M/MI	-10429.83	CU M
SP8	Day 7	09.24.2004	6.2	0	CU M/MI	-10444.95	CU M
SP8	Day 7	09.24.2004	6.25	0	CU M/MI	-10460.02	CU M
SP8	Day 7	09.24.2004	6.3	0	CU M/MI	-10474.09	CU M
SP8	Day 7	09.24.2004	6.35	0	CU M/MI	-10487.48	CU M
SP8	Day 7	09.24.2004	6.4	0	CU M/MI	-10500.86	CU M
SP8	Day 7	09.24.2004	6.45	0	CU M/MI	-10514.27	CU M
SP8	Day 7	09.24.2004	6.5	0	CU M/MI	-10527.69	CU M
SP8	Day 7	09.24.2004	6.55	0	CU M/MI	-10541.17	CU M
SP8	Day 7	09.24.2004	7	0	CU M/MI	-10554.57	CU M
SP8	Day 7	09.24.2004	7.05	0	CU M/MI	-10567.75	CU M
SP8	Day 7	09.24.2004	7.1	0	CU M/MI	-10574.37	CU M
SP8	Day 7	09.24.2004	7.15	0	CU M/MI	-10588.65	CU M
SP8	Day 7	09.24.2004	7.2	0	CU M/MI	-10602.96	CU M
SP8	Day 7	09.24.2004	7.25	0	CU M/MI	-10617.3	CU M
SP8	Day 7	09.24.2004	7.3	0	CU M/MI	-10631.63	CU M
SP8	Day 7	09.24.2004	7.35	0	CU M/MI	-10645.32	CU M
SP8	Day 7	09.24.2004	7.4	0	CU M/MI	-10654.81	CU M
SP8	Day 7	09.24.2004	7.45	0	CU M/MI	-10670.51	CU M
SP8	Day 7	09.24.2004	7.5	0	CU M/MI	-10685.9	CU M
SP8	Day 7	09.24.2004	7.55	0	CU M/MI	-10694.89	CU M
SP8	Day 7	09.24.2004	8	0	CU M/MI	-10706.81	CU M
SP8	Day 7	09.24.2004	8.05	0	CU M/MI	-10718.97	CU M
SP8	Day 7	09.24.2004	8.1	0	CU M/MI	-10726.56	CU M
SP8	Day 7	09.24.2004	8.15	0	CU M/MI	-10740.93	CU M
SP8	Day 7	09.24.2004	8.2	0	CU M/MI	-10756.43	CU M
SP8	Day 7	09.24.2004	8.25	0	CU M/MI	-10771.57	CU M
SP8	Day 7	09.24.2004	8.3	0	CU M/MI	-10786.67	CU M
SP8	Day 7	09.24.2004	8.35	0	CU M/MI	-10801.81	CU M
SP8	Day 7	09.24.2004	8.4	0	CU M/MI	-10816.91	CU M
SP8	Day 7	09.24.2004	8.45	0	CU M/MI	-10832.02	CU M
SP8	Day 7	09.24.2004	8.5	0	CU M/MI	-10847.13	CU M
SP8	Day 7	09.24.2004	8.55	0	CU M/MI	-10858.97	CU M
SP8	Day 7	09.24.2004	9	0	CU M/MI	-10874.08	CU M
SP8	Day 7	09.24.2004	9.05	0	CU M/MI	-10889.19	CU M
SP8	Day 7	09.24.2004	9.1	0	CU M/MI	-10904.29	CU M
SP8	Day 7	09.24.2004	9.15	0	CU M/MI	-10919.37	CU M
SP8	Day 7	09.24.2004	9.2	0	CU M/MI	-10934.43	CU M
SP8	Day 7	09.24.2004	9.25	0	CU M/MI	-10948.77	CU M
SP8	Day 7	09.24.2004	9.3	0	CU M/MI	-10963.08	CU M
SP8	Day 7	09.24.2004	9.35	0	CU M/MI	-10977.26	CU M
SP8	Day 7	09.24.2004	9.4	0	CU M/MI	-10985.78	CU M
SP8	Day 7	09.24.2004	9.45	0	CU M/MI	-10996.33	CU M

Appendix B
Raw Flow Data from Effluent from Graywater Treatment System (SP-8)
13 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP8	Day 7	09.24.2004	9.5	0	CU M/MI	-11008.02	CU M
SP8	Day 7	09.24.2004	9.55	0	CU M/MI	-11012.79	CU M
SP8	Day 7	09.24.2004	10	0	CU M/MI	-11015.2	CU M
SP8	Day 7	09.24.2004	10.05	0	CU M/MI	-11029.33	CU M
SP8	Day 7	09.24.2004	10.1	0	CU M/MI	-11041.55	CU M
SP8	Day 7	09.24.2004	10.15	0	CU M/MI	-11052.72	CU M
SP8	Day 7	09.24.2004	10.2	0	CU M/MI	-11066.7	CU M