DEVELOPMENT DOCUMENT FOR FINAL

EFFLUENT LIMITATIONS GUIDELINES AND STANDARDS

FOR THE

PHARMACEUTICAL MANUFACTURING POINT SOURCE CATEGORY

Carol M. Browner
Administrator

J. Charles Fox
Acting Assistant Administrator
for Water

Sheila Frace
Acting Director, Engineering and Analysis Division

Marvin B. Rubin
Chief, Energy Branch

Dr. Frank Hund
Technical Project Manager

Engineering and Analysis Division
Office Science and Technology
U.S. Environmental Protection Agency
Washington, DC 20460

July 30, 1998

ACKNOWLEDGMENT AND DISCLAIMER

This report has been reviewed and approved for publication by the Engineering and Analysis Division, Office of Science and Technology. This report was prepared with the support of Eastern Research Group, Inc. (Contract No. 68-C5-0025), under the direction and review of the Office of Science and Technology. Neither the United States Government nor any of its employees, contractors, subcontractors, or their employees make any warrant, expressed or implied, or assume any legal liability or responsibility for any third party's use of or the results of such use of any information, apparatus, product, or process discussed in this report, or represents that its use by such party would not infringe on privately owned rights.

Table of Contents

Page

SECTION 1 INTRODUCTION 1-1
1.1 Legal Authority 1-1
1.2 Background 1-1
1.2.1 Clean Water Act 1-1
1.2.2 304(m) Requirements 1-3
1.2.3 Pollution Prevention Act 1-4
1.2.4 Prior Regulation of the Pharmaceutical Manufacturing Category 1-4
1.3 Scope of Final Regulations 1-8

SECTION 2 SUMMARY 2-1
2.1 Introduction 2-1
2.2 Subcategorization 2-1
2.3 Scope of Regulations 2-1
2.4 Best Practicable Control Technology Currently Available (BPT) 2-4
2.5 Best Conventional Pollutant Control Technology (BCT) 2-4
2.6 Best Available Technology Economically Achievable (BAT) 2-4
2.7 New Source Performance Standards (NSPS) 2-4
2.8 Pretreatment Standards for Existing Sources (PSES) 2-5
2.9 Pretreatment Standards for New Sources (PSNS) 2-5

SECTION 3 INDUSTRY DESCRIPTION 3-1
3.1 Introduction 3-1
3.2 Data Collection Methodology and Information Sources 3-1
3.2.1 Summary of Data Collection Efforts 3-2
3.2.2 Follow-Up Pilot-Plant Carbon Study 3-6
3.2.3 EPA's 1986 - 1991 Sampling at Selected Pharmaceutical Manufacturers 3-6
3.2.4 Pharmaceutical Industry Questionnaires 3-9
3.2.5 Industry-Supplied Data 3-15
3.2.6 Air Stripping, Steam Stripping, and Distillation Pilot Studies 3-17
3.2.7 Patent Reviews 3-18
3.2.8 POTW Survey 3-18
3.2.9 Toxic Release Inventory (TRI) Data 3-19
3.2.10 Industry Data in Response to Proposed Rulemaking 3-19
3.2.11 Site Visits 3-21
3.2.12 Barceloneta Regional Wastewater Treatment Plant (BRWTP) Sampling Effort 3-22
3.2.13 Industry Data in Response to Notice of Availability 3-22

Table of Contents (Continued)

Page

3.3 Overview of the Industry 3-23
3.3.1 Geographical Location of Manufacturing Facilities 3-23
3.3.2 SIC Code Distribution 3-23
3.3.3 Value of Shipments and Number of Employees in the Industry 3-25
3.3.4 Age of Facilities 3-25
3.4 Pharmaceutical Manufacturing Processes 3-25
3.4.1 Types of Pharmaceutical Processes and Products 3-27
3.4.2 General Process Descriptions 3-29
3.4.2.1 Fermentation 3-29
3.4.2.2 Biological and Natural Extraction 3-31
3.4.2.3 Chemical Synthesis 3-33
3.4.2.4 Mixing, Compounding, or Formulating 3-37
3.4.3 Pharmaceutical Manufacturing Process Variability 3-38
3.5 Trends in the Industry 3-40
3.5.1 Manufacturing Process Types 3-40
3.5.2 Treatment Technologies in Use 3-41
3.5.3 Chemical Substitution 3-41

SECTION 4 INDUSTRY SUBCATEGORIZATION 4-1
4.1 Introduction 4-1
4.2 Background 4-2
4.3 Final Subcategorization Basis 4-4
4.3.1 Manufacturing Processes 4-5
4.3.2 Wastewater Characteristics and Treatability 4-7
4.3.3 Product Types 4-9
4.3.4 Raw Materials 4-10
4.3.5 Plant Size 4-10
4.3.6 Plant Age 4-11
4.3.7 Plant Location 4-11
4.3.8 Nonwater Quality Environmental Impacts 4-11
4.3.9 Treatment Costs and Energy Requirements 4-12
4.4 Conclusions 4-12

SECTION 5 WATER USE AND WASTEWATER CHARACTERIZATION 5-1
5.1 Introduction 5-1
5.2 Water Use and Sources of Wastewater 5-1
5.2.1 Pharmaceutical Process Wastewater Sources 5-1
5.2.2 Other Facility Wastewater Sources 5-4
5.3 Wastewater Volume by Type of Discharge 5-4
5.3.1 Type of Discharge Definitions 5-4

Table of Contents (Continued)

Page

5.3.2 Discharge Status of Pharmaceutical Manufacturing Facilities . . 5-5
5.3.3 Flow Rates by Type of Discharge 5-5
5.4 Water Conservation Measures 5-5
5.5 Sources of Wastewater Characterization Data 5-6
5.5.1 Data from the Detailed Questionnaire 5-6
5.5.2 EPA Pharmaceutical Manufacturers Sampling Program 5-6
5.6 Wastewater Characterization 5-7
5.6.1 Conventional Pollutants and COD 5-7
5.6.2 Priority Pollutants 5-11
5.6.3 Nonconventional Pollutants 5-12
5.6.4 Sampling Data 5-13
5.6.5 Sulfide/Sulfate Containing Compounds 5-14

SECTION 6 POLLUTANTS SELECTED FOR REGULATION 6-1
6.1 Introduction 6-1
6.2 Pollutants Considered for Regulation 6-2
6.3 Pollutants Discharged by the Pharmaceutical Industry 6-3
6.4 Pollutant Selection Evaluation Criteria 6-4
6.4.1 Quantity Discharged 6-5
6.4.2 Treatability 6-5
6.4.3 Number of Facilities Discharging Pollutants 6-6
6.4.4 Load Removed 6-6
6.5 Conventional Pollutants Considered and Selected for Regulation 6-6
6.6 Priority Pollutants Considered and Selected for Regulation 6-7
6.6.1 Priority Pollutants Considered for Regulation 6-7
6.6.2 Priority Pollutants Selected for Regulation 6-8
6.7 Nonconventional Pollutants Selected for Regulation 6-9
6.7.1 Nonconventional Pollutants Considered for Regulation 6-9

SECTION 7 DESCRIPTION OF THE CONTROL AND TREATMENT OPTIONS 7-1
7.1 Introduction 7-1
7.2 Pollution Prevention Measures and Wastewater Treatment Technologies in the Pharmaceutical Manufacturing Industry 7-1
7.2.1 Pollution Prevention 7-2
7.2.1.1 General Description 7-2
7.2.1.2 Efforts to Incorporate Pollution Prevention during the Regulatory Development Process 7-5
7.2.2 Advanced Biological Treatment 7-11
7.2.2.1 General Description 7-11
7.2.2.2 Industry Application 7-14

Table of Contents (Continued)

Page

7.2.3 Multimedia Filtration 7-14
7.2.3.1 General Description 7-14
7.2.3.2 Industry Application 7-15
7.2.4 Polishing Pond 7-17
7.2.4.1 General Description 7-17
7.2.4.2 Industry Application 7-17
7.2.5 Cyanide Destruction 7-18
7.2.5.1 General Description 7-18
7.2.5.2 Industry Application 7-19
7.2.6 Steam Stripping and Steam Stripping with Rectification 7-19
7.2.6.1 General Description 7-20
7.2.6.2 Industry Application 7-24
7.2.7 Granular Activated Carbon Adsorption 7-24
7.2.7.1 General Description 7-24
7.2.7.2 Industry Application 7-26
7.2.8 pH Adjustment/Neutralization 7-26
7.2.8.1 General Description 7-26
7.2.8.2 Industry Application 7-27
7.2.9 Equalization 7-27
7.2.9.1 General Description 7-27
7.2.9.2 Industry Application 7-28
7.2.10 Air Stripping 7-28
7.2.10.1 General Description 7-28
7.2.10.2 Industry Application 7-28
7.2.11 Incineration 7-29
7.2.11.1 General Description 7-29
7.2.11.2 Industry Application 7-29
7.3 Development of Control and Treatment Options 7-29
7.3.1 Introduction 7-29
7.3.2 Best Practicable Control Technology Currently Available (BPT) 7-31
7.3.2.1 Subcategories A and C 7-31
7.3.2.2 Subcategories B and D 7-32
7.3.2.3 Rationale 7-32
7.3.3 Best Conventional Pollutant Control Technology (BCT) 7-33
7.3.3.1 Subcategories A and C 7-34
7.3.3.2 Subcategories B and D 7-34
7.3.3.3 Rationale 7-34
7.3.4 Best Available Technology Economically Achievable (BAT) 7-34
7.3.4.1 Subcategories A and C 7-35

Table of Contents (Continued)

Page

7.3.4.2 Subcategories B and D 7-36
7.3.4.3 Rationale 7-37
7.3.5 New Source Performance Standards (NSPS) 7-37
7.3.5.1 Subcategories A and C 7-38
7.3.5.2 Subcategories B and D 7-39
7.3.5.3 Rationale 7-39
7.3.6 Pretreatment Standards for Existing Sources (PSES) 7-40
7.3.6.1 Subcategories A and C 7-40
7.3.6.2 Subcategories B and D 7-40
7.3.6.3 Rationale 7-41
7.3.7 Pretreatment Standards for New Sources (PSNS) 7-41
7.3.7.1 Subcategories A, B, C, and D 7-42
7.3.7.2 Rationale 7-42

SECTION 8 PERFORMANCE OF THE CONTROL AND TREATMENT OPTIONS . . . 8-1
8.1 Introduction 8-1
8.2 Treatment Performance Databases 8-2
8.2.1 EPA Pharmaceutical Manufacturers Sampling Program Data . . 8-2
8.2.2 Industry-Supplied Self-Monitoring Data 8-3
8.2.3 EPA Treatability Studies Data 8-3
8.2.4 Other Research Sources 8-4
8.3 Evaluation of Treatment Performance Data 8-4
8.3.1 Advanced Biological Treatment 8-4
8.3.2 Nitrification 8-6
8.3.3 Multimedia Filtration 8-6
8.3.4 Polishing Ponds 8-7
8.3.5 Cyanide Destruction 8-7
8.3.6 Steam Stripping 8-8
8.4 Evaluation of Treatment Performance Data Transfers 8-11
8.4.1 Advanced Biological Treatment Performance Data Transfers 8-11
8.4.1.1 Data Transfer Methodology 8-13
8.4.1.2 Alcohol Structural Group 8-14
8.4.1.3 Aldehyde Structural Group 8-14
8.4.1.4 Amide Structural Group 8-14
8.4.1.5 Amine Structural Group 8-15
8.4.1.6 Aromatic Structural Group 8-15
8.4.1.7 Ester Structural Group 8-15
8.4.1.8 Ether Structural Group 8-15
8.4.1.9 Ketone and Alkane Structural Groups 8-16
8.4.1.10 Miscellaneous Structural Group 8-16

Table of Contents (Continued)

Page

8.4.2 Steam Stripping Treatment Performance Data Transfers 8-16
8.4.2.1 High Treatability Group 8-19
8.4.2.2 Medium Treatability Group 8-19
8.4.2.3 Low Treatability Group 8-19
8.4.3 ASPEN Simulation Modeling to Support Steam Stripping Treatment Performance Data Transfers 8-20
8.4.3.1 Overview of ASPEN 8-20
8.4.3.2 Methodology for Data Transfer Simulations 8-21
8.4.3.3 Strippability Groups 8-22
8.4.3.4 Flowsheet Development 8-23
8.4.3.5 Estimation of Key Input Variables 8-28
8.4.3.6 Selection of Thermodynamic Models 8-28
8.4.3.7 Summary of Simulation Results 8-29
8.5 Long-Term Mean Development for Conventional Pollutant Parameters and COD 8-29
8.6 Long-Term Mean Development for Cyanide 8-30
8.7 Development of Long-Term Mean Concentrations for Priority and Nonconventional Pollutants 8-31
8.8 Long-Term Mean Development for Ammonia 8-31

SECTION 9 POLLUTANT REDUCTION ESTIMATES 9-1
9.1 Introduction 9-1
9.2 Raw Loads 9-1
9.3 Current Baseline Loads 9-2
9.4 End-of-Pipe Discharge Loads for Each Regulatory Option 9-2
9.4.1 BPT 9-3
9.4.2 BAT 9-3
9.4.3 PSES 9-4
9.5 Pollutant Load Reduction Estimates 9-5
9.5.1 BPT 9-5
9.5.2 BAT 9-5
9.5.3 PSES 9-6

SECTION 10 COSTS OF TECHNOLOGY BASES OF REGULATIONS 10-1
10.1 Introduction 10-1
10.2 Costing Methodology 10-1
10.2.1 Cost Model Structure 10-3
10.3 Cost Modeling 10-6
10.3.1 Evaluation of Existing Cost Models 10-6
10.3.2 Model Driver 10-7
10.3.3 Advanced Biological Treatment 10-8
10.3.3.1 Overview of Costing Methodology 10-9

Table of Contents (Continued)

Page

10.3.3.2 Design Bases and Assumptions 10-9
10.3.3.3 Costing Methodology 10-10
10.3.4 Cyanide Destruction Treatment 10-12
10.3.4.1 Overview of Costing Methodology 10-13
10.3.4.2 Design Bases and Assumptions 10-14
10.3.4.3 Costing Methodology 10-15
10.3.5 Steam Stripping 10-16
10.3.5.1 Overview of Costing Methodology 10-17
10.3.5.2 Design Bases and Assumptions 10-18
10.3.5.3 Costing Methodology 10-20
10.3.6 Contract Hauling 10-23
10.3.6.1 Overview of Costing Methodology 10-23
10.3.6.2 Design Bases and Assumptions 10-24
10.3.6.3 Cost Methodology and Assumptions 10-24
10.3.7 Compliance Monitoring 10-25
10.3.7.1 Overview of Costing Methodology 10-26
10.3.7.2 Cost Methodology 10-26
10.4 Engineering Costs by Regulatory Option 10-26

SECTION 11 REGULATORY OPTIONS SELECTION 11-1
11.1 Introduction 11-1
11.2 BPT 11-1
11.3 BAT 11-4
11.4 NSPS 11-6
11.5 PSES 11-7
11.6 PSNS 11-9

SECTION 12 NONWATER QUALITY ENVIRONMENTAL IMPACTS 12-1
12.1 Introduction 12-1
12.2 Energy Impacts 12-1
12.2.1 Electrical Usage 12-1
12.2.2 Energy Usage in the Generation of Steam 12-2
12.3 Air Emission Impacts 12-3
12.3.1 Current Air Emissions Based on Detailed Questionnaire Responses 12-4
12.3.2 Regulatory Impact on Air Emissions 12-5
12.3.2.1 Regulatory Impact of the MACT Standards on Air Emissions 12-6
12.3.2.2 Reduction in Air Emissions Due to Promulgated Effluent Standards 12-6
12.3.2.3 Criteria Pollutant Air Emissions 12-7

Table of Contents (Continued)

Page

12.4 Solid Waste Impacts 12-8
12.4.1 Dry Sludge Generation 12-8
12.4.2 Waste Solvent Generation 12-10
12.4.3 Waste Minimization and Combustion Strategy 12-11
12.4.3.1 Waste Minimization 12-11
12.4.3.2 Combustion 12-13
12.4.4 Waste Hydrogen Chloride Scrubber Liquor 12-13
12.5 Development of Air Emission Standards 12-14

SECTION 13 BEST PRACTICABLE CONTROL TECHNOLOGY (BPT) 13-1
13.1 Introduction 13-1
13.2 Summary of the BPT Effluent Limitations Guidelines 13-2
13.2.1 Regulated Subcategories 13-2
13.2.2 Regulated Pollutants 13-2
13.2.3 The BPT Effluent Limitations Guidelines 13-3
13.3 Implementation of the BPT Effluent Limitations Guidelines 13-4
13.3.1 NPDES Permit 13-4
13.3.2 Point of Application 13-7
13.3.3 Monitoring and Compliance 13-7

SECTION 14 BEST CONVENTIONAL TECHNOLOGY 14-1
14.1 Introduction 14-1
14.2 General Methodology for BCT Effluent Limitations Development . . . 14-1
14.2.1 POTW Cost Test 14-2
14.2.2 Industry Cost-Effectiveness Test 14-3
14.2.3 BCT Determination 14-3
14.3 BCT Effluent Limitations Guidelines Development for the Pharmaceutical Manufacturing Industry 14-4
14.3.1 Regulated Subcategories 14-4
14.3.2 Regulated Pollutants 14-4
14.3.3 Application of General BCT Methodology to the Pharmaceutical Manufacturing Industry 14-4
14.3.3.1 BCT Cost Test Baseline 14-5
14.3.3.2 BCT Options 14-5
14.3.3.3 Pharmaceutical Manufacturing Cost Model 14-6
14.3.3.4 BCT Cost Test Results 14-6
14.3.3.5 Conclusions 14-8

SECTION 15 BEST AVAILABLE TECHNOLOGY ECONOMICALLY ACHIEVABLE (BAT) 15-1
15.1 Introduction 15-1

Table of Contents (Continued)

Page

15.2 Summary of the BAT Effluent Limitations Guidelines 15-2
15.2.1 Regulated Subcategories 15-2
15.2.2 Regulated Pollutants 15-2
15.2.3 The BAT Effluent Limitations Guidelines 15-3
15.3 Implementation of the BAT Effluent Limitations Guidelines 15-4
15.3.1 Establishing List of Pollutants for Compliance Monitoring . . . 15-4
15.3.2 Point of Application 15-5
15.3.3 Permit Limitations 15-5
15.3.4 Monitoring and Compliance 15-8

SECTION 16 NEW SOURCE PERFORMANCE STANDARDS (NSPS) 16-1
16.1 Introduction 16-1
16.2 Summary of the NSPS 16-2
16.2.1 Regulated Subcategories 16-2
16.2.2 Regulated Pollutants 16-3
16.2.3 NSPS 16-3
16.3 Implementation of NSPS 16-5
16.3.1 Establishing List of Pollutants for Compliance Monitoring . . . 16-5
16.3.2 Point of Application 16-6
16.3.3 Permit Limitations 16-6
16.3.4 Monitoring and Compliance 16-7

SECTION 17 PRETREATMENT STANDARDS FOR EXISTING SOURCES (PSES)
AND PRETREATMENT STANDARDS FOR NEW SOURCES (PSNS) . . 17-1
17.1 Introduction 17-1
17.2 Summary of PSES and PSNS 17-2
17.2.1 Regulated Subcategories 17-2
17.2.2 POTW Pass-Through Analysis 17-3
17.2.2.1 May 2, 1995 Approach 17-4
17.2.2.2 August 8, 1997 NOA Approach 17-6
17.2.2.3 Adopted Approach 17-8
17.2.3 Regulated Pollutants 17-13
17.2.4 PSES and PSNS 17-14
17.3 Implementation of the PSES and PSNS 17-15
17.3.1 Establishing List of Pollutants for Compliance Monitoring . . 17-15
17.3.2 Point of Application 17-16
17.3.3 Permit Limitations 17-17
17.3.4 Monitoring and Compliance 17-17

List of Tables

		Page
2-1	BPT Effluent Limitations for Subcategories A, B, C, and D	2-6
2-2	BAT Effluent Limitations for Subcategory A - Fermentation Operations and Subcategory C - Chemical Synthesis Operations	2-7
2-3	BAT Effluent Limitations for Subcategory B - Biological and Natural Extraction Operations and Subcategory D - Mixing, Compounding, or Formulating	2-8
2-4	NSPS for Subcategory A - Fermentation Operations and Subcategory C - Chemical Synthesis Operations	2-9
2-5	NSPS for Subcategory B - Biological and Natural Extraction Operations and Subcategory D - Mixing, Compounding, or Formulating	2-10
2-6	PSES for Subcategory A - Fermentation Operations and Subcategory C - Chemical Synthesis Operations	2-11
2-7	PSES for Subcategory B - Biological and Natural Extraction Operations and Subcategory D - Mixing, Compounding, or Formulating	2-12
2-8	PSNS for Subcategory A - Fermentation Operations and Subcategory C - Chemical Synthesis Operations	2-13
2-9	PSNS for Subcategory B - Biological and Natural Extraction Operations and Subcategory D - Mixing, Compounding, or Formulating Operations	2-14
3-1	Facilities Sampled As Part of the Pharmaceutical Manufacturing Industry Study	3-42
3-2	Pharmaceutical Industry Geographic Distribution	3-43
3-3	Distribution of Pharmaceutical Manufacturing Facilities by Date of Initiation of Operations	3-47
3-4	Example Pharmaceutical Products by Manufacturing Process and Classification	3-48
3-5	Solvents Used in Fermentation Operations	3-49
3-6	Solvents Used in Biological or Natural Extraction Operations	3-50
3-7	Solvents Used in Chemical Synthesis Operations	3-51
3-8	Production Operation Breakdown	3-52
3-9	Trends in Treatment Technologies Used at Pharmaceutical Manufacturing Facilities	3-53
3-10	Trends in Average Annual Discharges of Compounds Between the Years 1987 and 1994	3-54
4-1	Summary of Discharge Flow Rate, Conventional Pollutants and COD Concentrations in Untreated Wastewater	4-14
4-2	Summary of Priority Pollutant Concentrations in Untreated Wastewater	4-16
4-3	Summary of Nonconventional Pollutant Concentrations in Untreated Wastewater	4-17
4-4	Summary of Conventional Pollutants and COD Treated Effluent Concentrations	4-18

List of Tables (Continued)

		Page
5-1	Process Wastewater Generated Which Contains Organic Compounds	5-15
5-2	Process Wastewater Generated Which Does Not Contain Organic Compounds	5-15
5-3	Wastewater Resulting From Air Pollution Control	5-16
5-4	Wastewater Resulting From Noncontact Cooling Water	5-16
5-5	Wastewater Resulting From Noncontact Ancillary Water	5-17
5-6	Sanitary Wastewater	5-17
5-7	Wastewater From Other Sources	5-18
5-8	Total Amount of Wastewater Generated from Pharmaceutical Manufacturing Facilities	5-18
5-9	Facility Discharge Status by Subcategory	5-19
5-10	Volume of Process Wastewater Discharged by Subcategory	5-19
5-11	Water Conservation Measures Implemented For Process Wastewater	5-20
5-12	Number of Facilities Reporting a Reduction in Wastewater Generated between 1989 and 1990	5-21
5-13	COD Acute Bioassay Test Results	5-21
5-14	COD Bioassay Test Results	5-22
5-15	BOD_5, COD, and TSS Concentrations in Untreated Wastewater and Final Effluent	5-23
5-16	Cyanide and Total Priority Organic Pollutant Concentrations in Pharmaceutical Manufacturing Process Wastewater	5-25
5-17	Ammonia and Total Nonconventional Organic Pollutant Concentrations in Pharmaceutical Manufacturing Process Wastewater	5-27
5-18	Pharmaceutical Manufacturing Industry Wastewater Characterization Data Based on EPA Sampling Episodes	5-29
6-1	Pollutants Which May be Present in Pharmaceutical Industry Wastewater	6-12
6-2	Pollutant Selection Evaluation Criteria for Pollutants Discharged by the Pharmaceutical Manufacturing Industry	6-14
6-3	Priority Pollutants Not Selected for Regulation in the Pharmaceutical Manufacturing Industry	6-18
6-4	Nonconventional Pollutants Not Selected for Regulation in the Pharmaceutical Manufacturing Industry	6-19
7-1	Summary of Major Treatment Technologies Used in the Pharmaceutical Manufacturing Industry	7-43
7-2	Pharmaceutical Manufacturing Facilities Quantity of Chemicals Recycled/Reused (1990)	7-44
7-3	Summary of Regulatory Options	7-45

List of Tables (Continued)

		Page
8-1	Advanced Biological Treatment Performance Data for BOD_5, COD, and TSS	8-33
8-2	Advanced Biological Treatment Performance Data for Priority and Nonconventional Pollutants	8-34
8-3	Nitrification Treatment Performance Data for Ammonia	8-39
8-4	Multimedia Filtration Treatment Performance Data for TSS	8-40
8-5	Polishing Pond Treatment Performance Data for TSS	8-41
8-6	Cyanide Destruction Treatment Performance Data	8-41
8-7	Well-Designed/Well-Operated Steam Stripping Treatment Performance Data for Priority and Nonconventional Pollutants	8-42
8-8	Air Stripping Treatment Performance Data for Ammonia	8-45
8-9	Advanced Biological Treatment Performance Data Transfers	8-46
8-10	Steam Stripping Treatment Performance Data Transfers	8-49
8-11	Strippability Groups for Potentially Regulated Compounds Established for Assigning Process Design Variables for Steam Stripping Technology	8-52
8-12	Key Process Inputs for Data Transfer Simulations	8-54
8-13	Secondary Process Inputs for Data Transfer Simulations	8-54
8-14	Comparison of UNIFAC K-Values and Literature K-Values At 25°C In Water	8-55
8-15	Simulation Results Supporting Steam Stripping with Distillation Treatment Performance Data Transfers for Subcategory A and C Facilities	8-56
8-16	Simulation Results Supporting Steam Stripping with Distillation Treatment Performance Data Transfers for Subcategory B and D Facilities	8-58
8-17	Long-Term Mean Treatment Performance Concentrations for BOD_5, COD, and TSS in Advanced Biological Treatment	8-59
8-18	Long-Term Mean Treatment Performance Concentrations for Priority and Nonconventional Pollutants with Available Data	8-60
8-19	Long-Term Mean Treatment Performance Concentrations for Priority and Nonconventional Pollutants (Including Treatment Performance Data Transfers)	8-61
9-1	Estimated Raw Loads by Subcategory Group and Discharge Mode (lbs/yr)	9-7
9-2	Total Pollutant Load in Untreated Wastewater from Band D Indirect Dischargers	9-9
9-3	Current Pollutant Discharge Loads by Subcategory Group and Discharge Mode (lbs/yr)	9-10
9-4	Total Pollutant Load Currently Discharged from B and D Indirect Dischargers	9-12
9-5	Estimated End-of-Pipe BPT Discharge Load	9-13
9-6	End-of Pipe Discharge Loads for Subcategory A and C Facilities Under BAT Options (lbs/yr)	9-14

List of Tables (Continued)

		Page
9-7	End-of-Pipe Discharge Loads for Subcategory B and D Facilities Under BAT Options (lbs/yr)	9-16
9-8	End-of-Pipe Discharge Loads for Subcategory A and C Facilities Under PSES Options (lbs/yr)	9-17
9-9	End-of-Pipe Discharge Loads for Subcategory B and D Facilities Under PSES Option (lbs/yr)	9-20
9-10	Total Estimated End-of-Pipe Discharge Loads for Subcategory B and D Indirect Dischargers	9-21
9-11	Estimated BPT Load Reduction	9-22
9-12	Pollutant Load Reduction Through Advanced Biological Treatment Under BAT for Subcategory A and C and B and D Direct Dischargers (lbs/yr)	9-23
9-13	Estimated BAT Load Reduction Under BPT Options	9-25
9-14	PSES Pollutant Load Reduction Through In-plant Steam Stripping and Cyanide Destruction (lbs/yr)	9-26
9-15	Total Pollutant Load Reductions from B and D Indirect Dischargers	9-28
10-1	Operation and Maintenance Unit Costs Used By the Cost Model	10-28
10-2	Capital Unit Costs Used by the Cost Model	10-30
10-3	Constants and Values Used to Model Biological Treatment	10-32
10-4	Factors Used To Calculate Indirect and Ancillary Direct Capital Costs As a Percentage of Total Purchased and Installed Capital Cost	10-33
10-5	Operation and Maintenance Labor Hour Calculations for Biological Treatment	10-34
10-6	Electricity Requirement Equations for Biological Treatment	10-35
10-7	Operation and Maintenance Material and Supply Cost Factors for Biological Treatment	10-36
10-8	Steam Stripping Strippability Groups for All Regulated Compounds	10-37
10-9	Steam Stripping Design Parameters Established by Strippability Group	10-38
10-10	Purchase Cost Range for the Major Component of the Steam Stripping Treatment Unit	10-39
10-11	Summary of BPT, BCT, BAT, and PSES Engineering Costs	10-40
10-12	Summary of NSPS and PSNS Engineering Costs	10-42
11-1	Summary of BPT, BAT, and PSES Regulatory Options	11-10
12-1	Estimated Annual Electrical Energy Consumption for Direct Increase Dischargers	12-18
12-2	Estimated Annual Electrical Energy Consumption Increase for Indirect Dischargers	12-18
12-3	Estimated Annual Energy Demand Related to Steam Usage Increase for Indirect Dischargers	12-19
12-4	Regulatory Impact on Energy Usage	12-20

List of Tables (Continued)

Page

12-5 HAPs and Volatile Organic Pollutants Present in Pharmaceutical Manufacturing Wastewaters 12-21
12-6 Treatment Technologies Selected as the Bases of Regulations 12-22
12-7 Estimated HAP and nonHAP Load Removals for MACT Wastewater Strippers 12-23
12-8 Estimated HAP and nonHAP Load Removals for PSES Options Based on Steam Stripping 12-23
12-9 Increase in Criteria Pollutant Emissions from Steam Generation (tons/year) 12-24
12-10 Regulatory Impact on Solid Waste Generation 12-24
12-11 Summary of MACT Standards for New and Existing Sources of Process Wastewater 12-25

13-1 BPT Effluent Limitations Guidelines for Direct Dischargers 13-8

14-1 Summary Results of BCT Cost Test for Subcategory A and C Direct Dischargers (Monetary Values are 1990 $) 14-9
14-2 Summary Results of BCT Cost Test for Subcategory B and D Direct Dischargers (Monetary Values are 1990 $) 14-10

15-1 Pollutants Regulated Under BAT for Subcategories A and C 15-11
15-2 BAT Effluent Limitations for Subcategory A and C Operations 15-12
15-3 BAT Effluent Limitations for Subcategory B and D Operations 15-14
15-4 Surrogates for Subcategory A/C Direct Dischargers (Biotreatment) 15-15

16-1 Pollutants Regulated Under NSPS for Subcategory A and C Facilities 16-9
16-2 Pollutants Regulated Under NSPS for Subcategory B and D Facilities 16-10
16-3 NSPS for Subcategory A and C Operations 16-11
16-4 NSPS for Subcategory B and D Operations 16-13
16-5 Surrogates for Subcategory A/C Direct Dischargers (Biotreatment) 16-14

17-1 Organic Pollutants Considered for Regulation That Pass Through POTWs 17-20
17-2 EPA and PhRMA Sampling Results for Primary Treatment at Barceloneta POTW Data from Method 1671 17-22
17-3 Water8 Modeling Results for Primary and Secondary Treatment at BRWTP 17-22
17-4 Pollutants to be Regulated Under PSES and PSNS 17-23
17-5 PSES and PSNS Effluent Limitations for Subcategory A and C Operations 17-24

List of Tables (Continued)

Page

17-6 PSES and PSNS Effluent Limitations for Subcategory B and D Operations 17-25
17-7 Steam Stripping Surrogates for Indirect Dischargers 17-26

List of Figures

		Page
3-1	Location of Operating Pharmaceutical Facilities by State (304 Facilities)	3-24
3-2	Number of Facilities in Each Combination of Pharmaceutical Manufacturing Process Types	3-28
7-1	Environmental Management Options Hierarchy	7-4
7-2	Typical Downflow Multimedia Filter Bed	7-16
7-3	Steam Stripping Column Diagram	7-22
7-4	Steam Stripping and Rectification Column Diagram	7-23
8-1	Process Schematic for a Steam Stripper with Open Steam	8-24
8-2	Process Schematic for a Distillation Column with Open Steam	8-25
8-3	Simulation Block Diagram for Steam Stripper with Decanter	8-26
8-4	Simulation Block Diagram for Distillation Column with Open Steam	8-27