
Appendix G: Literature Cited

- Alcaraz, M., G.A. Paffenhofer, and J.R. Strickler. 1980. Catching the algae: A first account of visual observations on filter-feeding calanoids. Pages 241-248 In *ASLO Special Symposium 3: The evolution and ecology of zooplankton communities*. University Press of New England, Hanover, NH.
- APHA. 1992. *Standard methods for the examination of water and wastewater*. 16th ed. American Public Health Association, Washington, DC.
- ASTM. 1990. *Standard guide for collection, storage, characterization, and manipulation of sediments for toxicological testing*. ASTM Designation E 1391 - 90. American Society of Testing and Materials, West Conshohocken, PA.
- . 1998 (draft). *Standard test methods for measuring the toxicity of sediment-associated contaminants with fresh water invertebrates*. ASTM Designation E 1706 - 95b. American Society of Testing and Materials, West Conshohocken, PA.
- Bahls, L. 1993. *Periphyton bioassessment methods for Montana streams*. Montana Water Quality Bureau, Department of Health and Environmental Science, Helena, MT.
- Baker, J.P. and S.W. Christensen. 1991. Effects of acidification on biological communities in aquatic ecosystems. Pages 83-106 In D.F. Charles, ed. *Acidic deposition and aquatic ecosystems: Regional case studies*. Springer-Verlag, New York, NY.
- Barbour, M.T. and J. Gerritsen. 1996. Subsampling of benthic samples: A defense of the fixed-count method. *Journal of the North American Benthological Society* 15(3):386-391.
- Barbour, M.T., J. Gerritsen, G.O. Griffith, R. Frydenborg, E. McCarron, J.S. White, and M.L. Bastian. 1996a. A framework for biological criteria for Florida streams using benthic macroinvertebrates. *Journal of the North American Benthological Society* 15:185-211.
- Barbour, M.T., J. Gerritsen, and J.S. White. 1996b. *Development of the Stream Condition Index (SCI) for Florida*. Prepared for Florida Department of Environmental Protection, Tallahassee, FL.
- Barbour, M.T., J.L. Plafkin, B.P. Bradley, C.G. Graves, and R.W. Wisseman. 1992. Evaluation of EPA's rapid bioassessment benthic metrics: Metric redundancy and variability among reference stream sites. *Environmental Toxicology and Chemistry* 11:437-449.

Barbour, M.T., J.B. Stribling and J.R. Karr. 1995. Multimetric approach for establishing biocriteria and measuring biological condition. Pages 63-77 In W.S. Davis and T.P. Simon, eds. *Biological Assessment and Criteria: Tools for water resource planning and decision making*. Lewis Publishers, Boca Raton, FL.

Barbour, M.T. and S. Thornley. 1990. Quality assurance issues related to field assessment of aquatic ecosystems. Pages 167-183 In D. Hart, ed. *Proceedings of the Third Annual Ecological Quality Assurance Workshop*. Burlington, Ontario.

Barko, J.W., H.L. Eakin, and D.G. McFarland. 1992. *Interrelationships between macrophyte growth and sediment nutrient availability*. Abstracts, NALMS 12th Annual International Symposium. North American Lake Management Society, Madison, WI.

Battarbee, R.W. 1973. A new method for the estimation of absolute microfossil numbers, with reference especially to diatoms. *Limnology and Oceanography* 18:647-653.

Birks, H.J.B., S. Juggins, and J.M. Line. 1990. Lake surface-water chemistry reconstructions from paleolimnological data. Pages 301-313 In B. J. Mason, ed. *The Surface Waters Acidification Programme*. Cambridge University Press, Cambridge, MA.

Blalock, H.M., Jr. 1979. *Social Statistics*. Revised 2nd edition. McGraw-Hill Book Company, New York, NY.

Brooks, J.L. and S.I. Dodson. 1965. Predation, body size and composition of plankton. *Science* 150:28-35.

Camburn, K.E., J.C. Kingston, and D.F. Charles. 1984-1986. *PIRLA Diatom Iconograph*. PIRLA unpublished report series, Report no. 3, Indiana University, Bloomington, IN.

Canfield, D.E., Jr. 1981. *Chemical and trophic state characteristics of Florida lakes in relation to regional geology*. Final report to Florida Cooperative Fish and Wildlife Unit, University of Florida, Gainesville, FL.

Canfield, D.E., Jr., K.A. Langeland, M.J. Maceina, W.T. Haller, J.V. Shireman, and J.R. Jones. 1983. Trophic state classification of lakes with aquatic macrophytes. *Canadian Journal of Fisheries and Aquatic Sciences* 40:1713-1718.

Caper, J., G. Power, and F.R. Shivers, Jr. 1983. *Chesapeake waters, pollution, public health and public opinion*. Tidewater Publishers, Centreville, MD.

Carlson, R.E. 1977. A trophic state index for lakes. *Limnology and Oceanography* 22:361-369.

Carlson, R.E. 1992. Expanding the trophic state concept to identify non-nutrient limited lakes and reservoirs. Pages 59-71 In *Enhancing the State's Lake Management Programs: Proceedings of a conference*, Chicago, 1991. North American Lake Management Society, Madison, WI.

Carlson, R.E. and J. Simpson. 1996. *Volunteer Lake Monitoring in the Upper Mid-west: Programs, Techniques, and Technical Recommendations*. North American Lake Management Society, Madison, WI.

Carpenter, S.R., J.F. Kitchell, J.R. Hodgson, P.A. Cochran, J.A. Elser, M.M. Elser, D.M. Lodge, D. Kretchmer, X. He, and C.N. von Ende. 1987. Regulation of lake primary productivity by food web structure. *Ecology* 68:1863-1876.

Charles, D.F. and J.P. Smol. 1994. Long-term chemical changes in lakes: Quantitative inferences using biotic remains in the sediment record. *Advances in Chemistry* 237:1-51.

Charles, D.F., J.P. Smol, and D.R. Engstrom. 1994. Paleolimnological approaches to biological monitoring. Pages 233-293 In L. L. Loeb, and A. Spacie, eds. *Biological monitoring of aquatic systems*. CRC Press, Boca Raton, FL.

Charles, D.F. and D.R. Whitehead. 1986. The PIRLA project: Paleoecological investigation of recent lake acidification. *Hydrobiologia* 143:13-20.

Cochran, W.G. 1963. *Sampling Techniques*. John Wiley and Sons, Inc., New York, NY.

Conover, W.J. 1980. *Practical Nonparametric Statistics. 2nd edition*. John Wiley and Sons, Inc., New York, NY.

Conquest, L.L., S.C. Ralph, and R.J. Naiman. 1994. Implementation of large-scale stream monitoring efforts: Sampling design and data analysis issues. Pages 69-90 In L. Loeb and A. Spacie, eds. *Biological Monitoring of Aquatic Systems*, Lewis Publishers, Boca Raton, FL.

Courtemanch, D.L., S.P. Davies, and E.B. Laverty. 1989. Incorporation of biological information in water quality planning. *Environmental Management* 13:35-41.

Crowder, A. and D.S. Painter. 1991. Submerged macrophytes in Lake Ontario: Current knowledge, importance, threats to stability, and needed studies. *Canadian Journal of Fisheries and Aquatic Sciences* 48:1539-1545.

Cumming, B.F., J.P. Smol, J.C. Kingston, D.F. Charles, H.J.B. Birks, K.E. Camburn, S.S. Dixit, A.J. Uutala, and A.R. Selle. 1992. How much acidification has occurred in Adirondack region lakes (New York, USA) since preindustrial times? *Canadian Journal of Fisheries and Aquatic Sciences* 49:128-141.

Davic, R.D. and J.E. DeShon. 1989. The Ohio Lake Condition Index: A new multiparameter approach to lake classification. *Lake Research Management* 5:1-8.

Davies, S.P., L.T. Somides, D.L. Courtemanch, and F. Drummond. 1993. *Maine biological monitoring and biocriteria development program*. Maine Department of Environmental Protection, Bureau of Water Quality Control, Division of Environmental Evaluation and Lake Studies, Augusta, ME.

DeBernardi, R. 1984. Methods for the estimation of zooplankton abundance. Pages 59-86 In J.A. Downing and F.H. Rigler, eds. *A manual on methods for the assessment of secondary productivity in fresh waters. 2nd edition*. Blackwell Scientific Publications, Oxford, England.

DeShon, J.E. 1995. Development and application of the Invertebrate Community Index (ICI). Pages 217-244 In W.S. Davis and T.P. Simon, eds. *Biological Assessment and Criteria. Tools for Water Resource Planning and Decision Making*. CRC Press, Boca Raton, FL.

Dillon, P.J. and F.H. Rigler. 1974. The phosphorus-chlorophyll relationship in lakes. *Limnology and Oceanography* 19:767-773.

Dillon, P.J., W.A. Scheider, R.A. Reid, and D.S. Jeffries. 1994. Lakeshore capacity study: Part I-Test of effects of shoreline development on the trophic status of lakes. *Lake Reservation Management* 8(2):121-129.

Dionne, M. and J.R. Karr. 1992. Ecological monitoring of fish assemblages in Tennessee River reservoirs. Pages 259-281 In D.H. McKenzie, D.E. Hyatt, and V.J. McDonald, eds. *Ecological indicators*. Elsevier, New York, NY.

Dixit, S.S., B.F. Cumming, H.J.B. Birks, J.P. Smol, J.C. Kingston, A.J. Uutala, D.F. Charles, and K.E. Camburn. 1993. Diatom assemblages from Adirondack lakes (New York, USA) and the development of inference models for retrospective environmental assessment. *Journal of Palaeolimnology* 8:27-47.

Dixit, S.S., J.P. Smol, J.C. Kingston, and D.F. Charles. 1992. Diatoms: Powerful indicators of environmental change. *Environmental Science Technology* 26:23-33.

Dodson, S.I. 1992. Predicting crustacean zooplankton richness. *Limnology and Oceanography* 37:848-856.

Donigian, A.S., Jr. and W.C. Huber. 1991. Modeling of nonpoint source water quality in urban and non-urban areas. EPA 68-03-3513(#29). U.S. Environmental Protection Agency, Athens, GA.

Dycus, D.L. and D.L. Meinert. 1992. Reservoir vital signs monitoring - 1991: *Summary of vital signs and use impairment monitoring on Tennessee Valley Reservoirs*. TVA/WR—92/8. Water Resources Division, Tennessee Valley Authority, Chattanooga, TN.

———. 1993. Monitoring and evaluation of aquatic resource health and use suitability in Tennessee Valley Authority reservoirs. Draft. *Water Management*. Tennessee Valley Authority, Chattanooga, TN.

———. 1994. Tennessee Valley reservoir and stream quality 1993 summary of vital signs and use suitability monitoring - Volume 1. *Water Management*. Tennessee Valley Authority, Chattanooga, TN.

Eakins, J.D. and R.I. Morrison. 1978. A new procedure for the determination of ²¹⁰Pb in lake and marine sediments. *International Journal of Radio-Isotopes* 29:531-536.

Edmondson, W.T. and J.T. Lehman. 1981. The effect of changes in the nutrient income on the condition of Lake Washington. *Limnology and Oceanography* 26:1-29.

Edmondson, W.T. and A.H. Litt. 1982. Daphnia in Lake Washington. *Limnology and Oceanography* 27:272-293.

Engle, V.D., J.K. Summers, and G.R. Gaston. 1994. A benthic index of environmental condition of Gulf of Mexico estuaries. *Estuaries* 17:372-384.

Environment Canada. 1994. *Development of methodologies for whole-sediment toxicity tests with benthic invertebrates: a. Optimum age for initiation and duration of Hyallela azteca survival and growth test, b. Formulation of artificial sediment(s) for use in reference toxicity tests with benthic invertebrates*. Environment Canada Method Development and Application Division Technology Development Directorate. TS - 27.

Fairweather, P.G. 1991. Statistical power and design requirements for environmental monitoring. *Australian Journal of Marine Freshwater Research* 42:555-67.

Fausch, D.D., J.R. Karr, and P.R. Yant. 1984. Regional application of an index of biotic integrity based on stream fish communities. *Transactions of the American Fisheries Society* 113:39-55.

FDEP. 1994. *Lake bioassessments for the determination of nonpoint source impairment in Florida*. Draft. Florida Department of Environmental Protection, Biology Section, Division of Administrative and Technical Services, Tallahassee, FL.

———. 1996. Standard operating procedures for biological assessment. Florida Department of Environmental Protection, Biology Section, Tallahassee, FL.

Fore, L.S., J.R. Karr, and L.L. Conquest. 1994. Statistical properties of an index of biotic integrity used to evaluate water resources. *Canadian Journal of Fisheries and Aquatic Sciences* 51:1077-1087.

Fore, L.S., J.R. Karr, and R.W. Wisseman. 1996. Assessing invertebrate responses to human activities: Evaluating alternative approaches. *Journal of the North American Benthological Society* 15:212-231.

Frey, D.G. 1975. Biological integrity of water - An historical approach. Pages 127-140 In R.K. Ballentine and L.J. Guarrai, eds. *The Integrity of Water*, U.S. Environmental Protection Agency, Washington, DC.

Fritz, S.C. 1990. Twentieth-century salinity and water-level fluctuations in Devils Lake, North Dakota: Test of a diatom-based transfer function. *Limnology and Oceanography* 35:1771-1780.

Fryer, G. 1985. Crustacean diversity in relation to the size of waterbodies: Some facts and problems. *Freshwater Biology* 15:347-361.

Gauch, H.G. 1982. *Multivariate analysis in community ecology*. Cambridge University Press, Cambridge, MA.

Gerritsen, J. 1980. Adaptive responses to encounter problems. Pages 52-62 In W.C. Kerfoot, ed. *The evolution and ecology of zooplankton communities*. University Press of New England, Hanover, NH.

Gerritsen, J. 1995. Additive biological indices for resource management. *Journal of the North American Benthological Society* 14:451-457.

Gerritsen, J., and M.L. Bowman. 1994. *Periphytic diatom assemblages on high elevation Rocky Mountain lakes: Characterization of reference conditions*. Prepared for the Montana Department of Health and Environmental Quality, Helena, MT and the U.S. Environmental Protection Agency, Washington, D.C.

Gerritsen, J., and J.S. White. 1997. *Development of a biological index for Florida Lakes*. Prepared for Florida Department of Environmental Protection, Tallahassee, FL.

Glew, J.R. 1988. A portable extruding device for close interval sectioning of unconsolidated core samples. *Journal of Palaeolimnology* 1:235-239.

———. 1989. A new trigger mechanism for sediment samplers. *Journal of Palaeolimnology* 2:241-243.

Gray, J.S. 1989. Effects of environmental stress on species fish assemblages. *Biological Journal of the Linnean Society* 37:19-32.

Green, G.R. and B.A. Beckman. 1992. The composite index of coincident indicators and alternative coincident indexes. *Survey of Current Business*. U.S. Department of Commerce, Bureau of Economic Analysis, Washington, DC.

Gurtz, M.E. 1994. Design of biological components of the National Water-Quality Assessment (NAWQA) Program. Pages 323-354 (Chapter 15) In S.L. Loeb and A. Spacie, eds. *Biological Monitoring of Aquatic Systems*. Lewis Publishers, Boca Raton, FL.

Hall, R.I. and J.P. Smol. 1992. A weighted-averaging regression and calibration model for inferring total phosphorus concentration from diatoms in British Columbia (Canada) lakes. *Freshwater Biology* 27:417-434.

Hecky, R. E. and H. J. Kling. 1981. The phytoplankton and protozooplankton of the euphotic zone of Lake Tanganyika: Species composition, biomass, chlorophyll content, and spatio-temporal distribution. *Limnology and Oceanography* 26:532-547.

-
- Heiskary, S.A. 1989. Integrating ecoregion concepts into state lake management programs. Pages 89-100 *In Enhancing the States' Lake Management Programs Proceedings*. North American Lake Management Society, Madison, WI.
- Heiskary, S.A. and C.B. Wilson. 1989. The regional nature of lake water quality across Minnesota: An analysis for improving resource management. *Journal of the Minnesota Academy of Science* 55:71-77.
- Heiskary, S.A., C.B. Wilson, and D.P. Larsen. 1987. Analysis of regional patterns in lake water quality: Using ecoregions for lake management in Minnesota. *Lake Reservation Management* 3:337-344.
- Helsel, D.R. and R.M. Hirsch. 1992. *Statistical Methods in Water Resources*. Elsevier, Amsterdam.
- Hergenrader, G.L. and D.C. Lessig. 1980. Eutrophication of the salt valley reservoirs, 1968-1973, III. The macroinvertebrate community: Its development, composition, and change in response to eutrophication. *Hydrobiologia* 75:7-25.
- Hickman, G.D. and T.A. McDonough. 1996. Assessing the reservoir fish assemblage index: A potential measure of reservoir quality. *American Fisheries Society Symposium* 16:85-97.
- Hill, K.R. 1986. Classification of Iowa lakes and their fish standing stock. *Lake Reservation Management* 2:105-109.
- Hill, M.O. 1979. TWINSPAN-A FORTRAN program for arranging multivariate data in an ordered two-way table by classification of individuals and attributes. Cornell University, Ithaca, NY.
- Hilsenhoff, W.L. 1987. An improved biotic index of organic stream pollution. *Great Lakes Entomology* 20:31-39.
- Hosper, S.H. and M.L. Meijer. 1993. Biomanipulation, will it work for your lake? A simple test for the assessment of chances for clear water, following drastic fish-stock reduction in shallow, eutrophic lakes. *Ecological Engineering* 2:63-72.
- Hosper, S.H., M.L. Meijer, and P.A. Walker, eds. 1992. Handleiding Actief Biologisch Beheer. RIZA/OVB (Netherlands Institute for Inland Water Management and Wastewater Treatment/ Organization for Improvement of Inland Fisheries) Lelystad, The Netherlands (in Dutch).
- Hughes, R.M., S.A. Heiskary, W.J. Matthews, and C.O. Yoder. 1994. Use of ecoregions in biological monitoring. Pages 125-151 In S.L. Loeb and A. Spacie, eds. *Biological monitoring of aquatic systems*. Lewis Publishers, Boca Raton, FL.
- Hughes, R.M. and D.P. Larsen. 1988. Ecoregions: An approach to surface water protection. *Journal of Water Pollution Control Federation* 60:486-493.

-
- Hurlbert, S.H. 1971. The nonconcept of species diversity: A critique and alternative parameters. *Ecology* 52:577-586.
- Hurlbert, S.H. 1984. Pseudoreplication and the design of ecological field experiments. *Ecological Monography* 54(2).
- Hutchinson, G.E. 1957. *A treatise on limnology. Vol. 1. Geography, physics and chemistry*. John Wiley and Sons, New York, NY.
- Hutchinson, G.E. 1965. *The ecological theater and the evolutionary play*. Yale University Press, New Haven, CT.
- Hutchinson, G.E. 1967. *A treatise on limnology. Vol. 2. Introduction to lake biology and the limnoplankton*. John Wiley and Sons, New York, NY.
- Hynes, H.B.N. 1994. Historical perspective and future direction of biological monitoring of aquatic systems. Chapter 2 In S.L. Loeb and A. Spacie, eds. *Biological monitoring of aquatic systems*. CRC Press, Boca Raton, FL.
- ITFM. 1992. *Ambient water-quality monitoring in the United States. First year review, evaluation, and recommendations*. ITFM. Interagency Advisory Committee on Water Data. Intergovernmental Task Force on Monitoring Water Quality, Water Information Coordination Program, Washington, DC.
- Intergovernmental Task Force on Monitoring Water Quality (ITFM). 1994. *Water Quality Monitoring in the United States (Region V): 1993 Report of the Intergovernmental Task Force on Monitoring Water Quality*. Intergovernmental Task Force on Monitoring Water Quality, Washington, DC.
- Jackson, D.A. 1993a. Multivariate analysis of benthic invertebrate communities: The implications of choosing particular data standardizations, measures of association, and ordination methods. *Hydrobiologia* 268: 9-26
- Jackson, D.A. 1993b. Stopping rules in principal components analysis: A comparison of heuristical and statistical approaches. *Ecology* 74: 2204-2214.
- Jennings, M.J., L.S. Fore, and J.R. Karr. 1995. Biological monitoring of fish assemblages in Tennessee Valley reservoirs. *Regulated Rivers: Research & Management* 11:263-274.
- Johnson, R.A. and D.W. Wichern. 1992. *Applied Multivariate Statistical Analysis*. John Wiley & Sons, New York, NY.
- Johnson, R.J. 1989. Water quality standards for lakes. Pages 123-128 In G.H. Flock, ed. *Water quality standards for the 21st Century*. U.S. Environmental Protection Agency, Office of Water, Washington, DC.

Jongman, R.H.G., C.J.F. ter Braak, and O.F.R. van Tongeren. 1987. *Data analysis and community and landscape ecology*. Pudoc. Wageningen, the Netherlands.

Karr, J.R. 1981. Assessment of biotic integrity using fish communities. *Fisheries* 6:21-27.

———. 1991. Biological integrity: A long-neglected aspect of water resource management. *Ecological Application* 1:66-84.

Karr, J.R. and D.R. Dudley. 1981. Ecological perspective on water quality goals. *Environmental Management* 5:55-68.

Karr, J.R., K.D. Fausch, P.L. Angermeier, P.R. Yant, and I.J. Schlosser. 1986. *Assessing biological integrity in running waters: A method and its rationale*. Illinois Natural History Survey, Special Publication 5.

Kenkel, N.C. and Orloci, L. 1986. Applying metric and nonmetric multidimensional scaling to ecological studies: Some new results. *Ecology* 67: 919-928.

Kennedy, R.H., K.W. Thornton, and D. Ford. 1985. Characterization of the reservoir ecosystem. In D. Gunnison, ed. *Microbial processes in reservoirs*. Dr. W. Junk Publishers, Boston, MA.

Kennedy, R.H. and W.W. Walker. 1990. Reservoir nutrient dynamics. Pages 109-132 In K.W. Thornton, B.L. Kimmel and F.E. Payne, eds. *Reservoir limnology: Ecological perspective*. John Wiley and Sons, New York, NY.

KDEP. 1993. *Methods for assessing biological integrity of surface waters*. Kentucky Department of Environmental Protection, Division of Water, Frankfort, KY.

Kerans, B.L., and J.R. Karr. 1994. A Benthic Index of Biotic Integrity (B-IBI) for rivers of the Tennessee Valley. *Ecological Application* 4:768-785.

Kingston, J.C. 1986. Diatom analysis. In D.F. Charles and D.R. Whitehead, eds. *Paleoecological investigation of recent lake acidification: Methods and project descriptions*. EA-4906, Res. Proj. 2174-10. Electric Power Research Institute, Palo Alto, CA.

Knowlton, M.F. and J.R. Jones. 1989. Comparison of surface and depth-integrated composite samples for estimating algal biomass and phosphorus values and notes on the vertical distribution of algae and photosynthetic bacteria in midwestern lakes. *Archiv für Hydrobiologie*. Supplement 83:175-96.

Kratzer, C.R. and P.L. Brezonik. 1981. A Carlson-type trophic state index for nitrogen in Florida lakes. *Water Research Bulletin* 17:713-715.

Lahiri, K. and G.H. Moore. 1991. *Leading economic indicators: New approaches and forecasting records*. Cambridge University Press, Cambridge, MA.

Larsen, D.P. and H. Mercier. 1976. Phosphorus retention capacity of lakes. *Journal of Fisheries Research Board of Canada* 33:742-750.

Leach, J.H. and R.C. Herron. 1992. A review of lake habitat classification. Chapter 3 In W.D.N. Busch and P.G. Sly, eds. *The development of an aquatic habitat classification system for lakes*. CRC Press, Boca Raton, FL.

Leonard, P.M. and D.J. Orth. 1986. Application and testing of an index of biotic integrity in small, coolwater streams. *Transaction of American Fisheries Society* 115:401-414.

Lewis, W.M., Jr. 1979. *Zooplankton community analysis*. Springer-Verlag, New York, NY.

Line, J.M., C.J.F. ter Braak, and H.J.B. Birks. 1994. WACALIB version 3.3-a computer program to reconstruct environmental variables from fossil assemblages by weighted averaging and to derive sample-specific errors of prediction. *Journal of Palaeolimnology* 10:147- 152.

Ludwig, J.A. and J.F. Reynolds. 1988. *Statistical ecology*. John Wiley and Sons, New York, NY.

Martin, R.G. and R.D. Arneson. 1978. Comparative limnology of a deep-discharge reservoir and a surface-discharge lake on the Madison River, Montana. *Freshwater Biology* 8:33-42.

Masters, A.E. 1992. *Reservoir vital signs monitoring, 1991 - Benthic macroinvertebrate community results*. TVA/WR-92/3. Tennessee Valley Authority, Water Resources Division, Chattanooga, TN.

Maughan, J.T. 1993. *Ecological assessment of hazardous waste sites*. Van Nostrand Reinhold, New York, NY.

Maxted, J.R., E.L. Dickey, and G.M. Mitchell. 1994. *Habitat quality of a Delaware nontidal stream*. Delaware Department of Natural Resources and Environmental Control, Dover, DE.

Mayewski, P.A., M. Wumkes, J. Klinck, M.S. Twickler, J.S. Putscher, K.C. Taylor, A.J. Gow, E.D. Waddington, R.B. Alley, J.E. Gibb, P.M. Grootes, D.A. Meese, M. Ram, M. Whalen, and A.T. Wilson. 1994. Record drilling depth struck in Greenland. *Eos* 75:113-124.

Mazumder, A. 1994. Patterns of algal biomass in dominant odd- vs. even-link lake ecosystems. *Ecology* 75(4):1141-1149.

Mazumder, A., W.D. Taylor, D.J. McQueen, and D.R.S. Lean. 1990. Effect of fish and plankton on lake temperature and mixing depth. *Science* 247(1):312-315.

Meador, M.R., T.F. Cuffney and M.E. Gurtz. 1993. *Methods for sampling fish communities as part of the National Water Quality Assessment Program*. USGS/OFR 93-104. U.S. Geological Survey, Washington, DC.

Meinert, D.L., S.R. Butkus, and T.A. McDonough. 1992. *Chickamauga Reservoir Embayment Study - 1990*. TVA/WR-92/28. Tennessee Valley Authority, Water Resources Division, Chattanooga, TN.

Miller, D.L., P.M. Leonard, R.M. Hughes, J.R. Karr, P.B. Moyle, L.H. Schrader, B.A. Thompson, R.A. Daniels, K.D. Fausch, G.A. Fitzhugh, J.R. Gammon, D.B. Halliwell, P.L. Angermeier, and D.J. Orth. 1988. Regional applications of an index of biotic integrity for use in water resource management. *Fisheries* 13:12-20.

Mills, E.L., D.M. Green, and A. Schiavone, Jr. 1987. Use of zooplankton size to assess the community structure of fish populations in freshwater lakes. *North American Journal of Fisheries Management* 7:369-378.

Mills, E.L. and A. Schiavone, Jr. 1982. Evaluation of fish communities through assessment of zooplankton populations and measures of lake productivity. *North American Journal of Fisheries Management* 2:14-27.

Moore, J.W. 1981. Factors influencing the species composition, distribution and abundance of benthic invertebrates in the profundal zone of a eutrophic northern lake. *Hydrobiologia* 85:505-510.

Moss, D., M.T. Furse, J.F. Wright, and P.D. Armitage. 1987. The prediction of the macroinvertebrate fauna of unpolluted running-water sites in Great Britain using environmental data. *Freshwater Biology* 41-52.

NALMS. 1992. *Developing eutrophication standards for lakes and reservoirs*. North American Lake Management Society, Alachua, FL.

Naumann, E. 1932. *Grundzuge der regionalen limnologie*. Binnengewasser 11.

Norris, R.H. 1995. Biological monitoring: The dilemma of data analysis. *Journal of North American Benthological Society* 14:440-450.

NRC. 1992. *Restoration of aquatic ecosystems*. National Research Council. National Academy Press, Washington, DC.

Nürnberg, G.K. 1996. Trophic state of clear and colored, soft- and hardwater lakes with special consideration of nutrients, anoxia, phytoplankton and fish. *Lake and Reservoir Management* 12(4):432-447.

O'Brien, W.J. 1979. The predator-prey interaction of planktivorous fish and zooplankton. *American Science* 67:572-581.

-
- . 1990. Perspectives on fish in reservoir ecosystems. Pages 209-226 In K.W. Thornton, B.L. Kimmel, and F.E. PayneIn, eds. *Reservoir limnology: Ecological perspectives*. John Wiley and Sons, New York, NY.
- O’Gorman, R., E.L. Mills, and J.S. DeGisi. 1991. Use of zooplankton to assess the movement and distribution of alewife (*Alosa pseudoharengus*) in south-central Lake Ontario in spring. *Canadian Journal of Fisheries Aquatic Sciences* 48:2250-2257.
- Oglesby, R.T. 1977. Relationships of fish yield to lake phytoplankton standing crop, production, and morphoedaphic factors. *Journal of Fisheries Research Board of Canada* 34(12):2271-2279.
- Ohio EPA. 1987. *Biological criteria for the protection of aquatic life. Vols. 1-3*. Ohio Environmental Protection Agency, Monitoring and Assessment Program, Surface Water Section, Division of Water Quality, Columbus, OH.
- . 1990. *The use of biocriteria in the Ohio EPA surface water monitoring and assessment program*. Ohio Environmental Protection Agency, Ecological Assessment Section, Division of Water Quality Planning and Assessments, Columbus, OH.
- OCC. 1993. *Development of rapid bioassessment protocols for Oklahoma utilizing characteristics of the diatom community*. Oklahoma Conservation Commission, Oklahoma City, OK.
- Omernik, J.M. 1987. Ecoregions of the conterminous United States. *Annals of the Association of American Geography* 77(1):118- 125.
- Oreskes, N., K. Schrader-Frechette, and K. Belitz. 1994. Verification, validation, and confirmation of numerical models in the earth sciences. *Science* 263:641-646.
- Orth, R.J. and J.W. Moore. 1983. Chesapeake Bay: An unprecedented decline in submerged aquatic vegetation. *Science* 222:51-53.
- Palmer, M.W. 1993. Putting things in even better order: The advantages of canonical correspondence analysis. *Ecology* 74(8):2215-2230.
- Patalas, K. 1971. Crustacean plankton and the eutrophication of St. Lawrence Great Lakes. *Journal of Fisheries Research Board of Canada* 29:1451-1462.
- Patrick, R. 1949. A proposed biological measure of stream conditions, based on a survey of the Conestoga Basin, Lancaster County, Pennsylvania. *Proceedings of the Philadelphia Academy of Natural Sciences* 101:277-341.
- Perry, J.A. and N.H. Troelstrup. 1988. Whole ecosystem manipulation: A productive avenue for test system research? *Environmental Toxicology and Chemistry* 7:941 -951.
- Peterman, R.M. 1990. The importance of reporting statistical power: The forest decline andacidic deposition example. *Ecology* 71(5):2024-2027.

Peters, J.A. 1988. Quality control infusion into stationary source sampling. Chapter 22 In L.H. Keith, ed. *In Principles of environmental sampling*. American Chemical Society, Washington, DC.

Peters, R.H. 1991. *A critique for ecology*. Cambridge University Press, Cambridge, MA.

Pielou, E.C. 1977. *Mathematical ecology*. 2nd edition. John Wiley and Sons, Inc., New York, NY.

Porter, K.G. 1977. The plant-animal interface in freshwater ecosystems. *American Science* 65:159-170.

PSEP. 1995. *Recommended guidelines for conducting laboratory bioassays on Puget Sound sediments*. Prepared for U.S. Environmental Protection Agency Region 10, Office of Puget Sound, Seattle, WA and Puget Sound Water Quality Authority, Olympia, WA.

Ranasinghe, J.A., S.B. Weisberg, J. Gerritsen, and D.M. Dauer. 1994. *Assessment of Chesapeake Bay benthic macroinvertebrate resource condition in relation to water quality and watershed stressors*. Prepared by Versar, Inc. for Maryland Department of Natural Resources, Chesapeake Bay Research and Monitoring Division, Annapolis, MD.

Reynolds, C.S. 1984. *The ecology of freshwater phytoplankton*. Cambridge University Press, Cambridge, MA.

Reynoldson, T.B., R.C. Bailey, K.E. Day, and R.H. Norris. 1995. Biological guidelines for freshwater sediment based on Benthic Assessment of Sediment (the BEAST) using a multivariate approach for predicting biological state. *Australian Journal of Ecology* 20:198-219.

Rohm, C.M., J.M. Omernik, C.W. Kiilsgaard. 1995. Regional patterns of total phosphorus in lakes of the Northeastern United States. *Lake and Reservoir Management* 11(1):1-14.

Roth, N.E., M.T. Southerland, J.C. Chaillou, J.H. Vølstad, S.B. Weisberg, H.T. Wilson, D.G. Heimbuch, J.C. Seibel. 1997. *Maryland biological stream survey: Ecological status of non-tidal streams in six basins sampled in 1995*. CBWP-MANTA-EA-97-2. Prepared for Maryland Department of Natural Resources, Chesapeake Bay and Watershed Programs, Annapolis, MD.

Ryder, R.A., S.R. Kerr, K.H. Loftus, and H.A. Regier. 1974. The morphoedaphic index, a fish yield estimator: Review and evaluation. *Journal of Fisheries Research Board of Canada* 31:663-688.

Scheffer, M., M.R. de Redelijkheid, and F. Noppert. 1992. Distribution and dynamics of submerged vegetation in a chain of shallow eutrophic lakes. *Aquatic Botany* 42:199-216.

Schindler, D.W. 1988. Effects of acid rain on freshwater ecosystems. *Science* 239:149-158.

Schindler, D.W., S.E.M. Kasian, and R.H. Hesslein. 1989. Biological impoverishment in lakes of the midwestern and northeastern United States from acid rain. *Environmental Science and Technology* 23:573-580.

Schueler, T.R. 1987. *Controlling urban runoff: A practical manual for planning and designing urban BMPs*. Document No. 87703. Metropolitan Washington Council of Governments, Washington, DC.

Schuster, E.G. and H.R. Zuuring. 1986. Quantifying the unquantifiable: Or have you stopped abusing measurement scale? *Journal of Forestry* 1986:25-30.

Scott, E.M., G.D. Hickman, and A.M. Brown. 1992. *Reservoir vital signs monitoring, 1991 - Fish community results*. TVA/WR-92/5. Tennessee Valley Authority, Water Resources Division, Chattanooga, TN.

Scott, L.C., J.A. Ranasinghe, A.T. Shaughnessy, J. Gerritsen, T.A. Tornatore, R. Newport. 1991. *Long-term benthic monitoring and assessment program for the Maryland portion of Chesapeake Bay: Level 1, Comprehensive report. Vol. 1*. Versar, Inc., Columbia, MD.

Simon, T.P. and J. Lyons. 1995. Application of the index of biotic integrity to evaluate water resource integrity in freshwater ecosystems. Pages 245-262 In W.S. Davis and T.P. Simon, eds. *Biological assessment and criteria. Tools for water resource planning and decision making*. CRC Press, Boca Raton, FL.

Smith, V.H. 1983. Low nitrogen to phosphorus ratios favor dominance by blue-green algae in lake phytoplankton. *Science* 221:669-671.

Smol, J.P. 1983. Paleophycology of a high Arctic lake near Cape Herschel, Ellesmere Island. *Canadian Journal of Botany* 61:2195-2204.

Smol, J.P. 1986. Chrysophyte analysis, Section 7. In D.F. Charles and D.R. Whitehead, eds. *Paleoecological investigation of recent lake acidification: Methods and project description*. EA-4906, Research Project 2174-10. Electric Power Research Institute, Palo Alto, CA.

Smol, J.P., D.F. Charles, and D.R. Whitehead. 1984. Mallomonadacean microfossils provide evidence of recent lake acidification. *Nature* 307(5952):628-630.

Smol, J.P., B.F. Cumming, and J.C. Kingston. 1990. QA in paleolimnology. In D.R. Hart, ed. *QA guidelines for biology in aquatic environmental protection*. Prepared for Environment Canada, National Water Research Institute, Burlington, Ont.

Sokal, R.R. and F.J. Rohlf. 1969. *Biometry*. W.H. Freeman & Co., San Francisco, CA.

Southerland, M.T., and J.B. Stribling. 1995. Status of biological criteria development and implementation. Pages 81-96 In W.S. Davis and T.P. Simon, eds. *Biological assessment and criteria: Tools for water resource planning and decision making*. CRC Press, Boca Raton, FL.

Southwood, T.R.E. 1977. Habitat, the templet for ecological strategies? *Journal of Animal Ecology* 46:337-65.

Snedecor, G.W. and W.G. Cochran. 1980. *Statistical Methods. 7th edition*. The Iowa State University Press, Ames, IA.

Steedman, R.J. 1988. Modification and assessment of an index of biotic integrity to quantify stream quality in southern Ontario. *Canadian Journal of Fisheries and Aquatic Sciences* 45:492-501.

Steinhart, C.E., L.4. Schierow, and W.C. Sonzogni. 1982. An environmental quality index for the Great Lakes. *Water Resources Bulletin* 18:1025-1031.

Stemberger, R.S. and J.M. Lazorchak. 1994. Zooplankton assemblage responses to disturbance gradients. *Canadian Journal of Fisheries and Aquatic Sciences* 51:2535-2547.

Stribling, J.B., J. Lathrop-Davis, M.T. Barbour, J.S. White, and E.W. Leppo. 1995. *Evaluation of environmental indicators for the wetlands of Montana: The multimetric approach using benthic macroinvertebrates*. Prepared for the State of Montana, Department of Health and Environmental Sciences, Helena, Montana.

Suter, G.W., II. 1993. *Ecological risk assessment*. Lewis Publishers, Boca Raton, FL.

SYSTAT, Inc. 1992. SYSTAT: Statistics, Version 5.2 edition. SYSTAT, Inc., Evanston, IL.

ter Braak, C.J.F. 1986. Canonical correspondence analysis: A new eigenvector technique for multivariate direct gradient analysis. *Ecology* 67:1167-1179.

———. 1988. CANOCO - A FORTRAN program for canonical community ordination. Agricultural Mathematics Group, Wageningen, The Netherlands.

ter Braak, C.J.F. and S. Juggins. 1993. Weighted averaging partial least squares regression(WA-PLS): An improved method for reconstructing environmental variables from species assemblages. *Hydrobiologia* 269/270:485-502.

Thompson, S.K. 1992. *Sampling*. John Wiley and Sons, New York, NY.

Thornton, K.W. 1990a. Perspectives on reservoir limnology. Pages 1-14 In K.W. Thornton, B.L. Kimmel and F.E. Payne, eds. *Reservoir limnology: Ecological perspectives*. John Wiley and Sons, New York, NY.

———. 1990b. Sedimentary process. Pages 43-69 In K.W. Thornton, B.L. Kimmel, and F.E. Payne, eds. *Reservoir Limnology: Ecological Perspectives*. John Wiley and Sons Inc., New York, NY.

Tilman, D. 1982. *Resource competition and community structure*. Princeton University Press, Princeton, NJ.

Trebitz, A.S., S.A. Nichols, S.R. Carpenter, and R.C. Lathrop. 1993. Patterns of vegetation change in Lake Wingra following a *Myriophyllum spicatum* decline. *Aquatic Botany* 46:325-340.

Tukey, J. W. 1977. *Exploratory data analysis*. Addison-Wesley, Reading, MA.

TVA. 1994. Tennessee Valley reservoir and stream quality - 1993: Summary of vital signs and use suitability monitoring. Vol. I. *Water Management*. Tennessee Valley Authority, Water Resources Division, Chattanooga, TN.

———. 1995. Aquatic ecological health determinations for TVA reservoirs - 1994: An informal summary of 1994 vital signs monitoring results and ecological health determination methods. *Water Management*. Tennessee Valley Authority, Water Resources Division, Chattanooga, TN.

Uhlmann, D. 1971. Influence of dilution, sinking and grazing rate on phytoplankton populations of hyperfertilized ponds and micro-ecosystems. *Mitt. Internat. Verein. Limnol.* 19:100-124.

Underwood, A.J. 1994. On beyond BACI: Sampling designs that might reliably detect environmental disturbances. *Ecological Applications* 4(1):3-15.

USEPA. 1980a. *Clean lakes program guidance manual*. EPA 440-5-81-003. U.S. Environmental Protection Agency, Office of Water, Washington, DC.

———. 1980b. *National accomplishments in pollution control 1970-1980: Some case histories*. U.S. Environmental Protection Agency, Office of Planning and Management, Program Evaluation Division, Washington, DC.

———. 1983. *Water Quality Standards Handbook*. U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Washington, DC.

———. 1984. *Technical support manual: Waterbody surveys and assessments for conducting use attainability analyses*. Vol. 111: Lake Systems. U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Washington, DC.

———. 1985a. *Clean lakes program: A review of the first decade*. EPA 440/5-85-033. U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Washington, DC.

-
- . 1985b. *Methods for measuring the acute toxicity of effluents to freshwater and marine organisms*. EPA 600/4-85/013. U.S. Environmental Protection Agency, Cincinnati, OH.
- . 1985c. *Technical support document for water quality-based toxics control*. EPA 440/4-85/03. U.S. Environmental Protection Agency, Washington, DC.
- . 1987a. *Handbook of methods for acid deposition studies*. EPA 600/4-87/026. U.S. Environmental Protection Agency, Office of Research and Development, Washington, DC.
- . 1987b. *Report of the national workshop on in-stream biological monitoring and criteria*. In-stream Biol. Criteria Comm. U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Environmental Research Laboratory, Region 10, Corvallis, OR.
- . 1987c. *Surface water monitoring: A framework for change*. U.S. Environmental Protection Agency, Office of Water, Office of Policy, Planning and Evaluation, Washington, DC.
- . 1989a. *Overview of selected EPA regulations and guidance affecting POTW management*. EPA 440/69-89/008. U.S. Environmental Protection Agency, Office of Water, Washington, DC.
- . 1989b. *Rapid bioassessment protocols for use in streams and rivers: Benthic macroinvertebrates and fish*. EPA/440/4-89-001. U.S. Environmental Protection Agency, Office of Water, Washington, DC.
- . 1990a. *Biological criteria: National program guidance for surface waters*. EPA 440/5-90-004. U.S. Environmental Protection Agency, Washington, DC.
- . 1990b. *Lake and reservoir restoration guidance manual. 2nd edition*. EPA 440/4-90-006. Prepared by North America Lake Management Society for U.S. Environmental Protection Agency, Washington, DC.
- . 1990c. *Macroinvertebrate field and laboratory methods for evaluating the biological integrity of surface waters*. EPA 600/4-90/030. U.S. Environmental Protection Agency, Washington, DC.
- . 1990d. *Near coastal program plan for 1990: Estuaries*. EPA 600/4-90/033. U.S. Environmental Protection Agency, Office of Research and Development, Environmental Research Lab, Narragansett, RI.
- . 1991a. *Biological criteria: Guide to technical literature*. EPA 440/5-91-004. U.S. Environmental Protection Agency, Office of Water, Washington, DC.

-
- . 1991b. *Biological criteria: Research and regulation. Proceedings of a symposium.* EPA 440/5-91-005. U.S. Environmental Protection Agency, Office of Water, Health and Ecological Criteria Division, Washington, DC.
- . 1991c. *Biological criteria: State development and implementation efforts.* EPA 440/5-91-003. U.S. Environmental Protection Agency, Office of Water, Washington, DC.
- . 1991d. *Design Report for EMAP, the Environmental Monitoring and Assessment Program.* EPA 600-3-91-053. U.S. Environmental Protection Agency, Office of Research and Development, Washington, DC.
- . 1991e. *The Environmental Monitoring and Assessment Program (EMAP) - Surface Waters monitoring research plan, fiscal year 1991.* EPA 600/3-91/022. U.S. Environmental Protection Agency, Corvallis, OR.
- . 1991f. *Technical support document for water quality-based toxics control.* EPA 505/2-90-001. U.S. Environmental Protection Agency, Office of Water, Washington, DC.
- . 1992a. *Draft ecoregions/subcoregions of Florida.* U.S. Environmental Protection Agency, Office of Research and Development, Environmental Research Laboratory, Corvallis, OR.
- . 1992b. *Fish field and laboratory methods for evaluating the biological integrity of surface waters.* EPA 600/R-92/111. U.S. Environmental Protection Agency, Cincinnati, OH.
- . 1992c. *Framework for ecological risk assessment.* EPA 630-R-92-001. U.S. Environmental Protection Agency, Washington, DC.
- . 1992d. *Monitoring Guidance of the National Estuary Program.* EPA 842-B-92-004. U.S. Environmental Protection Agency, Office of Water, Washington, DC.
- . 1992e. *Procedures for initiating narrative biological criteria.* EPA 822-B-92-002. U.S. Environmental Protection Agency, Office of Science and Technology, Washington, DC.
- . 1992f. *Sediment classification methods compendium.* EPA 823-4-92-006. U.S. Environmental Protection Agency, Office of Water, Washington, DC.
- . 1993a. *EMAP-Surface waters 1991 pilot report. Review draft.* EPA 620/R-93/003. U.S. Environmental Protection Agency, Environmental Research Laboratory, Corvallis, OR.
- . 1993b (draft final). *EPA requirements for quality assurance project plans for environmental data operations.* EPA QA/R-5. U.S. Environmental Protection Agency, Quality Assurance Management Staff, Washington, DC.

——. 1993c. *Guidelines for preparation of the 1994 state water quality assessments (305(b) reports)*. EPA 841-B-93-004. U.S. Environmental Protection Agency, Office of Water, Washington, DC.

——. 1993d. *Statistical methods for the analysis of lake water quality trends*. EPA 841-R-93-003. U.S. Environmental Protection Agency, Office of Water, Washington, D.C.

——. 1993e. *Virginian Province demonstration report. EMAP-Estuarines: 1990*. EPA 620/R-93/006. U.S. Environmental Protection Agency, Office of Research and Development, Washington, DC.

——. 1994a. *EMAP Surface waters field operations manual for lakes*. U.S. Environmental Protection Agency, Environmental Monitoring Systems Laboratory, Las Vegas, NV.

——. 1994b. *Environmental Monitoring and Assessment Program: Integrated quality assurance project plan for the Surface Waters Resource Group, 1994 activities, Rev. 2.00*. EPA 600/X-91/080. U.S. Environmental Protection Agency, Las Vegas, NV.

——. 1994c (draft). *EPA program guidance on the TMDL concept*. U.S. Environmental Protection Agency, Washington, DC.

——. 1994d. *Guidance for the Data Quality Objectives Process*. EPA 600/R-96/055. U.S. Environmental Protection Agency, Office of Research and Development, Washington, DC.

——. 1994e (draft). *Guidance on implementation of biological criteria*. U.S. Environmental Protection Agency, Office of Science and Technology, Washington, DC.

——. 1994f. *National water quality inventory: 1992 report to Congress*. EPA 841-R-94-001. U.S. Environmental Protection Agency, Office of Water, Washington, DC.

——. 1994g. *Periphytic diatom assemblages of high elevation Rocky Mountain lakes: Characterization of reference conditions*. U.S. Environmental Protection Agency, Washington, DC.

——. 1994h. *Statistical summary: EMAP- Estuarines Virginian Province - 1991*. EPA 620/R-94/005. U.S. Environmental Protection Agency, Office of Research and Development, Environmental Research Laboratory, Narragansett, RI.

——. 1994i. *Statistical summary: EMAP - Estuarines Virginian Province - 1992*. EPA 620/R-94/019. U.S. Environmental Protection Agency, Office of Research and Development, Environmental Research Laboratory, Narragansett, RI.

——. 1994j. *USEPA procedures for assessing the toxicity and bioaccumulation of sediment-associated contaminants with freshwater invertebrates*. EPA 600/R-94/024. U.S. Environmental Protection Agency, Environmental Research Laboratory, Duluth, MN.

-
- . 1994k (draft). *The watershed protection approach 1993/94 supplement to 1992 annual report*. U.S. Environmental Protection Agency, Office of Water, Washington, DC.
- . 1995. *Generic quality assurance project plan guidance for programs using community level biological assessment in wadable streams and rivers*. EPA 841-B-95-004. U.S. Environmental Protection Agency, Office of Water, Washington, DC.
- . 1996a. *Biological criteria: Technical guidance for streams and small rivers*. EPA 822-B-96-001. U.S. Environmental Protection Agency, Office of Water, Washington, DC.
- . 1996b. *Biological criteria: Technical guidance for survey design and statistical evaluation of biosurvey data*. Prepared for U.S. Environmental Protection Agency, Office of Science and Technology, Washington, DC.
- . 1996c. *Guidance for data quality assessment, practical methods for data analysis, EPA QA/G-9, QA96 Version*. EPA 600/R-96/084. U.S. Environmental Protection Agency, Office of Research and Development, Washington, DC.
- . 1996d. Proposed guidelines for ecological risk assessment. U.S. Environmental Protection Agency. *Federal Register* 61(175):47552-47631.
- . 1996e. *Biological assessment methods, biocriteria, and biological indicators: Bibliography of selected technical, policy, and regulatory literature*. EPA 230-B-96-001. U.S. Environmental Protection Agency, Office of Policy, Planning, and Evaluation, Washington, DC.
- . 1996f. *Summary of state biological assessment programs for streams and rivers*. EPA 230-R-96-007. U.S. Environmental Protection Agency, Office of Policy, Planning, and Evaluation, Washington, DC.
- . 1997a (review draft). *Estuarine/near coastal marine waters bioassessment and biocriteria technical guidance*. Prepared for U.S. Environmental Protection Agency, Office of Water, Washington DC.
- . 1997b. Field and laboratory methods for macroinvertebrate and habitat assessment of low gradient nontidal streams. Mid-Atlantic Coastal Streams Workgroup. U.S. Environmental Protection Agency, Environmental Services Division, Region 3, Wheeling, WV.
- . 1997c (draft). *Lake regions of Florida*. U.S. Environmental Protection Agency, Office of Research and Development, Western Ecology Division, Corvallis, OR.
- . 1997d (draft). *Revision to rapid bioassessment protocols for use in streams and rivers: Periphyton, benthic macroinvertebrates, and fish*. EPA 841-D-97-002. U.S. Environmental Protection Agency, Office of Water, Washington, DC.

Vighi, M. and G. Chiaudani. 1985. A simple method to estimate lake phosphorus concentrations resulting from natural, background, loadings. *Water Research* 19:987-991.

Vinson, M.R., and C.P. Hawkins. 1996. Effects of sampling area and subsampling procedure on comparisons of taxa richness among streams. *Journal of the North American Benthological Society* 15:392-299.

Vollenweider, R.A. 1968. *Scientific fundamentals of eutrophication of lakes and flowing waters with special reference to phosphorus and nitrogen*. OECD/DAS/CSI/68.27. OECD, Paris.

———. 1975. Input-output models with special reference to the phosphorus loading concept in limnology. *Schweizerische Zeitschrift fur Hydrologie* 37:53-83.

Wallace, J.B., J.W. Grubaugh, and M.R. Whiles. 1996. Biotic indices and stream ecosystem processes: Results from an experimental study. *Ecological Applications* 6(1):140-151.

Warwick, R.M., and K.R. Clarke. 1991. A comparison of some methods for analyzing changes in benthic community structure. *Journal of Marine Biological Association* 71:225-244.

Watson, N.H.F. 1974. Zooplankton of the St. Lawrence Great Lakes: Species composition, distribution, and abundance. *Journal of the Fisheries Research Board of Canada* 31:783-794.

Weaver, M.J., J.J. Magnuson, and M.K. Clayton. 1993. Analyses for differentiating littoral fish assemblages with catch data from multiple sampling gears. *Transactions of the American Fisheries Society* 122:1111-1119.

Weber, S.P., B. Shaw, and S.A. Nichols. 1995. *The aquatic macrophyte communities of eight northern Wisconsin flowages*. Technical Report, College of Natural Resources, University of Wisconsin, Stevens Point, WI.

Wetzel, R. G. 1975. *Limnology*. W.B. Saunders Company, Philadelphia, PA.

Wetzel, R.G. 1990. Reservoir Ecosystems: Conclusions and speculations. Pages 227-238 In K.W. Thornton, B.L. Kimmel, and F.E. Payne, eds. *Reservoir limnology: Ecological perspectives*. John Wiley and Sons, New York, NY.

Wiederholm, T. 1980. Use of benthos in lake monitoring. *Journal of the Water Pollution Control Federation* 52:537-547.

———. 1984. Responses of aquatic insects to environmental pollution. Pages 508-557 In V.H. Resh and D.M. Rosenberg, eds. *The ecology of aquatic insects*. Praeger, New York, NY.

Wonnacott, T.H. and R.J. Wonnacott. 1969. *Introductory Statistics. 2nd Edition*. John Wiley and Sons, Inc., New York, NY.

Wright, J.C. 1967. Effect of impoundments on productivity, water chemistry, and heat budgets of rivers. Pages 188-199 In *Reservoir Fishery Resources*. American Fisheries Society. Washington, DC.

Wright, J.F., D. Moss, P.D. Armitage, and M.T. Furse. 1984. A preliminary classification of running-water sites in Great Britain based on macroinvertebrate species and the prediction of community type using environmental data. *Freshwater Biology* 14:221-256.

Yoccoz, N.G. 1991. Use, overuse and misuse of significance tests in evolutionary biology and ecology. *Bulletin of the Ecological Society of America* 72:106-111.

Yoder, C.O. and E.T. Rankin. 1995. Biological criteria program development and implementation in Ohio. Pages 109-144 In W.S. Davis and T.P. Simon, eds. *Biological Assessment and Criteria: Tools for water resource planning and decision making*. Lewis Publishers, Boca Raton, FL.

Zaret, T.M. 1980. *Predation and freshwater communities*. Yale University Press, New Haven, CT.
